

Check List of Parasitic Helminths of Wild Animals
in Japan and adjacent areas
reported by Dr. Satyu Yamaguti

Updated on February 10, 2010

Meguro Parasitological Museum, Tokyo, Japan

4-1-1 Shimomeguro, Meguro-ku, Tokyo 153-0064, JAPAN

Tel +81-3-3716-7144 Fax +81-3-3716-2322

E-mail: mpmus@nifty.com

目黒寄生虫館は1957年に文部省(当時)から財団法人設立の許可を受けました。以後今日に至るまでの50年余り、国や自治体などの補助は受けず、独立採算制による運営を維持しております。

とりわけ1993年のリニューアルオープン以降は「世界で唯一の寄生虫の博物館」「無料で入れる博物館」とメディアでも頻繁に紹介されるようになりました。毎日多くの見学者の方が来館されていることには、スタッフ一同厚く御礼申し上げます。

しかしながら、華やかにみえる面とは裏腹に、その内情は折からの世界経済状況の影響により不況のあおりを真っ向から受ける形となり、厳しい財政状況が続いていると言わざるをえません。

このような状況をご理解いただいた上で、皆様からのご寄付をお願い申し上げます。

皆様からのご寄付は、今後とも公益法人として、よりよい研究・展示活動を続けていくための貴重な財源となります。展示室に募金箱が設置されておりますので、ご来館の際には何卒ご協力をお願いいたします。

なお、ご寄付は館内募金箱の他、振込や書留でもお受けしております。

Meguro Parasitological Museum is a nonprofit, charitable organization. Donations from individuals and corporations are an especially valuable financial resource and are graciously accepted. We ask that you please consider making a contribution.

このリストは下記文献を基に、訂正・加筆し作成しました。

This checklist is based on data in the papers below, and some corrections had been made.

Kamegai, Sh. and Ichihara, A. (1972) A Check list of the helminths from Japan and adjacent areas. Part 1. Fish parasites reported by S. Yamaguti from Japanese waters and adjacent areas. Res. Bull. Meguro Parasitol. Mus., No.6: 1-43.

Kamegai, Sh. and Ichihara, A. (1973) A Check list of the helminths from Japan and adjacent areas. Part 2. Parasites of amphibian, reptiles, birds and mammals reported by S. Yamaguti. Res. Bull. Meguro Parasitol. Mus., No.7: 33-64.

Host order	Host family	Host genus	Host species	Host Japanese name	宿主名	Para site	Genus	Species	Stage	Prefecture	Locality	Ref. No.	Page
Artiodactyla	Bovidae	"buffaro slaughtered"		suigyū	スイギュウ	D	<i>Calicophoron</i>	<i>cauliorchis</i>		Overseas	Celebes	Cs.5	348
Artiodactyla	Bovidae	"buffaro slaughtered"		suigyū	スイギュウ	D	<i>Ceylonocotyle</i>	<i>scoliocoelium</i>		Overseas	Celebes	Cs.5	350
Artiodactyla	Bovidae	"buffaro slaughtered"		suigyū	スイギュウ	D	<i>Explanatum</i>	<i>explanatum</i>		Overseas	Celebes	Cs.5	345
Artiodactyla	Bovidae	"buffaro slaughtered"		suigyū	スイギュウ	D	<i>Fasciola</i>	<i>hepatica</i>		Overseas	Celebes	Cs.5	351
Artiodactyla	Bovidae	"buffaro slaughtered"		suigyū	スイギュウ	D	<i>Fischoederius</i>	<i>elongatus</i>		Overseas	Celebes	Cs.5	350
Artiodactyla	Bovidae	"buffaro slaughtered"		suigyū	スイギュウ	N	<i>Mecistocirrus</i>	<i>digitatus</i>		Overseas	Celebes	Cs.10	144
Artiodactyla	Bovidae	"buffaro slaughtered"		suigyū	スイギュウ	D	<i>Paramphistomum</i>	<i>cervi</i>		Overseas	Celebes	Cs.5	347
Artiodactyla	Bovidae	"buffaro slaughtered"		suigyū	スイギュウ	N	<i>Setaria</i>	<i>labiatopapillosa</i>		Overseas	Celebes	Cs.10	145
Artiodactyla	Bovidae	<i>Bos</i>	<i>taurus</i>	usi (cattle)	ウシ	N	<i>Bunostomum</i>	<i>phlebotomum</i>		Tokyo	Nishigahara	Pt.13	448
Artiodactyla	Bovidae	<i>Bos</i>	<i>taurus</i>	slaughtered usi	ウシ	D	<i>Calicophoron</i>	<i>calicophorum</i>		Kyoto	Kyoto abattoir	Pt.27	143
Artiodactyla	Bovidae	<i>Bos</i>	<i>taurus</i>	slaughtered usi	ウシ	D	<i>Ceylonocotyle</i>	<i>scoliocoelium</i>		Kyoto	Kyoto abattoir	Pt.27	142
Artiodactyla	Bovidae	<i>Bos</i>	<i>taurus</i>	usi (cattle)	ウシ	D	<i>Eurytrema</i>	<i>pancreaticum</i>		Kyoto; Tokyo	Kyoto stockyard; Nishigahara	Pt.1	126
Artiodactyla	Bovidae	<i>Bos</i>	<i>taurus</i>	slaughtered usi	ウシ	D	<i>Fischoederius</i>	<i>elongatus</i>		Kyoto	Kyoto abattoir	Pt.27	145
Artiodactyla	Bovidae	<i>Bos</i>	<i>taurus</i>	usi (cattle)	ウシ	N	<i>Oesophagostomum</i>	<i>radiatum</i>		Kyoto	Nishigahara	Pt.13	440
Artiodactyla	Bovidae	<i>Bos</i>	<i>taurus</i>	usi (cattle)	ウシ	D	<i>Paramphistomum</i>	<i>gotoi</i>		Kyoto	Kyoto abattoir	Pt.27	140
Artiodactyla	Bovidae	<i>Bos</i>	<i>taurus</i>	usi (cattle)	ウシ	N	<i>Thelazia</i>	<i>rhodesii</i>		Kyoto	Kyoto stockyard	Pt.13	455
Artiodactyla	Bovidae	<i>Bos</i>	<i>taurus</i>	usi	ウシ	N	<i>Mecistocirrus</i>	<i>digitatus</i>		Hokkaido	Sapporo	Pt.41	29
Artiodactyla	Bovidae	<i>Bos</i>	<i>taurus</i>	usi	ウシ	N	<i>Mecistocirrus</i>	<i>digitatus</i>		Overseas	Formosa	Pt.41	29
Artiodactyla	Bovidae	<i>Bos</i>	<i>taurus domesticus</i>	usi	ウシ	C	<i>Moniezia</i>	<i>benedeni</i>		Kyoto	Kyoto abattoir	Pt.42	13
Artiodactyla	Bovidae	<i>Bos</i>	<i>taurus domesticus</i>	usi	ウシ	C	<i>Moniezia</i>	<i>expansa</i>		Kyoto	Kyoto abattoir	Pt.42	12
Artiodactyla	Bovidae	<i>Bos</i>	<i>taurus domesticus</i>	usi	ウシ	N	<i>Setaria</i>	<i>labiatopapillosa</i>		Kyoto	Kyoto abattoir	Pt.43	449
Artiodactyla	Bovidae	<i>Bubalus</i>	<i>bubalis</i>	suigyū	スイギュウ	D	<i>Fischoederius</i>	<i>japonicus</i>		Overseas	Formosa	Pt.27	146
Artiodactyla	Bovidae	<i>Bubalus</i>	<i>bubalis</i>	suigyū	スイギュウ	D	<i>Gastrothylax</i>	<i>glandiformis</i>		Overseas	Formosa	Pt.27	148
Artiodactyla	Bovidae	<i>Ovis</i>	<i>aries</i>	hitsuji	ヒツジ	N	<i>Ostertagia</i>	<i>circumcincta</i>		?		Pt.51	116
Artiodactyla	Bovidae	<i>Ovis</i>	<i>aries</i>	hitsuji	ヒツジ	N	<i>Trichostrongylus</i>	<i>colubriformis</i>		?		Pt.51	115
Artiodactyla	Bovidae	<i>Ovis</i>	<i>aries</i>	hitsuji	ヒツジ	N	<i>Bunostomum</i>	<i>trigonocephalum</i>		?		Pt.43	438

Host order	Host family	Host genus	Host species	Host Japanese name	宿主名	Para site	Genus	Species	Stage	Prefecture	Locality	Ref. No.	Page
Artiodactyla	Bovidae	<i>Ovis</i>	<i>aries</i>	hitsuji	ヒツジ	N	<i>Chabertia</i>	<i>ovina</i>		Tokyo		Pt.51	113
Artiodactyla	Bovidae	<i>Ovis</i>	<i>aries</i>	hitsuji	ヒツジ	N	<i>Cooperia</i>	<i>curticei</i>		Tokyo		Pt.51	117
Artiodactyla	Bovidae	<i>Ovis</i>	<i>aries</i>	hitsuji	ヒツジ	N	<i>Haemonchus</i>	<i>contortus</i>		Tokyo		Pt.51	115
Artiodactyla	Bovidae	<i>Ovis</i>	<i>aries</i>	hitsuji	ヒツジ	N	<i>Oesophagostomum</i>	<i>columbianum</i>		Hokkaido	Sapporo	Pt.51	112
Artiodactyla	Bovidae	<i>Ovis</i>	<i>aries</i>	hitsuji	ヒツジ	N	<i>Strongyloides</i>	<i>papillosus</i>	?			Pt.43	427
Artiodactyla	Bovidae	<i>Ovis</i>	<i>aries</i>	hitsuji	ヒツジ	N	<i>Trichuris</i>	<i>ovis</i>	?			Pt.43	429
Artiodactyla	Cervidae	<i>Sika</i>	<i>nippon (=Cervus n.)</i>	shika	ニホンジカ	D	<i>Cymbiforma</i>	<i>sikae</i>		Kyoto	Kumogahata	Pt.1	98
Artiodactyla	Cervidae	<i>Sika</i>	<i>nippon (=Cervus n.)</i>	shika	ニホンジカ	N	<i>Dictyocaulus</i>	<i>viviparus</i>		Kyoto		Pt.13	449
Artiodactyla	Cervidae	<i>Sika</i>	<i>nippon (=Cervus n.)</i>	shika	ニホンジカ	N	<i>Oesophagostomum</i>	<i>sikae</i>	?			Pt.13	441
Artiodactyla	Cervidae	<i>Sika</i>	<i>nippon nippon (=Cervus n. n.)</i>	shika	ニホンジカ	D	<i>Dicrocoelium</i>	<i>lanceatum</i>		Kyoto		Pt.1	124
Artiodactyla	Cervidae	<i>Sika</i>	<i>nippon nippon (=Cervus n. n.)</i>	shika	ニホンジカ	N	<i>Globocephalus</i>	<i>longemucronatus</i>		Kyoto		Pt.13	445
Artiodactyla	Cervidae	<i>Sika</i>	<i>nippon nippon (=Cervus n. n.)</i>	shika	ニホンジカ	N	<i>Raillietostongylus</i>	<i>samoensis</i>		Kyoto		Pt.13	446
Artiodactyla	Suidae	<i>Sus</i>	<i>leucomystax (=S. scrofa)</i>	inoshishi	イノシシ	N	<i>Bourgelatia</i>	<i>diducta</i>		Yamaguchi; Wakayama	?	Pt.51	109
Artiodactyla	Suidae	<i>Sus</i>	<i>leucomystax (=S. scrofa)</i>	inoshishi	イノシシ	N	<i>Capillaria</i>	<i>suis</i>		Yamaguchi; Wakayama	?	Pt.43	430
Artiodactyla	Suidae	<i>Sus</i>	<i>leucomystax (=S. scrofa)</i>	inoshishi	イノシシ	N	<i>Globocephalus</i>	<i>longemucronatus</i>		Kyoto		Pt.13	445
Artiodactyla	Suidae	<i>Sus</i>	<i>leucomystax (=S. scrofa)</i>	inoshishi	イノシシ	N	<i>Metastrongylus</i>	<i>elongatus</i>		Kyoto		Pt.13	448
Artiodactyla	Suidae	<i>Sus</i>	<i>leucomystax (=S. scrofa)</i>	inoshishi	イノシシ	N	<i>Oesophagostomum</i>	<i>watanabei</i>		Niigata		Mis.128	203
Artiodactyla	Suidae	<i>Sus</i>	<i>leucomystax (=S. scrofa)</i>	inoshishi	イノシシ	N	<i>Raillietostongylus</i>	<i>samoensis</i>		Kyoto		Pt.13	446
Artiodactyla	Suidae	<i>Sus</i>	<i>scrofa domestica</i>	buta	ブタ	N	<i>Stephanurus</i>	<i>dentatus</i>		Overseas	Formosa	Pt.41	27
Artiodactyla	Suidae	<i>Sus</i>	<i>scrofa domestica</i>	buta	ブタ	N	<i>Trichuris</i>	<i>suis</i>		Kyoto	Kyoto abattoir	Pt.41	2
Artiodactyla	Suidae	<i>Sus</i>	<i>sp.</i>	buta	ブタ	N	<i>Arduenna</i>	<i>strongylina</i>		Overseas	Celebes	Cs.10	135
Artiodactyla	Suidae	<i>Sus</i>	<i>sp.</i>	buta	ブタ	N	<i>Bourgelatia</i>	<i>diducta</i>		Overseas	Celebes	Cs.10	143
Artiodactyla	Suidae	<i>Sus</i>	<i>sp.</i>	buta	ブタ	N	<i>Oesophagostomum</i>	<i>dentatum</i>		Tokyo	Nishigahara	Pt.13	439
Artiodactyla	Suidae	<i>Sus</i>	<i>sp.</i>	buta	ブタ	N	<i>Oesophagostomum</i>	<i>dentatum</i>		Overseas	Celebes	Cs.10	139
Artiodactyla	Suidae	<i>Sus</i>	<i>sp.</i>	buta	ブタ	N	<i>Setaria</i>	<i>bernardi</i>		Overseas	Celebes	Cs.10	145
Artiodactyla	Suidae	<i>Sus</i>	<i>sp.</i>	buta	ブタ	N	<i>Stephanurus</i>	<i>dentatus</i>		Overseas	Celebes	Cs.10	143
Artiodactyla	Suidae	<i>Sus</i>	<i>sp.</i>	buta	ブタ	N	<i>Trichuris</i>	<i>suis</i>		Japan		Pt.13	455

Host order	Host family	Host genus	Host species	Host Japanese name	宿主名	Para site	Genus	Species	Stage	Prefecture	Locality	Ref. No.	Page
Carnivora	Canidae	<i>Canis</i>	<i>familiaris</i>	inu	イヌ	N	<i>Ancylostoma</i>	<i>caninum</i>		Kyoto		Pt.13	442
Carnivora	Canidae	<i>Canis</i>	<i>familiaris</i>	inu	イヌ	C	<i>Dipylidium</i>	<i>caninum</i>		?		Pt.7	237
Carnivora	Canidae	<i>Canis</i>	<i>familiaris</i>	inu	イヌ	N	<i>Dirofilaria</i>	<i>immitis</i>		Japan (common)		Pt.13	452
Carnivora	Canidae	<i>Canis</i>	<i>familiaris</i>	inu	イヌ	D	<i>Galactosomum</i>	<i>canis</i>		Overseas	Celebes	Cs.5	343
Carnivora	Canidae	<i>Canis</i>	<i>familiaris</i>	inu	イヌ	C	<i>Multiceps</i>	<i>serialis</i>		Mie	Kuki	Pt.7	239
Carnivora	Canidae	<i>Canis</i>	<i>familiaris</i>	inu	イヌ	N	<i>Toxocara</i>	<i>canis</i>		Japan (common)		Pt.13	434
Carnivora	Canidae	<i>Nyctereutes</i>	<i>procyonoides viverrinus</i>	tanuki	タヌキ	N	<i>Ancylostoma</i>	<i>braziliense</i>		Hyogo		Pt.13	443
Carnivora	Canidae	<i>Nyctereutes</i>	<i>procyonoides viverrinus</i>	tanuki	タヌキ	N	<i>Capillaria</i>	<i>sp.</i>		?		Pt.13	456
Carnivora	Canidae	<i>Nyctereutes</i>	<i>procyonoides viverrinus</i>	tanuki	タヌキ	D	<i>Paragonimus</i>	<i>westermani</i>		Kyoto		Pt.1	127
Carnivora	Canidae	<i>Nyctereutes</i>	<i>procyonoides viverrinus</i>	tanuki	タヌキ	N	<i>Toxocara</i>	<i>tanuki</i>		Kyoto		Pt.35	421
Carnivora	Canidae	<i>Vulpes</i>	<i>vulpes japonicus</i>	hondogitune	ホンドギツネ	N	<i>Toxocara</i>	<i>canis</i>		Nara		Pt.35	422
Carnivora	Canidae	<i>Vulpes</i>	<i>vulpes japonicus</i>	hondogitune	ホンドギツネ	N	<i>Toxocara</i>	<i>canis</i>		Hokkaido		Pt.41	5
Carnivora	Canidae	<i>Vulpes</i>	<i>vulpes japonicus</i>	hondogitune	ホンドギツネ	N	<i>Trichuris</i>	<i>vulpis</i>		Hokkaido	Sapporo	Pt.41	3
Carnivora	Canidae	<i>Vulpes</i>	<i>vulpes japonicus</i>	hondogitune	ホンドギツネ	N	<i>Uncinaria</i>	<i>stenocephala</i>		Hokkaido	Sapporo	Pt.43	436
Carnivora	Felidae	<i>Fells</i>	<i>domesiica</i>	neko	ネコ	C	<i>Taenia</i>	<i>taeniaeformis</i>		?		Pt.7	237
Carnivora	Felidae	<i>Fells</i>	<i>domesiica</i>	neko	ネコ	N	<i>Toxocara</i>	<i>mystax</i>		Japan (common)		Pt.13	434
Carnivora	Mustelidae	<i>Lutreola</i>	<i>itatsi itaisi (=Mustela i.)</i>	hondoitatsi	ホンドイタチ	D	<i>Echinostoma</i>	<i>hortense</i>		Kyoto	Uji	Pt.27	133
Carnivora	Mustelidae	<i>Lutreola</i>	<i>itatsi itaisi (=Mustela i.)</i>	hondoitatsi	ホンドイタチ	N	<i>Gnathostoma</i>	<i>nipponicum</i>		Kyoto		Pt.35	429
Carnivora	Mustelidae	<i>Lutreola</i>	<i>itatsi itaisi (=Mustela i.)</i>	hondoitatsi	ホンドイタチ	D	<i>Paragonimus</i>	<i>westermani</i>		Kyoto		Pt.1	127
Carnivora	Mustelidae	<i>Martes</i>	<i>melampus melampus</i>	ten	テン	N	<i>Cardionema</i>	<i>ten</i>		Kyoto	Yamasina	Pt.35	436
Carnivora	Mustelidae	<i>Martes</i>	<i>melampus melampus</i>	ten	テン	D	<i>Eurytrema</i>	<i>ten</i>		Kyoto		Pt.27	134
Carnivora	Mustelidae	<i>Meles</i>	<i>anakuma</i>	anaguma	アナグマ	N	<i>Toxocara</i>	<i>canis</i>		Nagano	Kiso	Pt.35	422
Carnivora	Otariidae	<i>Callotaria</i>	<i>ursina (=Callorhinus ursinus)</i>	ottosei	オットセイ	C	<i>Adenocephalus</i>	<i>pacificus</i>		Fukushima	Onahama	Pt.47	310
Carnivora	Otariidae	<i>Callotaria</i>	<i>ursina (=Callorhinus ursinus)</i>	ottosei	オットセイ	N	<i>Contracaecum</i>	<i>callotariae</i>		?	Pacific Ocean	Pt.46	295

Host order	Host family	Host genus	Host species	Host Japanese name	宿主名	Para site	Genus	Species	Stage	Prefecture	Locality	Ref. No.	Page
Carnivora	Otariidae	<i>Callotaria</i>	<i>ursina</i> (= <i>Callorhinus ursinus</i>)	ottosei	オットセイ	N	<i>Porrocaecum</i>	<i>callotariae</i>		?	Pacific Ocean	Pt.46	297
Carnivora	Phocidae	<i>Histiophoca</i>	<i>fasciata</i> (= <i>Phoca l.</i>)	kurakakeazarashi	クラカケアザラシ	N	<i>Porrocaecum</i>	<i>azarasi</i>		Overseas	Saghalien	Mis.78	113
Carnivora	Ursidae	<i>Ursus</i>	<i>torquatus japonicus</i> (= <i>Selenarcios ihibetanus i.</i>)	tsukinowaguma	ツキノワグマ	N	<i>Dirofilaria</i>	<i>ursi</i>		Nagano	Kiso	Pt.35	433
Cetacea	Balaenopteridae	<i>Balaenoptera</i>	<i>borealis</i>	iwashikujira	イワシクジラ	C	<i>Diplogonoporus</i>	<i>balaenopterae</i>		Iwate	Kamaishi	Pt.42	4
Cetacea	Balaenopteridae	<i>Balaenoptera</i>	<i>rostrata</i> (= <i>B. acutorostrata</i>)	koiwashikujira	コイワシクジラ	N	<i>Anisakis</i>	<i>sp.</i>		Shizuoka	Numazu	Pt.35	423
Cetacea	Balaenopteridae	<i>Balaenoptera</i>	<i>rostrata</i> (= <i>B. acutorostrata</i>)	koiwashikujira	コイワシクジラ	A	<i>Bolbosoma</i>	<i>nipponicum</i>		?	Pacific	Pt.29	339
Cetacea	Delphinidae	<i>Delphinus</i>	<i>dussumierii</i> (= <i>D. capensis</i>)	haseiruka	ハセイルカ	N	<i>Anisakis</i>	<i>dussumierii</i>		Okinawa	Naha	Pt.35	424
Cetacea	Delphinidae	<i>Delphinus</i>	<i>dussumierii</i> (= <i>D. capensis</i>)	haseiruka	ハセイルカ	D	<i>Delphinicola</i>	<i>tenuis</i>		?	Pacific Coast	Pt.1	102
Cetacea	Delphinidae	<i>Delphinus</i>	<i>dussumierii</i> (= <i>D. capensis</i>)	haseiruka	ハセイルカ	C	<i>Diphyllobothrium</i>	<i>stemmacephalum</i>		Mie	Kuki	Pt.7	233
Cetacea	Delphinidae	<i>Delphinus</i>	<i>longirosiris</i> (= <i>Stenella l.</i>)	hasinagairuka	ハシナガイルカ	D	<i>Campula</i>	<i>laevicaecum</i>		Okinawa	Naha	Pt.40	399
Cetacea	Delphinidae	<i>Delphinus</i>	<i>longirosiris</i> (= <i>Stenella l.</i>)	hasinagairuka	ハシナガイルカ	A	<i>Corynosoma</i>	<i>sp.</i>		Mie	Kuki	Pt.8	270
Cetacea	Delphinidae	<i>Delphinus</i>	<i>longirosiris</i> (= <i>Stenella l.</i>)	hasinagairuka	ハシナガイルカ	D	<i>Lecithodesmus</i>	<i>nipponicus</i>		Okinawa	Naha	Pt.40	405
Cetacea	Delphinidae	<i>Delphinus</i>	<i>longirosiris</i> (= <i>Stenella l.</i>)	hasinagairuka	ハシナガイルカ	C	<i>Tetrabothrius</i>	<i>delphini</i>		Wakayama	Taiji	Pt.42	6
Cetacea	Delphinidae	<i>Globicephalus</i>	<i>scammoni</i>	shiogondou	シオゴンドウ	N	<i>Anisakis</i>	<i>salaris</i>		Wakayama	Taiji	Pt.41	8
Cetacea	Delphinidae	<i>Globicephalus</i>	<i>scammoni</i>	shiogondou	シオゴンドウ	D	<i>Campula</i>	<i>gondo</i>		Wakayama	Taiji	Pt.40	402
Cetacea	Delphinidae	<i>Globicephalus</i>	<i>scammoni</i>	shiogondou	シオゴンドウ	C	<i>Diphyllobothrium</i>	<i>gondo</i>		Iwate	Kamaishi	Pt.42	1
Cetacea	Delphinidae	<i>Globicephalus</i>	<i>scammoni</i>	shiogondou	シオゴンドウ	C	<i>Diphyllobothrium</i>	<i>subtile</i>		Iwate	Kamaishi	Pt.42	3
Cetacea	Delphinidae	<i>Globicephalus</i>	<i>scammoni</i>	shiogondou	シオゴンドウ	D	<i>Lecithodesmus</i>	<i>nipponicus</i>		Wakayama	Taiji	Pt.40	405
Cetacea	Delphinidae	<i>Globicephalus</i>	<i>scammoni</i>	shiogondou	シオゴンドウ	D	<i>Nasitrema</i>	<i>gondo</i>		Wakayama	Taiji	Pt.45	290
Cetacea	Delphinidae	<i>Globicephalus</i>	<i>scammoni</i>	shiogondou	シオゴンドウ	N	<i>Stenurus</i>	<i>globicephalae</i>		Wakayama	Taiji	Pt.43	451
Cetacea	Delphinidae	<i>Globicephalus</i>	<i>scammoni</i>	shiogondou	シオゴンドウ	C	<i>Trigonocotyle</i>	<i>linioni</i>		Iwate	Kamaishi	Pt.42	8

Host order	Host family	Host genus	Host species	Host Japanese name	宿主名	Para site	Genus	Species	Stage	Prefecture	Locality	Ref. No.	Page
Cetacea	Phocoenidae	<i>Neomeris</i>	<i>phocaenoides</i>	sunameri	スナメリ	N	<i>Halocercus</i>	<i>sunameri</i>		Hyogo	Akasi	Pt.46	302
Cetacea	Phocoenidae	<i>Neomeris</i>	<i>phocaenoides</i>	sunameri	スナメリ	D	<i>Nasitrema</i>	<i>spathulatum</i>		?		Pt.45	287
Cetacea	Phocoenidae	<i>Neomeris</i>	<i>phocaenoides</i>	sunameri	スナメリ	D	<i>Nasitrema</i>	<i>sunameri</i>		?	Inland Sea	Pt.45	288
Cetacea	Phocoenidae	<i>Neomeris</i>	<i>phocaenoides</i>	sunameri	スナメリ	N	<i>Pseudostenurus</i>	<i>sunameri</i>		Hyogo	Akasi	Pt.46	303
Cetacea	Phocoenidae	<i>Phocaenoides</i>	<i>dalli</i>	ishiiruka	イシイルカ	D	<i>Campula</i>	<i>oblonga</i>		?	Sea of Japan	Pt.45	283
Cetacea	Phocoenidae	<i>Phocaenoides</i>	<i>dalli</i>	ishiiruka	イシイルカ	D	<i>Hadwenius</i>	<i>nipponicus</i>		?	Sea of Japan	Pt.45	284
Cetacea	Phocoenidae	<i>Phocaenoides</i>	<i>dalli</i>	ishiiruka	イシイルカ	N	<i>Halocercus</i>	<i>dalli</i>		?	Sea of Japan	Pt.46	301
Cetacea	Phocoenidae	<i>Phocaenoides</i>	<i>dalli</i>	ishiiruka	イシイルカ	N	<i>Irukanema</i>	<i>dalli</i>		Hyogo	Tajima	Pt.46	298
Cetacea	Phocoenidae	<i>Phocaenoides</i>	<i>dalli</i>	ishiiruka	イシイルカ	D	<i>Nasitrema</i>	<i>dalli</i>		?	Sea of Japan	Pt.45	287
Cetacea	Phocoenidae	<i>Phocaenoides</i>	<i>dalli</i>	ishiiruka	イシイルカ	C	<i>Tetrabothrius</i>	<i>dalli</i>		?	Sea of Japan (Tajima Province)	Pt.47	307
Cetacea	Physeteridae	<i>Physeter</i>	<i>macrocephalus (=P. calodon)</i>	makkokujira	マッコウクジラ	N	<i>Anisakis</i>	<i>physeteris</i>		Wakayama	Taiji	Pt.41	5
Chiroptera	Rhinolophidae	<i>Rhinolophus</i>	<i>cornutus cornutus</i>	kokikugashira komori	コキクガシラコウモリ	N	<i>Strongylacantha</i>	<i>rhinolophi</i>		Kyoto		Pt.13	444
Chiroptera	Rhinolophidae	<i>Rhinolophus</i>	<i>ferrum-equinum nippon</i>	kikugashirakomori	キクガシラコウモリ	D	<i>Acanthatrium</i>	<i>ovatum</i>		Kyoto	Yase	Pt.27	137
Chiroptera	Rhinolophidae	<i>Rhinolophus</i>	<i>ferrum-equinum nippon</i>	kikugashirakomori	キクガシラコウモリ	D	<i>Lecithodendrium</i>	<i>japonicum</i>		Kyoto	Yase	Pt.27	136
Chiroptera	Rhinolophidae	<i>Rhinolophus</i>	<i>ferrum-equinum nippon</i>	kikugashirakomori	キクガシラコウモリ	N	<i>Molinosstrongylus</i>	<i>rhinolophi</i>		Kyoto	Yase	Pt.35	412
Chiroptera	Rhinolophidae	<i>Rhinolophus</i>	<i>ferrum-equinum nippon</i>	kikugashira-komori	キクガシラコウモリ	D	<i>Plagiorchis</i>	<i>magnacotylus</i>		Overseas	Manchoukuo	Mis.65	500
Chiroptera	Rhinolophidae	<i>Rhinolophus</i>	<i>ferrum-equinum nippon</i>	kikugashirakomori	キクガシラコウモリ	D	<i>Prosthodendrium</i>	<i>piriforme</i>		Kyoto	Yase	Pt.27	138
Chiroptera	Rhinolophidae	<i>Rhinolophus</i>	<i>ferrum-equinum nippon</i>	kikugashirakomori	キクガシラコウモリ	D	<i>Prosthodendrium</i>	<i>postacetabulum</i>		Overseas	Manchoukuo	Mis.65	504
Chiroptera	Rhinolophidae	<i>Rhinolophus</i>	<i>ferrum-equinum nippon</i>	kikugashirakomori	キクガシラコウモリ	D	<i>Prosthodendrium</i>	<i>pyramidum orientale</i>		Overseas	Manchoukuo	Mis.66	502
Chiroptera	Vespertilionidae	<i>Pipistrellus</i>	<i>abramus</i>	aburakomori	アブラコウモリ	N	<i>Capillaria</i>	<i>pipistrelli</i>		Nara	Mt. Omine	Pt.35	411
Insectivora	Talpidae	<i>Mogera</i>	<i>wogura wogura</i>	azumamogura	アズマモグラ	N	<i>Moguranema</i>	<i>nipponicum</i>		Kyoto	Yamasina	Pt.35	416
Insectivora	Talpidae	<i>Urotrichus</i>	<i>talpoides</i>	himizumogura	ヒミズモグラ	D	<i>Brachylaemus</i>	<i>tokudai</i>		Nagano	Kiso, Mt. Ontake	On.2	393

Host order	Host family	Host genus	Host species	Host Japanese name	宿主名	Para site	Genus	Species	Stage	Prefecture	Locality	Ref. No.	Page
Lagomorpha	Leporidae	<i>Lepus</i>	<i>brachyurus</i>	usagi	ノウサギ	C	<i>Taenia</i>	<i>pisiformis</i>	larva	Mie	Kuki	Pt.7	238
Lagomorpha	Leporidae	<i>Lepus</i>	<i>brachyurus</i>	usagi	ノウサギ	N	<i>Trichostrongylus</i>	<i>instabilis</i>		Mie	Kuki	Pt.13	450
Lagomorpha	Leporidae	<i>Lepus</i>	<i>brachyurus brachyurus</i>	nousagi	ノウサギ	N	<i>Longistriata</i>	<i>leporis</i>		Mie	Kuki	Pt.13	450
Lagomorpha	Leporidae	<i>Lepus</i>	<i>brachyurus brachyurus</i>	nousagi	ノウサギ	N	<i>Obeliscoides</i>	<i>leporis</i>		Mie	Kuki	Pt.41	30
Perissodactyla	Equidae	"Korean pony"		uma	ウマ	N	<i>Habronema</i>	<i>iyosenense</i>		Overseas	Korea	Pt.43	446
Perissodactyla	Equidae	"Korean pony"		uma	ウマ	N	<i>Trichonema</i>	<i>bicoronatum</i>		Overseas	Korea	Pt.51	108
Perissodactyla	Equidae	"Korean pony"		uma	ウマ	N	<i>Trichonema</i>	<i>goldi</i>		Overseas	Korea	Pt.51	105
Perissodactyla	Equidae	"Korean pony"		uma	ウマ	N	<i>Trichonema</i>	<i>longibursatum</i>		Overseas	Korea	Pt.51	107
Perissodactyla	Equidae	"Korean pony"		uma	ウマ	N	<i>Trichonema</i>	<i>poculium</i>		Overseas	Korea	Pt.51	106
Perissodactyla	Equidae	"Korean pony"		uma	ウマ	N	<i>Triodontophorus</i>	<i>brevicauda</i>		Overseas	Korea	Pt.43	431
Perissodactyla	Equidae	<i>Equus</i>	<i>caballus orientalis</i>	nihon-uma	ウマ	N	<i>Ascaris</i>	<i>equorum</i>		Kyoto; Hokkaido	Kyoto; Sapporo	Pt.41	4
Perissodactyla	Equidae	<i>Equus</i>	<i>caballus orientalis</i>	nihon-uma	ウマ	N	<i>Gyalocephalus</i>	<i>capitatus</i>		Kyoto		Pt.51	111
Perissodactyla	Equidae	<i>Equus</i>	<i>caballus orientalis</i>	nihon-uma	ウマ	N	<i>Habronema</i>	<i>microstoma</i>		Hokkaido	Sapporo	Pt.43	444
Perissodactyla	Equidae	<i>Equus</i>	<i>caballus orientalis</i>	nihon-uma	ウマ	N	<i>Oxyuris</i>	<i>equi</i>		Kyoto	Kyoto abattoir	Pt.43	439
Perissodactyla	Equidae	<i>Equus</i>	<i>caballus orientalis</i>	nihon-uma	ウマ	N	<i>Setaria</i>	<i>equina</i>		Hokkaido	Sapporo	Pt.43	448
Perissodactyla	Equidae	<i>Equus</i>	<i>caballus orientalis</i>	nihon-uma	ウマ	N	<i>Setaria</i>	<i>equina</i>		Kyoto	Kyoto stockyard	Pt.13	453
Perissodactyla	Equidae	<i>Equus</i>	<i>caballus orientalis</i>	nihon-uma	ウマ	N	<i>Strongylus</i>	<i>edentatus</i>		Tokyo	Nishigahara	Pt.13	438
Perissodactyla	Equidae	<i>Equus</i>	<i>caballus orientalis</i>	nihon-uma	ウマ	N	<i>Strongylus</i>	<i>edentatus</i>		Kyoto	Kyoto abattoir	Pt.41	15
Perissodactyla	Equidae	<i>Equus</i>	<i>caballus orientalis</i>	nihon-uma	ウマ	N	<i>Strongylus</i>	<i>equinus</i>		Kyoto	Kyoto abattoir	Pt.41	13
Perissodactyla	Equidae	<i>Equus</i>	<i>caballus orientalis</i>	nihon-uma	ウマ	N	<i>Strongylus</i>	<i>vulgaris</i>		Kyoto	Kyoto abattoir	Pt.41	11
Perissodactyla	Equidae	<i>Equus</i>	<i>caballus orientalis</i>	nihon-uma	ウマ	N	<i>Trichonema</i>	<i>goldi</i>		Kyoto; Hokkaido	Kyoto; Sapporo	Pt.41	18
Perissodactyla	Equidae	<i>Equus</i>	<i>caballus orientalis</i>	nihon-uma	ウマ	N	<i>Trichonema</i>	<i>labiatum</i>		Kyoto; Hokkaido	Kyoto; Sapporo	Pt.41	20

Host order	Host family	Host genus	Host species	Host Japanese name	宿主名	Para site	Genus	Species	Stage	Prefecture	Locality	Ref. No.	Page
Perissodactyla	Equidae	<i>Equus</i>	<i>caballus orientalis</i>	nihon-uma	ウマ	N	<i>Trichonema</i>	<i>longibursatum</i>		Kyoto; Hokkaido	Kyoto; Sapporo	Pt.41	16
Perissodactyla	Equidae	<i>Equus</i>	<i>caballus orientalis</i>	nihon-uma	ウマ	N	<i>Trichonema</i>	<i>matumurai</i>		Hokkaido	Sapporo	Pt.41	24
Perissodactyla	Equidae	<i>Equus</i>	<i>caballus orientalis</i>	nihon-uma	ウマ	N	<i>Trichonema</i>	<i>minutum</i>		Hokkaido	Sapporo	Pt.41	22
Perissodactyla	Equidae	<i>Equus</i>	<i>caballus orientalis</i>	nihon-uma	ウマ	N	<i>Trichonema</i>	<i>subcoronatum</i>		Hokkaido	Sapporo	Pt.43	435
Perissodactyla	Equidae	<i>Equus</i>	<i>caballus orientalis</i>	nihon-uma	ウマ	N	<i>Trichostrongylus</i>	<i>axei</i>		Kyoto		Pt.51	114
Perissodactyla	Equidae	<i>Equus</i>	<i>caballus orientalis</i>	nihon-uma	ウマ	N	<i>Triodontophorus</i>	<i>nipponicus</i>		Hokkaido	Sapporo	Pt.43	433
Perissodactyla	Equidae	<i>Equus</i>	<i>caballus orientalis</i>	nihon-uma	ウマ	N	<i>Triodontophorus</i>	<i>serratus</i>		Tokyo	Kodaira	Pt.43	432
Perissodactyla	Equidae	<i>Equus</i>	<i>parvus</i>	uma	ウマ	N	<i>Triodontophorus</i>	<i>nipponicus</i>		Overseas	Saishuto, Korea	Pt.43	433
Primates	Cercopithecidae	<i>Macaca</i>	<i>fuscata</i>	nihonzaru	ニホンザル	N	<i>Streptopharagus</i>	<i>pigmentatus</i>		Nara		Pt.13	453
Primates	Cercopithecidae	<i>Macacus</i>	<i>spp.</i>	saru	サル	N	<i>Globocephalus</i>	<i>simiae</i>		Overseas	Celebes	Cs.10	141
Primates	Cercopithecidae	<i>Macacus</i>	<i>spp.</i>	saru	サル	N	<i>Oesophagostomum</i>	<i>maurum</i>		Overseas	Celebes	Cs.10	138
Primates	Cercopithecidae	<i>Macacus</i>	<i>spp.</i>	saru	サル	D	<i>Phaneropsolus</i>	<i>simiae</i>		Overseas	Celebes	Cs.5	341
Primates	Cercopithecidae	<i>Macacus</i>	<i>spp.</i>	saru	サル	N	<i>Physaloptera</i>	<i>tumefaciens macaci</i>		Overseas	Celebes	Cs.10	136
Primates	Cercopithecidae	<i>Macacus</i>	<i>spp.</i>	saru	サル	N	<i>Streptopharagus</i>	<i>pigmentatus</i>		Overseas	Celebes	Pt.13	453
Primates	Cercopithecidae	<i>Macacus</i>	<i>spp.</i>	saru	サル	N	<i>Ternidens</i>	<i>simiae</i>		Overseas	Celebes	Cs.10	140
Primates	Cercopithecidae	<i>Macacus</i>	<i>spp.</i>	saru	サル	N	<i>Trichuris</i>	<i>trichiura</i>		Overseas	Celebes	Cs.10	146
Primates	Cercopithecidae	<i>Pithecus</i>	<i>fuscatus (=Macaca f.)</i>	nihonzaru	ニホンザル	N	<i>Streptopharagus</i>	<i>pigmentatus</i>		Kyoto	Uji	Pt.35	427
Rodentia	Cricetidae	<i>Microtus</i>	<i>montebelli</i>	hatanezumi	ハタネズミ	N	<i>Longistriata</i>	<i>wolgaensis</i>		Nagano	Miure, Kiso	Pt.51	119
Rodentia	Cricetidae	<i>Microtus</i>	<i>montebelli</i>	hatanezumi	ハタネズミ	N	<i>Longistriata</i>	<i>wolgaensis</i>		Nagano	Miure, Mt. Ontake	On.1	390
Rodentia	Cricetidae	<i>Microtus</i>	<i>montebelli</i>	hatanezumi	ハタネズミ	N	<i>Syphacia</i>	<i>montana</i>		Nagano	Kiso	Pt.43	442
Rodentia	Gliridae	<i>Glirulus</i>	<i>japonicus</i>	yamane	ヤマネ	D	<i>Acanthatrium</i>	<i>ovatum</i>		Nagano	Shintaka, Mt. Ontake	On.2	395
Rodentia	Muridae	<i>Apodemus</i>	<i>geisha geisha (=A. argentus a.)</i>	hondo-himenezumi	ホンドヒメネズミ	C	<i>Hymenolepis</i>	<i>apodemi</i>		Nagano	Shintaka, Mt. Ontake	On.2	402

Host order	Host family	Host genus	Host species	Host Japanese name	宿主名	Para site	Genus	Species	Stage	Prefecture	Locality	Ref. No.	Page
Rodentia	Muridae	<i>Apodemus</i>	<i>geisha geisha</i> (= <i>A. argenteus</i> <i>a.</i>)	hondo-himenezumi	ホンドヒメネズミ	N	<i>Protospirura</i>	<i>muris</i>		Nagano	Shintaka	Pt.43	447
Rodentia	Muridae	<i>Apodemus</i>	<i>geisha geisha</i> (= <i>A. argenteus</i> <i>a.</i>)	hondo-himenezumi	ホンドヒメネズミ	N	<i>Protospirura</i>	<i>muris</i>		Nagano	Shintaka, Mt. Ontake	On.1	389
Rodentia	Muridae	<i>Apodemus</i>	<i>speciosus speciosus</i>	akanezumi	アカネズミ	N	<i>Heterakis</i>	<i>spumosa</i>		Nagano	Shintaka, Mt. Ontake	On.1	389
Rodentia	Muridae	<i>Apodemus</i>	<i>speciosus speciosus</i>	akanezumi	アカネズミ	N	<i>Longistriata</i>	<i>wolgaensis</i>		Nagano	Miure, Kiso	Pt.51	119
Rodentia	Muridae	<i>Apodemus</i>	<i>speciosus speciosus</i>	akanezumi	アカネズミ	N	<i>Longistriata</i>	<i>wolgaensis</i>		Nagano	Miure, Mt. Ontake	On.1	390
Rodentia	Muridae	<i>Clethrionomys</i>	<i>rufocanus bedfordiae</i>	ezoyatinezum i	エゾヤチネズミ	N	<i>Heligmosomum</i>	<i>costellatum</i>		Overseas	Noboro, Sagharien	Pt.51	117
Rodentia	Muridae	<i>Clethrionomys</i>	<i>rutilus rutilus</i>	mikadonezumi	ミカドネズミ	N	<i>Heligmosomum</i>	<i>costellatum</i>		Overseas	Noboro, Sagharien	Pt.51	117
Rodentia	Muridae	<i>Clethrionomys</i>	<i>smithii</i> (= <i>Eothenomys</i> <i>s.</i>)	sumisunezumi	スミスネズミ	N	<i>Longistriata</i>	<i>wolgaensis</i>		Nagano	Miure, Kiso	Pt.51	119
Rodentia	Muridae	<i>Clethrionomys</i>	<i>smithii</i> (= <i>Eothenomys</i> <i>s.</i>)	sumisunezumi	スミスネズミ	N	<i>Longistriata</i>	<i>wolgaensis</i>		Nagano	Miure, Mt. Ontake	On.1	390
Rodentia	Muridae	<i>Clethrionomys</i>	<i>smithii</i> (= <i>Eothenomys</i> <i>s.</i>)	sumisunezumi	スミスネズミ	N	<i>Protospirura</i>	<i>muris</i>		Nagano	Shintaka	Pt.43	447
Rodentia	Muridae	<i>Clethrionomys</i>	<i>smithii</i> (= <i>Eothenomys</i> <i>s.</i>)	sumisunezumi	スミスネズミ	N	<i>Protospirura</i>	<i>muris</i>		Nagano	Shintaka, Mt. Ontake	On.1	389
Rodentia	Muridae	<i>Clethrionomys</i>	<i>smithii</i> (= <i>Eothenomys</i> <i>s.</i>)	sumisunezumi	スミスネズミ	N	<i>Syphacia</i>	<i>montana</i>		Nagano	Kiso	Pt.43	442
Rodentia	Muridae	<i>Mus</i>	<i>molossinus molossinus</i> (= <i>M. musculus molossinus</i>)	hondohatsukanezumi	ホンドハツカネズミ	N	<i>Aspicularis</i>	<i>tetraptera</i>		?		Pt.13	437
Rodentia	Muridae	<i>Mus</i>	<i>norvegicus</i> (= <i>Rattus n.</i>)	dobunezumi	ドブネズミ	D	<i>Echinostoma</i>	<i>hortense</i>		?	?	Pt.1	107
Rodentia	Muridae	<i>Mus</i>	<i>wagneri</i> var. <i>albula</i>	hatsukanezumi	ハツカネズミ	C	<i>Catenotaenia</i>	<i>pusilla</i>		Tokyo		Pt.7	241
Rodentia	Muridae	<i>Rattus</i>	<i>norvegicus</i>	albino rat	ラット	D	<i>Echinostoma</i>	<i>aegyptiacum</i>		?	?	Pt.27	131
Rodentia	Muridae	<i>Rattus</i>	<i>norvegicus</i>	albino rat	ラット	D	<i>Echinostoma</i>	<i>cinetorchis</i>		?	?	Pt.27	133
Rodentia	Muridae	<i>Rattus</i>	<i>norvegicus</i>	albino rat	ラット	C	<i>Hymenolepis</i>	<i>nana</i>		?	?	Pt.42	15
Rodentia	Muridae	<i>Rattus</i>	<i>norvegicus</i>	albino rat	ラット	N	<i>Syphacia</i>	<i>muris</i>		?	?	Pt.35	420

Host order	Host family	Host genus	Host species	Host Japanese name	宿主名	Para site	Genus	Species	Stage	Prefecture	Locality	Ref. No.	Page
Rodentia	Muridae	<i>Rattus</i>	<i>norvegicus</i>	dobunezumi	ドブネズミ	N	<i>Trichosomoide</i> <i>s</i>	<i>crassicauda</i>		?		Pt.13	456
Rodentia	Muridae	<i>Rattus</i>	<i>norvegicus</i> <i>norvegicus</i>	youshu-dobunezumi	ドブネズミ	N	<i>Ganguleterakis</i>	<i>spumosa</i>		?		Pt.13	435
Rodentia	Muridae	<i>Rattus</i>	<i>norvegicus</i> <i>norvegicus</i>	youshu-dobunezumi	ドブネズミ	C	<i>Hymenolepis</i>	<i>diminuta</i>		Japan		Pt.7	236
Rodentia	Muridae	<i>Rattus</i>	<i>norvegicus</i> var. <i>albus</i>	daikokunezumi	ラット	N	<i>Capillaria</i>	<i>multicellularis</i>		Kyoto	?	Pt.35	410
Rodentia	Muridae	<i>Rattus</i>	<i>norvegicus</i> var. <i>albus</i>	daikokunezumi	ラット	N	<i>Enterobius</i>	<i>muris</i>		Kyoto	?	Pt.13	436
Rodentia	Muridae	<i>Rattus</i>	<i>norvegicus</i> var. <i>albus</i>	daikokunezumi	ラット	N	<i>Ganguleterakis</i>	<i>spumosa</i>		?	?	Pt.13	435
Rodentia	Muridae	<i>Rattus</i>	<i>norvegicus</i> var. <i>albus</i>	daikokunezumi	ラット	N	<i>Hepaticola</i>	<i>muris</i>		?	?	Pt.35	409
Rodentia	Muridae	<i>Rattus</i>	<i>norvegicus</i> var. <i>albus</i>	daikokunezumi	ラット	C	<i>Hymenolepis</i>	<i>diminuta</i>		Japan	?	Pt.7	236
Rodentia	Muridae	<i>Rattus</i>	<i>rattus alexandrinus</i>	ejiputonezumi	クマネズミ (エジプトネズミ)	N	<i>Aspicularis</i>	<i>tetraptera</i>		?	?	Pt.13	437
Rodentia	Muridae	<i>Rattus</i>	<i>rattus alexandrinus</i>	rat	クマネズミ (エジプトネズミ)	N	<i>Aspicularis</i>	<i>tetraptera</i>		Kyoto	Hanazono	Pt.13	437
Rodentia	Muridae	<i>Rattus</i>	<i>rattus alexandrinus</i>	ejiputonezumi	クマネズミ (エジプトネズミ)	N	<i>Ganguleterakis</i>	<i>spumosa</i>		?	?	Pt.13	435
Rodentia	Muridae	<i>Rattus</i>	<i>rattus alexandrinus</i>	ejiputonezumi	クマネズミ (エジプトネズミ)	A	<i>Moniliformis</i>	<i>dubius</i>		Hyogo	Kobe	Mis.85	567
Rodentia	Muridae	<i>Rattus</i>	<i>rattus alexandrinus</i>	ejiputonezumi	クマネズミ (エジプトネズミ)	N	<i>Nippostrongylus</i>	<i>brasiliensis</i>		Kyoto	?	Pt.35	415
Rodentia	Muridae	<i>Rattus</i>	<i>rattus alexandrinus</i>	ejiputonezumi	クマネズミ (エジプトネズミ)	N	<i>Protospirura</i>	<i>muris</i>		Overseas	Diren-Shanghai and Taiwan Liners	Pt.35	428
Rodentia	Muridae	<i>Rattus</i>	<i>rattus rattus</i>	youshu-kumanezumi	クマネズミ	C	<i>Hymenolepis</i>	<i>diminuta</i>		Japan	?	Pt.7	236
Rodentia	Muridae	<i>Rattus</i>	<i>rattus rattus</i>	youshu-kumanezumi	クマネズミ	A	<i>Moniliformis</i>	<i>dubius</i>		Hyogo	Kobe	Mis.85	567
Rodentia	Muridae	<i>Rattus</i>	<i>rattus rattus</i>	youshu-kumanezumi	クマネズミ	C	<i>Oochoristica</i>	<i>ratti</i>		Overseas	Dairen-Shanghai and Taiwan Liners	Mis.53	501
Rodentia	Sciuridae	<i>Citellus</i>	<i>mongolicus</i>	risu- rui	リスの類	D	<i>Apharyngostrig</i> <i>ea</i>	<i>garciai</i>		Overseas	Manchouko	Mis.65	508
Rodentia	Sciuridae	<i>Petaurista</i>	<i>leucogenys nikkonis</i>	nikko-musasabi	ニッコウム ササビ	C	<i>Bertiella</i>	<i>musasabi</i>		Nagano	Kiso	Pt.42	10

Host order	Host family	Host genus	Host species	Host Japanese name	宿主名	Para site	Genus	Species	Stage	Prefecture	Locality	Ref. No.	Page
Rodentia	Sciuridae	<i>Petaurista</i>	<i>leucogenys nikkonis</i>	nikko-musasabi	ニッコウムササビ	N	<i>Longistriata</i>	<i>musasabi</i>		Nagano	Kiso	Pt.35	413
Rodentia	Sciuridae	<i>Petaurista</i>	<i>leucogenys nikkonis</i>	nikko-musasabi	ニッコウムササビ	N	<i>Pseudolitomosa</i>	<i>musasabi</i>		Nagano	Kiso	Pt.35	434
Rodentia	Sciuridae	<i>Sciurus</i>	<i>lis</i>	nihonrisu	ニホンリス	C	<i>Catenotaenia</i>	<i>ris</i>		Nagano	Kiso	Pt.42	13
Rodentia	Sciuridae	<i>Sciurus</i>	<i>lis</i>	nihonrisu	ニホンリス	N	<i>Citellinema</i>	<i>nipponicum</i>		Nagano	Kiso	Pt.35	418
Sirenia	Dugongidae	<i>Halicore</i>	<i>dugong (=Dugong d.)</i>	jugon	ジュゴン	N	<i>Dujardinia</i>	<i>halicoris</i>		Overseas	Palao	Pt.35	425
Parasite taxon: A-Acanthocephala, C-Cestoda, D-Digenea, N-Nematoda													
References:													
Pt.1) Yamaguti S. 1933. Studies on the helminth fauna of Japan. Part 1. Trematodes of birds, reptiles and mammals. Jpn. J. Zool. 5: 1-134.													
Pt.7) Yamaguti S. 1935. Studies on the helminth fauna of Japan. Part 7. Cestodes of mammals and snakes. Jpn. J. Zool. 6: 233-246.													
Pt.8) Yamaguti S. 1935. Studies on the helminth fauna of Japan. Part 8. Acanthocephala, I. Jpn. J. Zool. 6: 247-278.													
Pt.13) Yamaguti S. 1935. Studies on the helminth fauna of Japan. Part 13. Mammalian nematodes. Jpn. J. Zool. 6: 434-457.													
Pt.27) Yamaguti S. 1939. Studies on the helminth fauna of Japan. Part 27. Trematodes of mammals, II. Jpn. J. Med. Sci. (VI) 1: 131-151.													
Pt.29) Yamaguti S. 1939. Studies on the helminth fauna of Japan. Part 29. Acanthocephala, II. Jpn. J. Zool. 8: 318-351.													
Pt.35) Yamaguti S. 1941. Studies on the helminth fauna of Japan. Part 35. Mammalian nematodes, II. Jpn. J. Zool. 9: 409-439.													
Pt.40) Yamaguti S. 1942. Studies on the helminth fauna of Japan. Part 40. Three new species of trematodes from the bile ducts of marine mammals. Trans. Biogeogr. Soc. Jpn. 3: 399-407.													
Pt.41) Yamaguti S. 1942. Studies on the helminth fauna of Japan. Part 41. Mammalian nematodes, III. Published by author, 1-33.													
Pt.42) Yamaguti S. 1942. Studies on the helminth fauna of Japan. Part 42. Cestodes of mammals, II. Published by author, 1-18.													
Pt.43) Yamaguti S. 1943. Studies on the helminth fauna of Japan. Part 43. Mammalian nematodes, IV. Jpn. J. Zool. 10: 427-454.													
Pt.45) Yamaguti S. 1951. Studies on the helminth fauna of Japan. Part 45. Trematodes of marine mammals. Arb. Med. Fab. Okayama 7: 283-294.													
Pt.46) Yamaguti S. 1951. Studies on the helminth fauna of Japan. Part 46. Nematodes of marine mammals. Arb. Med. Fab. Okayama 7: 295-306.													
Pt.47) Yamaguti S. 1951. Studies on the helminth fauna of Japan. Part 47. Cestodes of marine mammals and birds. Arb. Med. Fab. Okayama 1: 307-314.													
Pt.51) Yamaguti S. 1954. Studies on the helminth fauna of Japan. Part 51. Mammalian nematodes, V. Acta Med. Okayama 9: 105-121.													
On.1) Yamaguti S. 1954. Helminth fauna of Mt. Ontake. Part 1. Nematoda and Acanthocephala. Acta Med. Okayama 8: 386-392.													
On.2) Yamaguti S. 1954. Helminth fauna of Mt. Ontake. Part 2. Trematoda and Cestoda. Acta Med. Okayama 8: 393-405.													
Cs.5) Yamaguti S. 1954. Parasitic worms mainly from Celebes. Part 5. Trematodes of mammals. Acta Med. Okayama 8: 341-352.													
Cs.10) Yamaguti S. 1954. Parasitic worms mainly from Celebes. Part 10. Nematodes of birds and mammals. Acta Med. Okayama 9: 134-149.													
Mis.53) Yamaguti S & Miyata I. 1937. A new tapeworm (<i>Oochoristica ratti</i>) of the family Anoplocephalidae from <i>Rattus rattus rattus</i> and <i>R. r. alexandrinus</i> . Jpn. J. Zool. 7: 501-503.													
Mis.65) Yamaguti S & Asada J. 1942. Trematodes of birds and mammals from Manchoukou, I. Bull. Inst. Sc. Res. Manchoukou 6: 498-512.													
Mis.78) Yamaguti S. & Arima S. 1942. <i>Porrocaecum azarasi</i> n. sp. (Nematoda) from the Japanese seal. Trans. Sapporo Nat.Hist. Soc. 17: 113-116.													
Mis.85) Yamaguti S. & Miyata I. 1938. Notes on <i>Moniliformis dubius</i> Meyer, 1933. Livro jubil. Prof. Travassos, 567-568.													
Mis.128) Yamaguti S. 1961. <i>Oesophagostomum watanabei</i> n. sp. (Nematoda, Strongylidae) from a Japanese wild boar. J. Helm. 35: 203-206.													

Host order	Host family	Host genus	Host species	Host Japanese name	宿主名	Para site	Genus	Species	Stage	Prefecture	Locality	Ref. No.	Page
?	?	"unknown bird"		?	?	N	<i>Tetrameres</i>	<i>fissipina</i>		Overseas	Formosa	Mis.76	305
Anseriformes	Anatidae	<i>Aix</i>	<i>galericulata</i>	oshidori	オシドリ	D	<i>Notocotylus</i>	<i>magniovatus</i>		Niigata	?	Pt.3	559
Anseriformes	Anatidae	<i>Anas</i>	<i>boschas domestica</i>	ahiru	アヒル	D	<i>Apatemon</i>	<i>sp.</i>		Overseas	Formosa	Mis.75	329
Anseriformes	Anatidae	<i>Anas</i>	<i>boschas domestica</i>	ahiru	アヒル	D	<i>Echinoparyphium</i>	<i>recurvatum</i>		Overseas	Formosa	Mis.75	320
Anseriformes	Anatidae	<i>Anas</i>	<i>boschas domestica</i>	ahiru	アヒル	D	<i>Echinostoma</i>	<i>revolutum</i>		Overseas	Formosa	Mis.75	318
Anseriformes	Anatidae	<i>Anas</i>	<i>boschas domestica</i>	ahiru	アヒル	D	<i>Hypoderaeum</i>	<i>conoideum</i>		Overseas	Formosa	Mis.75	321
Anseriformes	Anatidae	<i>Anas</i>	<i>boschas domestica</i>	ahiru	アヒル	D	<i>Metorchis</i>	<i>orientalis</i>		Overseas	Formosa	Mis.75	315
Anseriformes	Anatidae	<i>Anas</i>	<i>boschas domestica</i>	ahiru	アヒル	D	<i>Metorchis</i>	<i>taiwanensis</i>		Overseas	Formosa	Mis.75	316
Anseriformes	Anatidae	<i>Anas</i>	<i>boschas domestica</i>	ahiru	アヒル	D	<i>Notocotylus</i>	<i>attenuatus</i>		Overseas	Formosa	Mis.75	322
Anseriformes	Anatidae	<i>Anas</i>	<i>boschas domestica</i>	ahiru	アヒル	D	<i>Philophthalmus</i>	<i>gralli</i>		Overseas	Formosa	Mis.75	316
Anseriformes	Anatidae	<i>Anas</i>	<i>boschas domestica</i>	ahiru	アヒル	D	<i>Prosthogonimus</i>	<i>horiuchii</i>		Overseas	Formosa	Mis.75	314
Anseriformes	Anatidae	<i>Anas</i>	<i>boschas domestica</i>	ahiru	アヒル	D	<i>Tracheophilus</i>	<i>sisowi</i>		Overseas	Formosa	Mis.75	322
Anseriformes	Anatidae	<i>Anas</i>	<i>boschas domestica</i>	ahiru	アヒル	D	<i>Hymenolepis</i>	<i>anatina</i>		Overseas	Formosa	Mis.74	268
Anseriformes	Anatidae	<i>Anas</i>	<i>boschas domestica</i>	ahiru	アヒル	D	<i>Hymenolepis</i>	<i>coronula</i>		Overseas	Formosa	Mis.74	269
Anseriformes	Anatidae	<i>Anas</i>	<i>platyrhyncha domestica</i>	ahiru	アヒル	C	<i>Kowalewskius</i>	<i>yoshidai</i>		Kyoto	Kyoto	Pt.50	16
Anseriformes	Anatidae	<i>Anas</i>	<i>platyrhyncha platyrhyncha</i>	magamo	マガモ	C	<i>Fimbralaria</i>	<i>fasciolaris</i>		Shiga	Lake Biwa	Pt.6	226
Anseriformes	Anatidae	<i>Anas</i>	<i>platyrhyncha platyrhyncha</i>	magamo	マガモ	C	<i>Haploparaxis</i>	<i>japonensis</i>		Oita; Shiga	?	Pt.6	218
Anseriformes	Anatidae	<i>Anas</i>	<i>platyrhyncha platyrhyncha</i>	magamo	マガモ	C	<i>Hymenolepis</i>	<i>nyrocae</i>		Shiga	Lake Biwa	Pt.6	211
Anseriformes	Anatidae	<i>Anas</i>	<i>platyrhyncha platyrhyncha</i>	magamo	マガモ	D	<i>Apatemon</i>	<i>minor</i>		Oita	?	Pt.1	16
Anseriformes	Anatidae	<i>Anas</i>	<i>platyrhyncha platyrhyncha</i>	magamo	マガモ	D	<i>Apatemon</i>	<i>minor</i>		Kanagawa	?	Pt.25	200
Anseriformes	Anatidae	<i>Anas</i>	<i>platyrhyncha platyrhyncha</i>	magamo	マガモ	D	<i>Echinoparyphium</i>	<i>recurvatum</i>		?	?	Pt.3	566
Anseriformes	Anatidae	<i>Anas</i>	<i>platyrhyncha platyrhyncha</i>	magamo	マガモ	D	<i>Hypoderaeum</i>	<i>conoideum</i>		unknown	?	Pt.3	573
Anseriformes	Anatidae	<i>Anas</i>	<i>platyrhyncha platyrhyncha</i>	magamo	マガモ	D	<i>Notocotylus</i>	<i>attenuatus</i>		Japan	?	Pt.1	51
Anseriformes	Anatidae	<i>Anas</i>	<i>platyrhyncha platyrhyncha</i>	magamo	マガモ	D	<i>Opisthorchis</i>	<i>anatis</i>		Japan	?	Pt.1	63
Anseriformes	Anatidae	<i>Anas</i>	<i>platyrhyncha platyrhyncha</i>	magamo	マガモ	D	<i>Prosthogonimus</i>	<i>orientalis</i>		Japan	?	Pt.1	52
Anseriformes	Anatidae	<i>Anas</i>	<i>poecilorhynchus</i>	karugamo	カルガモ	D	<i>Psilochasmus</i>	<i>longicirratu</i>		unknown	?	Pt.25	157
Anseriformes	Anatidae	<i>Anser</i>	<i>albifrons albifrons</i>	magan	マガン	D	<i>Notocotylus</i>	<i>magniovatus</i>		Niigata	?	Pt.3	559
Anseriformes	Anatidae	<i>Anser</i>	<i>albifrons albifrons</i>	magan	マガン	D	<i>Notocotylus</i>	<i>parviovatus</i>		Niigata	?	Pt.25	135
Anseriformes	Anatidae	<i>Anser</i>	<i>albifrons albifrons</i>	magan	マガン	D	<i>Notocotylus</i>	<i>parviovatus</i>		Okayama	Okayama	Pt.32	322
Anseriformes	Anatidae	<i>Anser</i>	<i>fabalis serrirostris</i>	hishikui	ヒシクイ	D	<i>Catantropis</i>	<i>hisikui</i>		Niigata	?	Pt.25	136
Anseriformes	Anatidae	<i>Anser</i>	<i>fabalis serrirostris</i>	hishikui	ヒシクイ	D	<i>Notocotylus</i>	<i>magniovatus</i>		Niigata	?	Pt.25	135
Anseriformes	Anatidae	<i>Anser</i>	<i>fabalis serrirostris</i>	hishikui	ヒシクイ	D	<i>Notocotylus</i>	<i>parviovatus</i>		Niigata	?	Pt.25	135

Host order	Host family	Host genus	Host species	Host Japanese name	宿主名	Parasite	Genus	Species	Stage	Prefecture	Locality	Ref. No.	Page
Anseriformes	Anatidae	<i>Anser</i>	<i>fabalis sibiricus</i>	hishikui	ヒシクイ	D	<i>Echinostoma</i>	<i>anseris</i>		Niigata	?	Pt.25	138
Anseriformes	Anatidae	<i>Bucephala</i>	<i>clangula clangula</i>	hoojirogamo	ホオジロガモ	D	<i>Cloacitrema</i>	<i>ovatum</i>		Aichi	?	Pt.5	160
Anseriformes	Anatidae	<i>Bucephala</i>	<i>clangula clangula</i>	hoojirogamo	ホオジロガモ	D	<i>Echinochasmus</i>	<i>japonicus</i>		Ishikawa	Kanazawa	Pt.25	152
Anseriformes	Anatidae	<i>Bucephala</i>	<i>clangula clangula</i>	hoojirogamo	ホオジロガモ	D	<i>Paramonostomum</i>	<i>bucephalae</i>		Aichi	?	Pt.5	163
Anseriformes	Anatidae	<i>Bucephala</i>	<i>clangula clangula</i>	hoojirogamo	ホオジロガモ	D	<i>Spelophallus</i>	<i>bucephalae</i>		Aichi	?	Pt.5	160
Anseriformes	Anatidae	<i>Cygnus</i>	<i>bewicki jankowskii</i> (= <i>C. columbianus j.</i>)	kohakuchou	コハクチョウ	D	<i>Catatropis</i>	<i>cygni</i>		Mie; Fukuoka	?	Pt.25	135
Anseriformes	Anatidae	<i>Cygnus</i>	<i>bewicki jankowskii</i> (= <i>C. columbianus j.</i>)	kohakuchou	コハクチョウ	D	<i>Notocotylus</i>	<i>parviovatus</i>		?	?	Pt.25	135
Anseriformes	Anatidae	<i>Fuligula</i>	<i>fuligula</i> (= <i>Aythya f.</i>)	kinkurohajiro	キンクロハジロ	D	<i>Apatemon</i>	<i>fuligulae</i>		Shiga	Lake Biwa	Pt.1	7
Anseriformes	Anatidae	<i>Fuligula</i>	<i>fuligula</i> (= <i>Aythya f.</i>)	kinkurohajiro	キンクロハジロ	D	<i>Apatemon</i>	<i>fuligulae</i>		Aichi	Toyohashi	Pt.25	200
Anseriformes	Anatidae	<i>Fuligula</i>	<i>fuligula</i> (= <i>Aythya f.</i>)	kinkurohajiro	キンクロハジロ	D	<i>Echinoparyphium</i>	<i>recurvatum</i>		Shiga	Lake Biwa	Pt.1	29
Anseriformes	Anatidae	<i>Fuligula</i>	<i>fuligula</i> (= <i>Aythya f.</i>)	kinkurohajiro	キンクロハジロ	D	<i>Notocotylus</i>	<i>attenuatus</i>		Japan	?	Pt.1	51
Anseriformes	Anatidae	<i>Fuligula</i>	<i>fuligula</i> (= <i>Aythya f.</i>)	kinkurohajiro	キンクロハジロ	N	<i>Capillaria</i>	<i>sp.</i>		Shiga	Lake Biwa	Pt.36	445
Anseriformes	Anatidae	<i>Histrionicus</i>	<i>histrionicus pacificus</i>	shinorigamo	シノリガモ	C	<i>Hymenolepis</i>	<i>pachycephala</i>		Mie	Ise Province	Pt.30	204
Anseriformes	Anatidae	<i>Histrionicus</i>	<i>histrionicus pacificus</i>	shinorigamo	シノリガモ	D	<i>Pseudospelotrema</i>	<i>japonicum</i>		Mie	Ise Province	Pt.25	171
Anseriformes	Anatidae	<i>Marila</i>	<i>marila mariloides</i> (= <i>Aythya m. m.</i>)	suzugamo	スズガモ	D	<i>Acanthoparyphium</i>	<i>marilae</i>		Shiga	Lake Biwa	Pt.3	570
Anseriformes	Anatidae	<i>Melanitta</i>	<i>fusca</i>	biroudokinkuro	ビロードキンクロ	D	<i>Cyathocotyle</i>	<i>melanittae</i>		Shiga	Lake Biwa	Pt.3	575
Anseriformes	Anatidae	<i>Melanitta</i>	<i>fusca</i>	biroudokinkuro	ビロードキンクロ	D	<i>Gymnophallus</i>	<i>bursicola</i>		Shiga	Lake Biwa	Pt.3	544
Anseriformes	Anatidae	<i>Melanitta</i>	<i>fusca stejnegeri</i>	biroudokinkuro	ビロードキンクロ	D	<i>Acanthoparyphium</i>	<i>marilae</i>		Aichi	Mikawa Province	Pt.3	570
Anseriformes	Anatidae	<i>Melanitta</i>	<i>fusca stejnegeri</i>	biroudokinkuro	ビロードキンクロ	D	<i>Acanthoparyphium</i>	<i>marilae</i>		Aichi	Mikawa Province	Pt.25	156
Anseriformes	Anatidae	<i>Melanitta</i>	<i>fusca stejnegeri</i>	biroudokinkuro	ビロードキンクロ	D	<i>Acanthoparyphium</i>	<i>melanittae</i>		Aichi	Mikawa Province	Pt.25	155
Anseriformes	Anatidae	<i>Melanitta</i>	<i>fusca stejnegeri</i>	biroudokinkuro	ビロードキンクロ	D	<i>Acanthoparyphium</i>	<i>thosenense</i>		Overseas	Korea	Pt.25	155
Anseriformes	Anatidae	<i>Melanitta</i>	<i>fusca stejnegeri</i>	biroudokinkuro	ビロードキンクロ	D	<i>Apatemon</i>	<i>fuligulae</i>		Shiga	Lake Biwa	Pt.1	7
Anseriformes	Anatidae	<i>Melanitta</i>	<i>fusca stejnegeri</i>	biroudokinkuro	ビロードキンクロ	D	<i>Echinostoma</i>	<i>revolutum</i>		Shiga	Lake Biwa	Pt.3	564

Host order	Host family	Host genus	Host species	Host Japanese name	宿主名	Para site	Genus	Species	Stage	Prefecture	Locality	Ref. No.	Page
Anseriformes	Anatidae	<i>Melanitta</i>	<i>fusca stejnegeri</i>	biroudokinkuro	ピロードキンクロ	D	<i>Gymnophallus</i>	<i>bursicola</i>		Shiga	Lake Biwa	Pt.25	187
Anseriformes	Anatidae	<i>Melanitta</i>	<i>fusca stejnegeri</i>	biroudokinkuro	ピロードキンクロ	D	<i>Pseudospelotrema</i>	<i>japonicum</i>		Mie	Ise Province	Pt.25	171
Anseriformes	Anatidae	<i>Melanitta</i>	<i>nigra americana</i>	kurogamo	クロガモ	D	<i>Acanthoparyphium</i>	<i>kurogamo</i>		Aichi	Mikawa Province	Pt.25	154
Anseriformes	Anatidae	<i>Melanitta</i>	<i>nigra americana</i>	kurogamo	クロガモ	D	<i>Gymnophallus</i>	<i>bursicola</i>		Aichi	Mikawa Province	Pt.25	187
Anseriformes	Anatidae	<i>Melanitta</i>	<i>nigra americana</i>	kurogamo	クロガモ	D	<i>Acanthoparyphium</i>	<i>marilae</i>		Overseas	Korea	Pt.25	156
Anseriformes	Anatidae	<i>Melanitta</i>	<i>nigra americana</i>	kurogamo	クロガモ	D	<i>Acanthoparyphium</i>	<i>tyosenense</i>		Overseas	Korea	Pt.25	155
Anseriformes	Anatidae	<i>Melanitta</i>	<i>nigra americana</i>	kurogamo	クロガモ	D	<i>Gymnophallus</i>	<i>macrostoma</i>		Overseas	Korea	Pt.25	186
Anseriformes	Anatidae	<i>Mergellus</i>	<i>albellas</i>	himehajiro	ヒメハジロ	D	<i>Hyptiasmus</i>	<i>arcuatus</i>		Shizuoka	?	Pt.3	554
Anseriformes	Anatidae	<i>Mergus</i>	<i>merganser</i>	kawaaisa	カワアイサ	C	<i>Hymenolepis</i>	<i>mergi</i>		Niigata; Yamaguchi	?; Shimonoseki	Pt.30	202
Anseriformes	Anatidae	<i>Mergus</i>	<i>merganser merganser</i>	kawaaisa	カワアイサ	C	<i>Digamma</i>	<i>alternans</i>		Shiga	Lake Biwa	Pt.6	231
Anseriformes	Anatidae	<i>Mergus</i>	<i>merganser merganser</i>	kawaaisa	カワアイサ	C	<i>Fimbraria</i>	<i>fasciolaris</i>		Shiga	Lake Biwa	Pt.6	226
Anseriformes	Anatidae	<i>Mergus</i>	<i>merganser merganser</i>	kawaaisa	カワアイサ	D	<i>Apatemon</i>	<i>gracilis</i>		unknown	?	Pt.1	6
Anseriformes	Anatidae	<i>Mergus</i>	<i>merganser merganser</i>	kawaaisa	カワアイサ	D	<i>Apatemon</i>	<i>gracilis</i>		unknown	?	Pt.1	18
Anseriformes	Anatidae	<i>Mergus</i>	<i>merganser merganser</i>	kawaaisa	カワアイサ	D	<i>Diplostomum</i>	<i>orientale</i>		Shiga	Lake Biwa	Pt.3	583
Anseriformes	Anatidae	<i>Mergus</i>	<i>merganser merganser</i>	kawaaisa	カワアイサ	D	<i>Proalaria</i>	<i>mergi</i>		Shiga	Lake Biwa	Pt.1	18
Anseriformes	Anatidae	<i>Mergus</i>	<i>merganser merganser</i>	kawaaisa	カワアイサ	N	<i>Contraecum</i>	<i>sp.</i>		Gifu	?	Pt.36	462
Anseriformes	Anatidae	<i>Mergus</i>	<i>merganser merganser</i>	kawaaisa	カワアイサ	N	<i>Eustrongylides</i>	<i>mergorum</i>		Gifu	?	Pt.36	445
Anseriformes	Anatidae	<i>Mergus</i>	<i>serrator</i>	umiaisa	ウミアイサ	C	<i>Hymenolepis</i>	<i>mergi</i>		Mie	Ise	Pt.30	202
Anseriformes	Anatidae	<i>Mergus</i>	<i>serrator</i>	umiaisa	ウミアイサ	D	<i>Stictodora</i>	<i>japonica</i>		Shiga, Mie; Gifu	Lake Biwa; Yokkaichi	Pt.25	175
Anseriformes	Anatidae	<i>Mergus</i>	<i>serrator</i>	umiaisa	ウミアイサ	D	<i>Stictodora</i>	<i>mergi</i>		Gifu	?	Pt.25	177
Anseriformes	Anatidae	<i>Nettion</i>	<i>formosum (=Anas f.)</i>	tomoeigamo	トモエガモ	D	<i>Apatemon</i>	<i>minor</i>		Shiga	Lake Biwa	Pt.1	16
Anseriformes	Anatidae	<i>Nyroca</i>	<i>ferina ferina (=Aythya f. f.)</i>	hoshihajiro	ホシハジロ	C	<i>Diploposthe</i>	<i>laevis</i>		Shiga	Lake Biwa	Pt.6	225
Anseriformes	Anatidae	<i>Nyroca</i>	<i>ferina ferina (=Aythya f. f.)</i>	hoshihajiro	ホシハジロ	D	<i>Opisthorchis</i>	<i>anatis</i>		Japan	?	Pt.1	63
Anseriformes	Anatidae	<i>Nyroca</i>	<i>ferina ferina (=Aythya f. f.)</i>	hoshihajiro	ホシハジロ	D	<i>Philophthalmus</i>	<i>nyrocae</i>		unknown	?	Pt.3	552
Anseriformes	Anatidae	<i>Nyroca</i>	<i>fuligula (=Aythya f.)</i>	kinkurohajiro	キンクロハジロ	D	<i>Psilochasmus</i>	<i>longicirratu</i>		Aichi	Toyohashi	Pt.25	157

Host order	Host family	Host genus	Host species	Host Japanese name	宿主名	Parasite	Genus	Species	Stage	Prefecture	Locality	Ref. No.	Page
Anseriformes	Anatidae	<i>Nyroca</i>	<i>marila mariloides</i> (= <i>Aythya m. m.</i>)	suzugamo	スズガモ	C	<i>Diorchis</i>	<i>nyrocae</i>		Shiga	Lake Biwa	Pt.6	224
Anseriformes	Anatidae	<i>Nyroca</i>	<i>marila mariloides</i> (= <i>Aythya m. m.</i>)	suzugamo	スズガモ	C	<i>Hymenolepis</i>	<i>nyrocae</i>		Shiga	Lake Biwa	Pt.6	211
Anseriformes	Anatidae	<i>Nyroca</i>	<i>marila mariloides</i> (= <i>Aythya m. m.</i>)	suzugamo	スズガモ	D	<i>Acanthoparyphium</i>	<i>kurogamo</i>		Yamaguchi	Shimonoseki	Pt.25	154
Anseriformes	Anatidae	<i>Nyroca</i>	<i>marila mariloides</i> (= <i>Aythya m. m.</i>)	suzugamo	スズガモ	D	<i>Acanthoparyphium</i>	<i>spinulosum</i> <i>suzugamo</i>		Aichi; Yamaguchi	Mikawa Province; Shimonoseki	Pt.25	153
Anseriformes	Anatidae	<i>Nyroca</i>	<i>marila mariloides</i> (= <i>Aythya m. m.</i>)	suzugamo	スズガモ	D	<i>Paramonostomum</i>	<i>bucephalae</i>		Yamaguchi	Shimonoseki	Pt.25	138
Anseriformes	Anatidae	<i>Olor</i>	<i>bewicki jankowskii</i> (= <i>C. columbianus j.</i>)	hakuchou	ハクチョウ	D	<i>Notocotylus</i>	<i>attenuatus</i>		Overseas	Korea	Pt.3	557
Anseriformes	Anatidae	<i>Olor</i>	<i>bewicki jankowskii</i> (= <i>C. columbianus j.</i>)	hakuchou	ハクチョウ	D	<i>Notocotylus</i>	<i>parviovatus</i>		Overseas	Korea	Pt.3	558
Anseriformes	Anatidae	<i>Olor</i>	<i>bewicki jankowskii</i> (= <i>C. columbianus j.</i>)	hakuchou	ハクチョウ	D	<i>Paramonostomum</i>	<i>elongatum</i>		Overseas	Korea	Pt.3	561
Anseriformes	Anatidae	<i>Olor</i>	<i>cygnus</i> (= <i>Cygnus c.</i>)	oohakuchou	オオハクチョウ	D	<i>Paramonostomum</i>	<i>elongatum</i>		Overseas	Korea	Pt.3	561
Anseriformes	Anatidae	<i>Querquedula</i>	<i>falcata</i> (= <i>Anas querquedula</i>)	shimaaji	シマアジ	D	<i>Opisthorchis</i>	<i>anatis</i>		Hokuriku District	?	Pt.25	188
Anseriformes	Anatidae	<i>Querquedula</i>	<i>falcata</i> (= <i>Anas querquedula</i>)	shimaaji	シマアジ	D	<i>Pachytrema</i>	<i>calculus</i>		Mie	?	Pt.25	188
Anseriformes	Anatidae	<i>Querquedula</i>	<i>querquedula</i> (= <i>Anas q.</i>)	shimaaji	シマアジ	D	<i>Prosthogonimus</i>	<i>querquedulae</i>		Shiga	Lake Biwa	Pt.1	54
Anseriformes	Anatidae	<i>Spatula</i>	<i>clypeata</i> (= <i>Anas c.</i>)	hashibirogamo	ハシビロガモ	C	<i>Hymenolepis</i>	<i>magalops</i>		Kyushu	?	Pt.30	206
Anseriformes	Anatidae	<i>Spatula</i>	<i>clypeata</i> (= <i>Anas c.</i>)	hashibirogamo	ハシビロガモ	D	<i>Paramonostomum</i>	<i>bucephalae</i>		Mie	?	Pt.25	138
Anseriformes	Anatidae	<i>Tadorna</i>	<i>tadorna</i>	tsukushigamo	ツクシガモ	C	<i>Diorchis</i>	<i>nyrocae</i>		Fukuoka	Fukuoka	Pt.30	207
Anseriformes	Anatidae	<i>Tadorna</i>	<i>tadorna</i>	tsukushigamo	ツクシガモ	C	<i>Hymenolepis</i>	<i>gracilis</i>		Fukuoka	Fukuoka	Pt.30	200
Anseriformes	Anatidae	<i>Tadorna</i>	<i>tadorna</i>	tsukushigamo	ツクシガモ	D	<i>Levinseniella</i>	<i>bucephalae</i>		Fukuoka	?	Pt.25	168
Anseriformes	Anatidae	<i>Tadorna</i>	<i>tadorna</i>	tsukushigamo	ツクシガモ	D	<i>Paramonostomum</i>	<i>bucephalae</i>		Fukuoka	?	Pt.25	138
Anseriformes	Anatidae	<i>Tadorna</i>	<i>tadorna</i>	tsukushigamo	ツクシガモ	N	<i>Echinuria</i>	<i>uncinata</i>		Fukuoka	Fukuoka	Pt.36	465
Charadriiformes	Alcidae	<i>Uria</i>	<i>aalge inornata</i>	umigarasu	ウミガラス	D	<i>Renicola</i>	<i>umigarasu</i>		Niigata	?	Pt.25	191
Charadriiformes	Alcidae	<i>Uria</i>	<i>carbo</i> (= <i>Cephus c.</i>)	keimafuri	ケイマフリ	D	<i>Pseudospelotrema</i>	<i>uriae</i>		Mie	Ise Province	Pt.25	172
Charadriiformes	Alcidae	<i>Uria</i>	<i>carbo</i> (= <i>Cephus c.</i>)	keimafuri	ケイマフリ	D	<i>Renicola</i>	<i>keimahuri</i>		Mie	Ise Province	Pt.25	192
Charadriiformes	Charadriidae	<i>Charadrius</i>	<i>alexandrinus dealbatus</i>	shirochidori	シロチドリ	D	<i>Acanthoparyphium</i>	<i>charadrii</i>		Mie	Ise Province	Pt.25	156
Charadriiformes	Charadriidae	<i>Charadrius</i>	<i>alexandrinus dealbatus</i>	shirochidori	シロチドリ	C	<i>Hymenolepis</i>	<i>charadrii</i>		?	?	Pt.6	215

Host order	Host family	Host genus	Host species	Host Japanese name	宿主名	Parasite	Genus	Species	Stage	Prefecture	Locality	Ref. No.	Page
Charadriiformes	Charadriidae	<i>Charadrius</i>	<i>alexandrinus dealbatus</i>	shirochidori	シロチドリ	D	<i>Ophthalmophagus</i>	<i>charadrii</i>		Shizuoka	?	Pt.3	555
Charadriiformes	Charadriidae	<i>Charadrius</i>	<i>alexandrinus dealbatus</i>	shirochidori	シロチドリ	C	<i>Proterogynotania</i>	<i>charadrii</i>		Mie	Ise Province	Pt.50	18
Charadriiformes	Charadriidae	<i>Charadrius</i>	<i>dubius curomicus</i>	kochidori	コチドリ	D	<i>Ophthalmophagus</i>	<i>nasicola</i>		Tokushima	?	Pt.25	134
Charadriiformes	Charadriidae	<i>Charadrius</i>	<i>dubius curomicus</i>	kochidori	コチドリ	A	<i>Prosthorhynchus</i>	<i>charadrii</i>		Shikoku	?	Pt.29	334
Charadriiformes	Charadriidae	<i>Charadrius</i>	<i>placidus</i>	irukachidori	イルカチドリ	D	<i>Uvitellina</i>	<i>pseudocotylea</i>		Aichi	Mikawa Province	Pt.25	133
Charadriiformes	Charadriidae	<i>Microsarcops</i>	<i>cinereus</i>	keri	ケリ	D	<i>Uvitellina</i>	<i>keri</i>		Mie	?	Pt.1	44
Charadriiformes	Charadriidae	<i>Squatarola</i>	<i>squatarola hypomelaena</i>	daizen	ダイゼン	D	<i>Acanthoparyphium</i>	<i>spinulosum</i>		Kanagawa	?	Pt.3	566
Charadriiformes	Charadriidae	<i>Squatarola</i>	<i>squatarola hypomelaena</i>	daizen	ダイゼン	D	<i>Acanthoparyphium</i>	<i>squatarolae</i>		Kanagawa	?	Pt.3	568
Charadriiformes	Charadriidae	<i>Squatarola</i>	<i>squatarola hypomelaena</i>	daizen	ダイゼン	D	<i>Levinseniella</i>	<i>squatarolae</i>		Kanagawa	?	Pt.3	546
Charadriiformes	Charadriidae	<i>Squatarola</i>	<i>squatarola hypomelaena</i>	daizen	ダイゼン	D	<i>Spelophallus</i>	<i>primas</i>		Kanagawa	?	Pt.3	550
Charadriiformes	Charadriidae	<i>Vanellus</i>	<i>vanellus</i>	tageri	タゲリ	N	<i>Capillaria</i>	<i>vanelli</i>		Tottori	?	Pt.12	430
Charadriiformes	Charadriidae	<i>Vanellus</i>	<i>vanellus</i>	tageri	タゲリ	D	<i>Diplostomum</i>	<i>vanelli</i>		Shizuoka	?	Pt.5	174
Charadriiformes	Charadriidae	<i>Vanellus</i>	<i>vanellus</i>	tageri	タゲリ	D	<i>Echinoparyphium</i>	<i>recurvatum vanelli</i>		Toyohashi; Nara	Lake Kobata	Pt.25	141
Charadriiformes	Charadriidae	<i>Vanellus</i>	<i>vanellus</i>	tageri	タゲリ	D	<i>Uvitellina</i>	<i>tageri</i>		Niigata	?	Pt.1	48
Charadriiformes	Laridae	<i>Larus</i>	<i>argentatus vegae</i>	segurokamome	セグロカモメ	D	<i>Cryptocotyle</i>	<i>lingua</i>		Fukui	Obama	Pt.25	161
Charadriiformes	Laridae	<i>Larus</i>	<i>argentatus vegae</i>	segurokamome	セグロカモメ	C	<i>Hymenolepis</i>	<i>clavicirrus</i>		Fukui	Obama	Pt.30	198
Charadriiformes	Laridae	<i>Larus</i>	<i>argentatus vegae</i>	segurokamome	セグロカモメ	C	<i>Hymenolepis</i>	<i>lari</i>		Fukui	Obama	Pt.30	197
Charadriiformes	Laridae	<i>Larus</i>	<i>argentatus vegae</i>	segurokamome	セグロカモメ	D	<i>Pseudoheterophyes</i>	<i>continua</i>		Niigata	?	Pt.25	162
Charadriiformes	Laridae	<i>Larus</i>	<i>argentatus vegae</i>	segurokamome	セグロカモメ	C	<i>Tetrabothrius</i>	<i>cylindraceus</i>		Fukui	Obama	Pt.30	177
Charadriiformes	Laridae	<i>Larus</i>	<i>argentatus vegae</i>	segurokamome	セグロカモメ	C	<i>Tetrabothrius</i>	<i>erostris</i>		Fukui	Obama	Pt.30	178
Charadriiformes	Laridae	<i>Larus</i>	<i>canus major</i>	kamome	カモメ	N	<i>Contracaecum</i>	<i>torquatum</i>		Mie	Kuki	Pt.12	405
Charadriiformes	Laridae	<i>Larus</i>	<i>canus major</i>	kamome	カモメ	N	<i>Eufilaria</i>	<i>lari</i>		Mie	?	Pt.12	415
Charadriiformes	Laridae	<i>Larus</i>	<i>canus major</i>	kamome	カモメ	C	<i>Tetrabothrius</i>	<i>lari</i>		Mie	Kuki	Pt.6	184

Host order	Host family	Host genus	Host species	Host Japanese name	宿主名	Para site	Genus	Species	Stage	Prefecture	Locality	Ref. No.	Page
Charadriiformes	Laridae	<i>Larus</i>	<i>crassirostris</i>	umineko	ウミネコ	D	<i>Pseudoheterophyes</i>	<i>continua major</i>		Mie	Ise Province	Pt.25	163
Charadriiformes	Laridae	<i>Larus</i>	<i>crassirostris</i>	umineko	ウミネコ	D	<i>Stictodora</i>	<i>lari</i>		Mie	Ise Province	Pt.25	176
Charadriiformes	Scolopacidae	<i>Capella</i>	<i>gallinago (=Gallinago g.)</i>	tashigi	タシギ	D	<i>Corpopyrum</i>	<i>capellae</i>		Overseas	Formosa	Pt.1	41
Charadriiformes	Scolopacidae	<i>Capella</i>	<i>gallinago gallinago (=Gallinago g. g.)</i>	tashigi	タシギ	N	<i>Cosmocephalus</i>	<i>capellae</i>		Kyoto	Kyoto	Pt.12	424
Charadriiformes	Scolopacidae	<i>Capella</i>	<i>gallinago gallinago (=Gallinago g. g.)</i>	tashigi	タシギ	D	<i>Tanaisia</i>	<i>macrorchis</i>		Overseas	Manchouko	Mis.65	505
Charadriiformes	Scolopacidae	<i>Capella</i>	<i>gallinago raddei (-Gallinago g.)</i>	tashigi	タシギ	D	<i>Cyclocoelum</i>	<i>makii</i>		Overseas	Formosa	Pt.1	39
Charadriiformes	Scolopacidae	<i>Capella</i>	<i>solitaria (=Gallinago s.)</i>	aoshigi	アオシギ	C	<i>Dilepis</i>	<i>capellae</i>		unknown	?	Pt.6	203
Charadriiformes	Scolopacidae	<i>Capella</i>	<i>solitaria (=Gallinago s.)</i>	aoshigi	アオシギ	D	<i>Microparyphium</i>	<i>capellae</i>		Shizuoka	?	Pt.5	168
Charadriiformes	Scolopacidae	<i>Capella</i>	<i>solitaria (=Gallinago s.)</i>	aoshigi	アオシギ	A	<i>Polymorphus</i>	<i>capellae</i>		Nagano	?	Pt.8	267
Charadriiformes	Scolopacidae	<i>Capella</i>	<i>solitaria (=Gallinago s.)</i>	aoshigi	アオシギ	D	<i>Spelotrema</i>	<i>capellae</i>		Mie	Ise Province	Pt.25	169
Charadriiformes	Scolopacidae	<i>Erolia</i>	<i>alpina sakhalina (=Calipris a. s.)</i>	hamashigi	ハマシギ	C	<i>Dilepis</i>	<i>hamasigi</i>		Mie	Ise Province	Pt.30	183
Charadriiformes	Scolopacidae	<i>Erolia</i>	<i>alpina sakhalina (=Calipris a. s.)</i>	hamashigi	ハマシギ	D	<i>Gynaecotyla</i>	<i>squatarolae</i>		Mie	Ise Province	Pt.25	167
Charadriiformes	Scolopacidae	<i>Erolia</i>	<i>alpina sakhalina (=Calipris a. s.)</i>	hamashigi	ハマシギ	D	<i>Himasthla</i>	<i>megacotyla</i>		Mie	Ise Province	Pt.25	145
Charadriiformes	Scolopacidae	<i>Erolia</i>	<i>alpina sakhalina (=Calipris a. s.)</i>	hamashigi	ハマシギ	C	<i>Hymenolepis</i>	<i>hamasigi</i>		Mie	Ise Province	Pt.30	195
Charadriiformes	Scolopacidae	<i>Erolia</i>	<i>alpina sakhalina (=Calipris a. s.)</i>	hamashigi	ハマシギ	D	<i>Maritrema</i>	<i>eroliae</i>		Mie	Ise Province	Pt.25	171
Charadriiformes	Scolopacidae	<i>Erolia</i>	<i>alpina sakhalina (=Calipris a. s.)</i>	hamashigi	ハマシギ	A	<i>Polymorphus</i>	<i>eroliae</i>		Shizuoka	Hamamatsu	Pt.29	333
Charadriiformes	Scolopacidae	<i>Erolia</i>	<i>alpina sakhalina (=Calipris a. s.)</i>	hamashigi	ハマシギ	D	<i>Spelotrema</i>	<i>longicolle</i>		Mie	Ise Province	Pt.25	169
Charadriiformes	Scolopacidae	<i>Erythroscelus</i>	<i>erythropus (=Tringa e.)</i>	tsurushigi	ツルシギ	D	<i>Corpopyrum</i>	<i>longisacculatum</i>		Niigata	?	Pt.1	42
Charadriiformes	Scolopacidae	<i>Pisobia</i>	<i>acuminata (=Calidris a.)</i>	uzurashigi	ウズラシギ	C	<i>Haploparaxis</i>	<i>clerci</i>		Mie	Ise Province	Pt.30	208
Charadriiformes	Scolopacidae	<i>Rostratula</i>	<i>benghalensis benghalensis</i>	tamashigi	タマシギ	C	<i>Dilepis</i>	<i>capellae</i>		Gifu; Mie	?	Pt.30	185
Charadriiformes	Scolopacidae	<i>Rostratula</i>	<i>benghalensis benghalensis</i>	tamashigi	タマシギ	C	<i>Hymenolepis</i>	<i>fofa</i>		Mie	?	Pt.30	193
Charadriiformes	Scolopacidae	<i>Rostratula</i>	<i>benghalensis benghalensis</i>	tamashigi	タマシギ	C	<i>Tetrabothrius</i>	<i>rosiratulae</i>		Gifu	?	Pt.30	176
Charadriiformes	Scolopacidae	<i>Scolopax</i>	<i>rusticola</i>	yamashigi	ヤマシギ	D	<i>Allodiplostomum</i>	<i>scolopacis</i>		Shimane	?	Pt.5	178

Host order	Host family	Host genus	Host species	Host Japanese name	宿主名	Parasite	Genus	Species	Stage	Prefecture	Locality	Ref. No.	Page
Charadriiformes	Scolopacidae	<i>Scolopax</i>	<i>rusticola</i>	yamashigi	ヤマシギ	C	<i>Amoebotaenia</i>	<i>yamasigi</i>		Gifu; Nara; Shimane	?	Pt.50	3
Charadriiformes	Scolopacidae	<i>Scolopax</i>	<i>rusticola</i>	yamashigi	ヤマシギ	D	<i>Echinoparyphium</i>	<i>recurvatum</i>		Kyushu	?	Pt.25	141
Charadriiformes	Scolopacidae	<i>Scolopax</i>	<i>rusticola</i>	yamashigi	ヤマシギ	C	<i>Haploparaxis</i>	<i>clerci</i>		Shizuoka	?	Pt.6	223
Charadriiformes	Scolopacidae	<i>Scolopax</i>	<i>rusticola</i>	yamashigi	ヤマシギ	C	<i>Haploparaxis</i>	<i>clerci</i>		Gifu	?	Pt.30	208
Charadriiformes	Scolopacidae	<i>Scolopax</i>	<i>rusticola</i>	yamashigi	ヤマシギ	C	<i>Haploparaxis</i>	<i>scolopacis</i>		Mie	?	Pt.6	221
Charadriiformes	Scolopacidae	<i>Scolopax</i>	<i>rusticola rusiicola</i>	yamashigi	ヤマシギ	D	<i>Pulvinifer</i>	<i>singularis</i>		Shizuoka	?	Pt.1	23
Charadriiformes	Scolopacidae	<i>Scolopax</i>	<i>rusticola rusiicola</i>	yamashigi	ヤマシギ	N	<i>Tetrameres</i>	<i>scolopacis</i>		Shizuoka	?	Pt.12	428
Charadriiformes	Scolopacidae	<i>Tringa</i>	<i>erythropus</i>	tsurushigi	ツルシギ	D	<i>Corpopyrum</i>	<i>longisacculatum</i>		Shizuoka	?	Pt.25	133
Charadriiformes	Scolopacidae	<i>Tringa</i>	<i>erythropus</i>	tsurushigi	ツルシギ	D	<i>Cyclocoelum</i>	<i>turusigi</i>		Shizuoka	?	Pt.25	132
Charadriiformes	Scolopacidae	<i>Tringa</i>	<i>erythropus</i>	tsurushigi	ツルシギ	D	<i>Stephanoprora</i>	<i>pendula</i>		?	?	Pt.25	147
Charadriiformes	Scolopacidae	<i>Tringa</i>	<i>hypoleucos</i>	isoshigi	イソシギ	D	<i>Echinostoma</i>	<i>stantschinskii caudatum</i>		Mie	Ise Province	Pt.25	140
Charadriiformes	Scolopacidae	<i>Tringa</i>	<i>ochropus</i>	kusashigi	クサシギ	D	<i>Himasthla</i>	<i>kusasigi</i>		Kyushu	?	Pt.25	144
Ciconiiformes	Ardeidae	<i>Ardea</i>	<i>cinerea</i>	aosagi	アオサギ	D	<i>Opisthorchis</i>	<i>longissimus</i>		Overseas	Manchouko	Mis.65	498
Ciconiiformes	Ardeidae	<i>Ardea</i>	<i>purpurea manillensis</i>	murasakisagi	ムラサキサギ	C	<i>Hymenolepis</i>	<i>taiwanensis</i>		Overseas	Formosa	Pt.6	216
Ciconiiformes	Ardeidae	<i>Egretta</i>	<i>garzetta garzetta</i>	kosagi	コサギ	N	<i>Contracaecum</i>	<i>microcephalum</i>		Mie	Ise Province	Pt.36	455
Ciconiiformes	Ardeidae	<i>Egretta</i>	<i>intermedia intermedia</i>	chuusagi	チュウサギ	D	<i>Centrocestus</i>	<i>armatus</i>		Kyoto	Lake Ogura	Pt.25	152
Ciconiiformes	Ardeidae	<i>Egretta</i>	<i>intermedia intermedia</i>	chuusagi	チュウサギ	D	<i>Centrocestus</i>	<i>formosanus</i>		Kyoto	Lake Ogura	Pt.25	159
Ciconiiformes	Ardeidae	<i>Egretta</i>	<i>intermedia intermedia</i>	chuusagi	チュウサギ	D	<i>Echinochasmus</i>	<i>japonicus</i>		Kyoto	Lake Ogura	Pt.25	152
Ciconiiformes	Ardeidae	<i>Egretta</i>	<i>intermedia intermedia</i>	chuusagi	チュウサギ	D	<i>Echinochasmus</i>	<i>japonicus</i>		Kyoto	Lake Ogura	Pt.25	159
Ciconiiformes	Ardeidae	<i>Egretta</i>	<i>intermedia intermedia</i>	chuusagi	チュウサギ	D	<i>Metagonimus</i>	<i>yokogawai</i>		Kyoto	Lake Ogura	Pt.25	152
Ciconiiformes	Ardeidae	<i>Egretta</i>	<i>intermedia intermedia</i>	chuusagi	チュウサギ	D	<i>Metagonimus</i>	<i>yokogawai</i>		Kyoto	Lake Ogura	Pt.25	159
Ciconiiformes	Ardeidae	<i>Egretta</i>	<i>intermedia intermedia</i>	chuusagi	チュウサギ	N	<i>Porrocaecum</i>	<i>reticulatum</i>		Kyoto, Mie; Gifu	?	Pt.36	452
Ciconiiformes	Ardeidae	<i>Gorsakius</i>	<i>goisagi</i>	mizogoi	ミゾゴイ	A	<i>Porrorchis</i>	<i>elongatus</i>		Kyoto	Kyoto	Pt.8	266
Ciconiiformes	Ardeidae	<i>Gorsakius</i>	<i>goisagi</i>	mizogoi	ミゾゴイ	C	<i>Parvitaenia</i>	<i>gorsakii</i>		Overseas	Celebes	Cs.11	8
Ciconiiformes	Ardeidae	<i>Gorsakius</i>	<i>goisagi</i>	mizogoi	ミゾゴイ	D	<i>Echinochasmus</i>	<i>gorsakii</i>		Kyoto	Yamashina	Pt.25	151
Ciconiiformes	Ardeidae	<i>Gorsakius</i>	<i>goisagi</i>	mizogoi	ミゾゴイ	D	<i>Echinochasmus</i>	<i>boquai</i>		Overseas	Celebes	Cs.4	337

Host order	Host family	Host genus	Host species	Host Japanese name	宿主名	Para site	Genus	Species	Stage	Prefecture	Locality	Ref. No.	Page
Ciconiiformes	Ardeidae	<i>Nycticorax</i>	<i>nycticorax</i>	goisagi	ゴイサギ	A	<i>Centrorhynchus</i>	<i>microrchis</i>		Kyoto	Momoyama Imperial Mausoleum	Pt.8	264
Ciconiiformes	Ardeidae	<i>Nycticorax</i>	<i>nycticorax</i>	goisagi	ゴイサギ	D	<i>Centrocestus</i>	<i>armatus</i>		Kyoto	Momoyama Imperial Mausoleum	Pt.1	72
Ciconiiformes	Ardeidae	<i>Nycticorax</i>	<i>nycticorax nycticorax</i>	goisagi	ゴイサギ	A	<i>Southwellina</i>	<i>hispida</i>		Kyoto	Momoyama Imperial Mausoleum	Pt.8	269
Ciconiiformes	Ardeidae	<i>Nycticorax</i>	<i>nycticorax nycticorax</i>	goisagi	ゴイサギ	C	<i>Anomotaenia</i>	<i>nycticoracis</i>		Kyoto	Momoyama Imperial Mausoleum	Pt.6	208
Ciconiiformes	Ardeidae	<i>Nycticorax</i>	<i>nycticorax nycticorax</i>	goisagi	ゴイサギ	C	<i>Cryporhynchus</i>	<i>nycticoracis</i>		Shiga	Lake Biwa	Pt.50	8
Ciconiiformes	Ardeidae	<i>Nycticorax</i>	<i>nycticorax nycticorax</i>	goisagi	ゴイサギ	D	<i>Echinochasmus</i>	<i>japonicus</i>		Shiga	Tikubu-Shima on Lake Biwa	Pt.25	152
Ciconiiformes	Ardeidae	<i>Nycticorax</i>	<i>nycticorax nycticorax</i>	goisagi	ゴイサギ	N	<i>Contraecum</i>	<i>microcephalum</i>		?	?	Pt.12	404
Ciconiiformes	Ardeidae	<i>Nycticorax</i>	<i>nycticorax nycticorax</i>	goisagi	ゴイサギ	N	<i>Contraecum</i>	<i>microcephalum</i>		Kyoto	Kyoto	Pt.36	455
Ciconiiformes	Ardeidae	<i>Nycticorax</i>	<i>nycticorax nycticorax</i>	goisagi	ゴイサギ	N	<i>Contraecum</i>	<i>microcephalum</i>		Overseas	Formosa	Mis.76	302
Ciconiiformes	Ardeidae	<i>Nycticorax</i>	<i>nycticorax nycticorax</i>	goisagi	ゴイサギ	N	<i>Heterakis</i>	<i>yamadori</i>		Kyushu; Iga Province	?	Pt.36	447
Ciconiiformes	Ardeidae	<i>Nycticorax</i>	<i>nycticorax nycticorax</i>	goisagi	ゴイサギ	N	<i>Porrocaecum</i>	<i>reticulatum</i>		various parts of Japan	?	Pt.12	407
Ciconiiformes	Ardeidae	<i>Nycticorax</i>	<i>nycticorax nycticorax</i>	goisagi	ゴイサギ	N	<i>Porrocaecum</i>	<i>reticulatum</i>		Kyoto, Mie; Gifu	?	Pt.36	452
Ciconiiformes	Ardeidae	<i>Nycticorax</i>	<i>nycticorax nycticorax</i>	goisagi	ゴイサギ	N	<i>Synhimantus</i>	<i>groffi</i>		Kyoto	Lake Ogura	Pt.12	423
Ciconiiformes	Ciconiidae	<i>Ciconia</i>	<i>ciconia boyciana</i>	kounotori	コウノトリ	N	<i>Cyrnea</i>	<i>excisa</i>		Kyoto	Kyoto	Pt.36	463
Ciconiiformes	Procellariidae	<i>Puffinus</i>	<i>griseus</i>	hairomizunagidori	ハイロミズナギドリ	C	<i>Tetrabothrius</i>	<i>scoogi</i>		Aomori	Shiriya	Pt.50	1
Ciconiiformes	Procellariidae	<i>Puffinus</i>	<i>griseus</i>	hairomizunagidori	ハイロミズナギドリ	N	<i>Seuratia</i>	<i>puffini</i>		Aomori	Shiriya	Pt.36	470
Ciconiiformes	Procellariidae	<i>Puffinus</i>	<i>leucomelas</i>	oomizunagidori	オオミズナギドリ	D	<i>Galactosomum</i>	<i>puffini</i>		Aomori	Shiriyazaki	Pt.32	335
Ciconiiformes	Threskiornithidae	<i>Platalea</i>	<i>leucorodia major</i>	herasagi	ヘラサギ	D	<i>Centrocestus</i>	<i>formosanus</i>		Kyushu	?	Pt.25	159
Columbiformes	Columbidae	<i>Columba</i>	<i>livia domestica</i>	hato	ハト	C	<i>Cotugnia</i>	<i>meggitti</i>		Overseas	Formosa	Pt.6	186
Columbiformes	Columbidae	<i>Columba</i>	<i>livia domestica</i>	hato	ハト	C	<i>Cotugnia</i>	<i>taiwanensis</i>		Overseas	Formosa	Pt.6	188
Columbiformes	Columbidae	<i>Columba</i>	<i>livia domestica</i>	hato	ハト	C	<i>Hymenolepis</i>	<i>serrata</i>		Overseas	Formosa	Mis.74	271
Columbiformes	Columbidae	<i>Columba</i>	<i>livia domestica</i>	hato	ハト	C	<i>Raillietina (Raillietina)</i>	<i>korkei</i>		Overseas	Formosa	Mis.74	273

Host order	Host family	Host genus	Host species	Host Japanese name	宿主名	Para site	Genus	Species	Stage	Prefecture	Locality	Ref. No.	Page
Columbiformes	Columbidae	<i>Columba</i>	<i>livia domestica</i>	hato	ハト	C	<i>Raillietina (Raillietina)</i>	<i>taiwanensis</i>		Overseas	Formosa	Pt.6	194
Columbiformes	Columbidae	<i>Columba</i>	<i>livia domestica</i>	hato	ハト	D	<i>Echinoparyphium</i>	<i>recurvatum</i>		Overseas	Formosa	Mis.75	320
Columbiformes	Columbidae	<i>Columba</i>	<i>livia domestica</i>	hato	ハト	D	<i>Echinostoma</i>	<i>revolutum</i>		Overseas	Formosa	Mis.75	318
Columbiformes	Columbidae	<i>Columba</i>	<i>livia domestica</i>	hato	ハト	D	<i>Echinostoma</i>	<i>robustum</i>		Overseas	Formosa	Pt.5	166
Columbiformes	Columbidae	<i>Columba</i>	<i>livia domestica</i>	hato	ハト	D	<i>Hypoderaeum</i>	<i>conoideum</i>		Overseas	Formosa	Mis.75	321
Columbiformes	Columbidae	<i>Columba</i>	<i>livia domestica</i>	hato	ハト	D	<i>Psilochasmus</i>	<i>longicirratu</i>		Overseas	Formosa	Mis.75	322
Columbiformes	Columbidae	<i>Columba</i>	<i>livia domestica</i>	hato	ハト	N	<i>Ascaridia</i>	<i>columbae</i>		Kyoto	Kyoto	Pt.12	410
Columbiformes	Columbidae	<i>Columba</i>	<i>livia domestica</i>	hato	ハト	N	<i>Ascaridia</i>	<i>columbae</i>		Overseas	Formosa	Mis.76	300
Columbiformes	Columbidae	<i>Columba</i>	<i>livia domestica</i>	hato	ハト	N	<i>Capillaria</i>	<i>columbae</i>		Overseas	Formosa	Mis.76	305
Columbiformes	Columbidae	<i>Columba</i>	<i>livia domestica</i>	hato	ハト	N	<i>Ornithostrongylus</i>	<i>quadriradiatus</i>		Overseas	Formosa	Mis.76	304
Columbiformes	Columbidae	<i>Geopelia</i>	<i>striata</i>	hato - rui	ハトの類	C	<i>Cotugnia</i>	<i>celebesensis</i>		Overseas	Celebes	Cs.11	14
Columbiformes	Columbidae	<i>Geopelia</i>	<i>striata</i>	hato - rui	ハトの類	C	<i>Raillietina (R.)</i>	<i>paucitesticulata</i>		Overseas	Celebes	Cs.11	20
Columbiformes	Columbidae	<i>Oenopopelia</i>	<i>tranquebarica humilis (=Sireptopelia i. h.)</i>	benibato	ベニバト	C	<i>Killigrewia</i>	<i>oenopopeliae</i>		Overseas	Formosa	Pt.6	196
Columbiformes	Columbidae	<i>Oenopopelia</i>	<i>tranquebarica humilis (=Sireptopelia i. h.)</i>	benibato	ベニバト	C	<i>Raillietina (R.)</i>	<i>paucitesticulata</i>		Overseas	Formosa	Pt.6	193
Columbiformes	Columbidae	<i>Streptopelia</i>	<i>orientalis orientalis</i>	kijibato	キジバト	C	<i>Killigrewia</i>	<i>streptopeliae</i>	?	?	?	Pt.30	182
Columbiformes	Columbidae	<i>Streptopelia</i>	<i>chinensis formosa</i>	kanokobato	カノコバト	C	<i>Cotugnia</i>	<i>meggitti</i>		Overseas	Formosa	Pt.6	186
Columbiformes	Columbidae	<i>Streptopelia</i>	<i>chinensis formosa</i>	kanokobato	カノコバト	C	<i>Killigrewia</i>	<i>streptopeliae</i>		Overseas	Formosa	Pt.6	197
Columbiformes	Columbidae	<i>Streptopelia</i>	<i>chinensis formosa</i>	kanokobato	カノコバト	D	<i>Echinostoma</i>	<i>robustum</i>		Overseas	Formosa	Pt.5	166
Coraciiformes	Alcedinidae	<i>Alcedo</i>	<i>atthis bengalensis</i>	kawasemi	カワセミ	N	<i>Rusguniella</i>	<i>alcedonis</i>		Overseas	Formosa	Mis.76	308
Coraciiformes	Alcedinidae	<i>Ceryle</i>	<i>lugubris lugubris</i>	yamasemi	ヤマセミ	D	<i>Cercocotyla</i>	<i>cerylis</i>		Mie	?	Pt.25	197
Coraciiformes	Alcedinidae	<i>Ceryle</i>	<i>lugubris lugubris</i>	yamasemi	ヤマセミ	D	<i>Pseudodiplostomum</i>	<i>cochleariforme</i>		Mie	?	Pt.3	580
Coraciiformes	Alcedinidae	<i>Ceryle</i>	<i>lugubris lugubris</i>	yamasemi	ヤマセミ	D	<i>Pseudodiplostomum</i>	<i>major</i>		Mie	?	Pt.25	194
Coraciiformes	Alcedinidae	<i>Ceryle</i>	<i>lugubris lugubris</i>	yamasemi	ヤマセミ	D	<i>Uvulifer</i>	<i>gracilis</i>		Mie	?	Pt.3	577
Coraciiformes	Alcedinidae	<i>Ceryle</i>	<i>lugubris lugubris</i>	yamasemi	ヤマセミ	D	<i>Uvulifer</i>	<i>gracilis</i>		Mie	?	Pt.25	196
Coraciiformes	Alcedinidae	<i>Halcyon</i>	<i>coromanda major</i>	akashoubin	アカショウビン	D	<i>Lyperosomum</i>	<i>halcyonis</i>		Aomori	Shiriyazaki	Pt.32	331
Coraciiformes	Alcedinidae	<i>Halcyon</i>	<i>coromanda major</i>	akashoubin	アカショウビン	D	<i>Proacetabularorchis</i>	<i>prashadi</i>		Aomori	Shiriyazaki	Pt.32	332
Falconiformes	Accipitridae	<i>Accipiter</i>	<i>nisus nissimilis</i>	haitaka	ハイタカ	D	<i>Strigea</i>	<i>falconis</i>		Shizuoka	?	Pt.3	577
Falconiformes	Accipitridae	<i>Accipiter</i>	<i>nisus nissimilis</i>	haitaka	ハイタカ	N	<i>Hamatospiculum</i>	<i>accipitris</i>		Shizuoka	?	Pt.36	474
Falconiformes	Accipitridae	<i>Accipiter</i>	<i>nisus nissimilis</i>	haitaka	ハイタカ	N	<i>Physaloptera</i>	<i>alata</i>		Shizuoka	?	Pt.36	473
Falconiformes	Accipitridae	<i>Accipiter</i>	<i>virgatus affinis</i>	taiwan - tsumi	タイワンツミ	N	<i>Habronema</i>	<i>leptoptera</i>		Overseas	Formosa	Pt.36	464
Falconiformes	Accipitridae	<i>Accipiter</i>	<i>virgatus gularis</i>	tsumi	ツミ	C	<i>Paracladotaenia</i>	<i>accipitris</i>		Overseas	Formosa	Pt.6	229
Falconiformes	Accipitridae	<i>Accipiter</i>	<i>virgatus gularis</i>	tsumi	ツミ	D	<i>Strigea</i>	<i>elongata</i>		?	?	Pt.5	180
Falconiformes	Accipitridae	<i>Accipiter</i>	<i>virgatus gularis</i>	tsumi	ツミ	D	<i>Strigea</i>	<i>elongata</i>		Kyoto	Kyoto	Pt.25	199

Host order	Host family	Host genus	Host species	Host Japanese name	宿主名	Para site	Genus	Species	Stage	Prefecture	Locality	Ref. No.	Page
Falconiformes	Accipitridae	<i>Accipiter</i>	<i>virgatus gularis</i>	tsumi	ツミ	N	<i>Physaloptera</i>	<i>alata</i>		Mie	Ise Province	Pt.36	473
Falconiformes	Accipitridae	<i>Buteo</i>	<i>buteo burmanicus</i>	nosuri	ノスリ	A	<i>Centrorhynchus</i>	<i>magnus</i>		Tokushima	Tokushima	Pt.29	330
Falconiformes	Accipitridae	<i>Buteo</i>	<i>buteo burmanicus</i>	nosuri	ノスリ	D	<i>Neodiplostomum</i>	<i>attenuatum</i>		Shizuoka	?	Pt.5	176
Falconiformes	Accipitridae	<i>Buteo</i>	<i>buteo burmanicus</i>	nosuri	ノスリ	D	<i>Strigea</i>	<i>falconis</i>		Shizuoka	?	Pt.3	577
Falconiformes	Accipitridae	<i>Buteo</i>	<i>buteo burmanicus</i>	nosuri	ノスリ	D	<i>Strigea</i>	<i>falconis japonensis</i>		Tokushima	Tokushima	Pt.25	198
Falconiformes	Accipitridae	<i>Buteo</i>	<i>buteo japonicus</i>	nosuri	ノスリ	D	<i>Pseudostrigea</i>	<i>buteonis</i>		Shizuoka	?	Pt.1	3
Falconiformes	Accipitridae	<i>Circus</i>	<i>aeruginosus aeruginosus</i>	chuuhi	チュウヒ	C	<i>Cladotaenia</i>	<i>circi</i>		Overseas	Formosa	Pt.6	227
Falconiformes	Accipitridae	<i>Circus</i>	<i>aeruginosus aeruginosus</i>	chuuhi	チュウヒ	D	<i>Pseudosirigea</i>	<i>buteonis</i>		Aichi	?	Pt.25	200
Falconiformes	Accipitridae	<i>Circus</i>	<i>aeruginosus aeruginosus</i>	chuuhi	チュウヒ	N	<i>Habronema</i>	<i>circi</i>		Overseas	Formosa	Pt.36	464
Falconiformes	Accipitridae	<i>Circus</i>	<i>aeruginosus aeruginosus</i>	chuuhi	チュウヒ	N	<i>Habronema</i>	<i>circi</i>		Aichi	Okazaki	Pt.36	464
Falconiformes	Accipitridae	<i>Circus</i>	<i>aeruginosus aeruginosus</i>	chuuhi	チュウヒ	N	<i>Porrocaecum</i>	<i>angusticolle</i>		Aichi	Okazaki	Pt.36	451
Falconiformes	Accipitridae	<i>Milvus</i>	<i>lineatus lineatus (=M. migrans l.)</i>	tobi	トビ	A	<i>Centrorhynchus</i>	<i>microrchis</i>		Shiga	?	Pt.8	264
Falconiformes	Accipitridae	<i>Milvus</i>	<i>lineatus lineatus (=M. migrans l.)</i>	tobi	トビ	D	<i>Metagonimus</i>	<i>takahashii</i>		Shiga	?	Pt.3	545
Falconiformes	Accipitridae	<i>Milvus</i>	<i>lineatus lineatus (=M. migrans l.)</i>	tobi	トビ	D	<i>Metorchis</i>	<i>orientalis</i>		Shiga	?	Pt.3	545
Falconiformes	Accipitridae	<i>Milvus</i>	<i>lineatus lineatus (=M. migrans l.)</i>	tobi	トビ	D	<i>Neodiplostomum</i>	<i>pseudattenuatum</i>		?	?	Pt.1	21
Falconiformes	Accipitridae	<i>Milvus</i>	<i>lineatus lineatus (=M. migrans l.)</i>	tobi	トビ	D	<i>Strigea</i>	<i>falconis</i>		Shiga	?	Pt.3	577
Falconiformes	Accipitridae	<i>Milvus</i>	<i>lineatus lineatus (=M. migrans l.)</i>	tobi	トビ	N	<i>Porrocaecum</i>	<i>angusticolle</i>		Shiga	?	Pt.12	408
Falconiformes	Accipitridae	<i>Milvus</i>	<i>migrans formosanus</i>	himetobi	ヒメトビ	N	<i>Contraecum</i>	<i>milvi</i>		Overseas	Formosa	Pt.12	406
Falconiformes	Accipitridae	<i>Milvus</i>	<i>migrans formosanus</i>	himetobi	ヒメトビ	N	<i>Contraecum</i>	<i>milvi</i>		Overseas	Formosa	Pt.36	460
Falconiformes	Accipitridae	<i>Milvus</i>	<i>migrans lineaius</i>	tobi	トビ	A	<i>Centrorhynchus</i>	<i>magnus</i>		Kyoto	Kyoto	Pt.29	330
Falconiformes	Accipitridae	<i>Milvus</i>	<i>migrans lineaius</i>	tobi	トビ	D	<i>Echinochasmus</i>	<i>japonicus</i>		Kyoto	Kyoto	Pt.25	152
Falconiformes	Accipitridae	<i>Milvus</i>	<i>migrans lineaius</i>	tobi	トビ	D	<i>Echinochasmus</i>	<i>milvi</i>		Kyoto	Kyoto	Pt.25	150
Falconiformes	Accipitridae	<i>Milvus</i>	<i>migrans lineaius</i>	tobi	トビ	D	<i>Echinochasmus</i>	<i>tobi</i>		?	?	Pt.25	149
Falconiformes	Accipitridae	<i>Milvus</i>	<i>migrans lineaius</i>	tobi	トビ	D	<i>Lyperosomum</i>	<i>strigis</i>		Shiga	?	Pt.25	183
Falconiformes	Accipitridae	<i>Milvus</i>	<i>migrans lineaius</i>	tobi	トビ	D	<i>Mesostephanus</i>	<i>milvi</i>		Kyoto	Kyoto	Pt.25	203
Falconiformes	Accipitridae	<i>Milvus</i>	<i>migrans lineaius</i>	tobi	トビ	D	<i>Pygidioopsis</i>	<i>summa</i>		unknown	?	Pt.25	159
Falconiformes	Accipitridae	<i>Milvus</i>	<i>migrans lineaius</i>	tobi	トビ	N	<i>Contraecum</i>	<i>milvi</i>		Kyoto	Kyoto	Pt.36	460
Falconiformes	Accipitridae	<i>Milvus</i>	<i>migrans lineaius</i>	tobi	トビ	N	<i>Porrocaecum</i>	<i>angusticolle</i>		Kyoto	Kyoto	Pt.36	451
Falconiformes	Accipitridae	<i>Nisaetus</i>	<i>nipalensis orientalis</i>	kumatata	クマタカ	D	<i>Pseudostrigea</i>	<i>buteonis</i>		Wakayama	?	Pt.25	200
Falconiformes	Accipitridae	<i>Nisaetus</i>	<i>nipalensis orientalis</i>	kumatata	クマタカ	N	<i>Synhimantus</i>	<i>nipponensis</i>		Wakayama	?	Pt.36	469

Host order	Host family	Host genus	Host species	Host Japanese name	宿主名	Para site	Genus	Species	Stage	Prefecture	Locality	Ref. No.	Page
Falconiformes	Falconidae	<i>Falco</i>	<i>peregrinus calidus</i>	hayabusa	ハヤブサ	N	<i>Serratospiculum</i>	<i>tendo</i>		Aichi	Mikawa Province	Pt.36	477
Galliformes	Phasianidae	<i>Coturnix</i>	<i>coturnix japonica</i>	uzura	ウズラ	N	<i>Subulura</i>	<i>coturnicis</i>		unknown	?	Pt.36	449
Galliformes	Phasianidae	<i>Excalfactoria</i>	<i>chinensis</i>	himeuzura	ヒメウズラ	N	<i>Subulura</i>	<i>taiwanensis</i>		Overseas	Formosa	Pt.12	411
Galliformes	Phasianidae	<i>Gallus</i>	<i>gallus domesticus</i>	niwatori	ニワトリ	A	<i>Empodius</i>	<i>sp.</i>		Overseas	Celebes	Cs.8	410
Galliformes	Phasianidae	<i>Gallus</i>	<i>gallus domesticus</i>	niwatori	ニワトリ	C	<i>Amoebotaenia</i>	<i>oligorchis</i>		Kyoto	Kyoto	Pt.6	205
Galliformes	Phasianidae	<i>Gallus</i>	<i>gallus domesticus</i>	niwatori	ニワトリ	C	<i>Amoebotaenia</i>	<i>sphenoides</i>		Kyoto	Kyoto	Pt.6	207
Galliformes	Phasianidae	<i>Gallus</i>	<i>gallus domesticus</i>	niwatori	ニワトリ	C	<i>Hymenolepis</i>	<i>exigua</i>		?	?	Pt.6	211
Galliformes	Phasianidae	<i>Gallus</i>	<i>gallus domesticus</i>	niwatori	ニワトリ	C	<i>Raillietina (R.)</i>	<i>galli</i>		Mie	Kuki	Pt.6	191
Galliformes	Phasianidae	<i>Gallus</i>	<i>gallus domesticus</i>	niwatori	ニワトリ	C	<i>Amoebotaenia</i>	<i>longisacculus</i>		Overseas	Celebes	Cs.11	1
Galliformes	Phasianidae	<i>Gallus</i>	<i>gallus domesticus</i>	niwatori	ニワトリ	C	<i>Amoebotaenia</i>	<i>spinosa</i>		Overseas	Celebes	Cs.11	5
Galliformes	Phasianidae	<i>Gallus</i>	<i>gallus domesticus</i>	niwatori	ニワトリ	C	<i>Raillietina (Paroniella)</i>	<i>macassarensis</i>		Overseas	Celebes	Cs.11	26
Galliformes	Phasianidae	<i>Gallus</i>	<i>gallus domesticus</i>	niwatori	ニワトリ	C	<i>Raillietina (R.)</i>	<i>echinobothrida</i>		Overseas	Celebes	Cs.11	17
Galliformes	Phasianidae	<i>Gallus</i>	<i>gallus domesticus</i>	niwatori	ニワトリ	C	<i>Sphenacanthus</i>	<i>exiguus</i>		Overseas	Celebes	Cs.11	35
Galliformes	Phasianidae	<i>Gallus</i>	<i>gallus domesticus</i>	niwatori	ニワトリ	D	<i>Harmostomum</i>	<i>gallinum</i>		Kyoto	Kyoto	Pt.1	56
Galliformes	Phasianidae	<i>Gallus</i>	<i>gallus domesticus</i>	niwatori	ニワトリ	D	<i>Echinoparyphium</i>	<i>recurvatum</i>		Overseas	Formosa	Mis.75	320
Galliformes	Phasianidae	<i>Gallus</i>	<i>gallus domesticus</i>	niwatori	ニワトリ	D	<i>Echinostoma</i>	<i>revolutum</i>		Overseas	Formosa	Mis.75	318
Galliformes	Phasianidae	<i>Gallus</i>	<i>gallus domesticus</i>	niwatori	ニワトリ	D	<i>Philophthalmus</i>	<i>gralli</i>		Overseas	Formosa	Mis.75	316
Galliformes	Phasianidae	<i>Gallus</i>	<i>gallus domesticus</i>	niwatori	ニワトリ	N	<i>Ascaridia</i>	<i>galli</i>		common in Japan	?	Pt.12	409
Galliformes	Phasianidae	<i>Gallus</i>	<i>gallus domesticus</i>	niwatori	ニワトリ	N	<i>Capillaria</i>	<i>retusa</i>		?	?	Pt.12	430
Galliformes	Phasianidae	<i>Gallus</i>	<i>gallus domesticus</i>	niwatori	ニワトリ	N	<i>Heterakis</i>	<i>gallinae</i>		various parts of Japan	?	Pt.12	409
Galliformes	Phasianidae	<i>Gallus</i>	<i>gallus domesticus</i>	niwatori	ニワトリ	N	<i>Ascaridia</i>	<i>lineata</i>		Overseas	Formosa	Mis.76	301
Galliformes	Phasianidae	<i>Gallus</i>	<i>gallus domesticus</i>	niwatori	ニワトリ	N	<i>Cheilospirura</i>	<i>hamulosa</i>		Overseas	Manchouko	Mis.66	101
Galliformes	Phasianidae	<i>Gallus</i>	<i>gallus domesticus</i>	niwatori	ニワトリ	N	<i>Cheilospirura</i>	<i>hamulosa</i>		Overseas	Celebes	Cs.10	134
Galliformes	Phasianidae	<i>Gallus</i>	<i>gallus domesticus</i>	niwatori	ニワトリ	N	<i>Dispharynx</i>	<i>spiralis</i>		Overseas	Manchouko	Mis.66	102
Galliformes	Phasianidae	<i>Gallus</i>	<i>gallus domesticus</i>	niwatori	ニワトリ	N	<i>Heterakis</i>	<i>beramporia</i>		Overseas	Formosa	Mis.76	303
Galliformes	Phasianidae	<i>Gallus</i>	<i>gallus domesticus</i>	niwatori	ニワトリ	N	<i>Heterakis</i>	<i>gallinae</i>		Overseas	Formosa	Mis.76	303
Galliformes	Phasianidae	<i>Gallus</i>	<i>gallus domesticus</i>	niwatori	ニワトリ	N	<i>Oxyspirura</i>	<i>monsoni</i>		Overseas	Formosa	Mis.76	307
Galliformes	Phasianidae	<i>Graphophasianus</i>	<i>sommerringii scintillans (=Phasianus s. s.)</i>	usuakayamadori	ウスアカヤマドリ	N	<i>Cyrnea</i>	<i>graphophasiani</i>		Hyogo; Kyushu	?	Pt.12	418
Galliformes	Phasianidae	<i>Graphophasianus</i>	<i>sommerringii scintillans (=Phasianus s. s.)</i>	usuakayamadori	ウスアカヤマドリ	N	<i>Heterakis</i>	<i>gallinae</i>		various parts of Japan	?	Pt.12	409
Galliformes	Phasianidae	<i>Phasianus</i>	<i>colchicus formosanus</i>	taiwankiji	タイワンキジ	N	<i>Ascaridia</i>	<i>lineata</i>		Overseas	Formosa	Pt.36	450
Galliformes	Phasianidae	<i>Phasianus</i>	<i>colchicus pallasi</i>	hokumankiji	ホクマンキジ	D	<i>Prosthogonimus</i>	<i>lageniformis</i>		Overseas	Manchouko	Mis.65	501
Galliformes	Phasianidae	<i>Phasianus</i>	<i>versicolor versicolor (=P. colchicus robustipes)</i>	kitakiji	キタキジ	N	<i>Heterakis</i>	<i>gallinae</i>		various parts of Japan	?	Pt.12	409

Host order	Host family	Host genus	Host species	Host Japanese name	宿主名	Para site	Genus	Species	Stage	Prefecture	Locality	Ref. No.	Page
Galliformes	Phasianidae	<i>Phasianus</i>	<i>versicolor versicolor</i> (= <i>P. colchius robustipes</i>)	kitakiji	キタキジ	N	<i>Heterakis</i>	<i>yamadori</i>		Kyushu; Iga Province	?	Pt.36	447
Galliformes	Phasianidae	<i>Syrmaticus</i>	<i>soemmerringii ijimae</i> (= <i>Phasianus s. i.</i>)	koshijiroyamadori	コシジロヤマドリ	N	<i>Heterakis</i>	<i>yamadori</i>		Kyushu; Iga Province	?	Pt.36	447
Galliformes	Phasianidae	<i>Syrmaticus</i>	<i>soemmerringii scintillans</i> (- <i>Phasianus s. s.</i>)	yamadori	ヤマドリ	D	<i>Brachylaemus</i>	<i>syrmatici</i>		Hyogo	Tajima Province	Pt.25	189
Galliformes	Phasianidae	<i>Syrmaticus</i>	<i>soemmerringii scintillans</i> (- <i>Phasianus s. s.</i>)	yamadori	ヤマドリ	D	<i>Harmostomum</i>	<i>syrmatici</i>		Kyushu	?	Pt.5	171
Galliformes	Phasianidae	<i>Syrmaticus</i>	<i>soemmerringii scintillans</i> (- <i>Phasianus s. s.</i>)	yamadori	ヤマドリ	N	<i>Heterakis</i>	<i>yamadori</i>		Hyogo	Tajima Province	Pt.36	447
Gaviiformes	Gaviidae	<i>Colymbus</i>	<i>stellatus</i> (=Gavia s.)	abi	アビ	C	<i>Diphyllobothrium</i>	<i>colymbi</i>		Fukushima	Onahama	Pt.47	312
Gaviiformes	Gaviidae	<i>Colymbus</i>	<i>stellatus</i> (=Gavia s.)	abi	アビ	C	<i>Tettrabothrius</i>	<i>macrocephalus</i>		Fukushima	Onahama	Pt.47	309
Gaviiformes	Gaviidae	<i>Colymbus</i>	<i>arcticus pacificus</i> (= <i>Gavia a. p.</i>)	oohamu	オオハム	C	<i>Paratettrabothrius</i>	<i>orientalis</i>		Kyoto	Kyoto	Pt.30	179
Gruiformes	Rallidae	<i>Fulica</i>	<i>atra atra</i>	ooban	オオバン	D	<i>Catantropis</i>	<i>pacifera</i>		Mie; Tokushima	?	Pt.25	137
Gruiformes	Rallidae	<i>Gallinula</i>	<i>chloropus indicus</i>	ban	バン	D	<i>Cotylurus</i>	<i>ban</i>		Kyoto	Lake Ogura	Pt.25	201
Gruiformes	Rallidae	<i>Gallinula</i>	<i>chloropus indicus</i>	ban	バン	D	<i>Cyclocoelum</i>	<i>mutabile</i>		?	?	Pt.25	131
Gruiformes	Rallidae	<i>Rallus</i>	<i>aquaticus indicus</i>	kuina	クイナ	D	<i>Echinostoma</i>	<i>ralli</i>		Aichi; Shiga; Shizuoka	?	Pt.3	564
Gruiformes	Rallidae	<i>Rallus</i>	<i>aquaticus indicus</i>	kuina	クイナ	D	<i>Echinostoma</i>	<i>ralli</i>		Gifu; Kyoto	?	Pt.25	139
Passeriformes	Alaudidae	<i>Alauda</i>	<i>arvensis japonica</i>	hibari	ヒバリ	C	<i>Anoncotaenia</i>	<i>globata</i>		Aichi	?	Pt.50	9
Passeriformes	Cinclidae	<i>Cinclus</i>	<i>pallasii hondoensis</i>	kawagarasu	カワガラス	D	<i>Laterotrema</i> (<i>Pseudolaterotrema</i>)	<i>cincli</i>		Shiga	?	Pt.25	179
Passeriformes	Cinclidae	<i>Cinclus</i>	<i>pallasii hondoensis</i>	kawagarasu	カワガラス	D	<i>Pseudospelotrema</i> (<i>Pseudospelotrematoides</i>)	<i>cincli</i>		Kyoto	Kyoto	Pt.25	174
Passeriformes	Cinclidae	<i>Cinclus</i>	<i>pallasii pallasii</i>	kitakawagarasu	キタカワガラス	N	<i>Capillaria</i>	<i>cincli</i>		Kyoto	Maizuru	Pt.36	444
Passeriformes	Cinclidae	<i>Cinclus</i>	<i>pallasii pallasii</i>	kitakawagarasu	キタカワガラス	N	<i>Echinuria</i>	<i>cincli</i>		?	?	Pt.12	426
Passeriformes	Corvidae	<i>Corvus</i>	<i>corone corone</i>	hashibosogarasu	ハシボソガラス	C	<i>Hymenolepis</i>	<i>serpentulus</i>		Kyoto	Kyoto	Pt.6	210
Passeriformes	Corvidae	<i>Corvus</i>	<i>corone corone</i>	hashibosogarasu	ハシボソガラス	C	<i>Hymenolepis</i>	<i>serpentulus</i>		Shiga	?	Pt.30	202
Passeriformes	Corvidae	<i>Corvus</i>	<i>corone corone</i>	hashibosogarasu	ハシボソガラス	D	<i>Echinostoma</i>	<i>corvi</i>		Mie	?	Pt.5	165
Passeriformes	Corvidae	<i>Corvus</i>	<i>corone corone</i>	hashibosogarasu	ハシボソガラス	D	<i>Oswaldoia</i>	<i>corvi</i>		Shiga	?	Pt.25	182

Host order	Host family	Host genus	Host species	Host Japanese name	宿主名	Para site	Genus	Species	Stage	Prefecture	Locality	Ref. No.	Page
Passeriformes	Corvidae	<i>Corvus</i>	<i>corone corone</i>	hashibosogarasu	ハシボソガラス	D	<i>Oswaldoia</i>	<i>corvi</i>		Kyoto	Yodo	Pt.32	327
Passeriformes	Corvidae	<i>Corvus</i>	<i>corone corone</i>	hashibosogarasu	ハシボソガラス	D	<i>Pseudobilharzia</i>	<i>corvi</i>		Shiga	Yasu	Pt.32	338
Passeriformes	Corvidae	<i>Corvus</i>	<i>corone corone</i>	hashibosogarasu	ハシボソガラス	D	<i>Stephanoprora</i>	<i>magniovata</i>		Shiga	?	Pt.25	146
Passeriformes	Corvidae	<i>Corvus</i>	<i>corone corone</i>	hashibosogarasu	ハシボソガラス	N	<i>Acuaria</i>	<i>anthuris</i>		Kyoto	Yodo	Pt.36	466
Passeriformes	Corvidae	<i>Corvus</i>	<i>corone interpositatas</i>	hashibosogarasu	ハシボソガラス	A	<i>Centrorhynchus</i>	<i>corvi</i>		Kyoto	Kyoto	Pt.8	265
Passeriformes	Corvidae	<i>Corvus</i>	<i>corone interpositatas</i>	hashibosogarasu	ハシボソガラス	A	<i>Centrorhynchus</i>	<i>corvi</i>		Shiga	?	Pt.29	330
Passeriformes	Corvidae	<i>Corvus</i>	<i>corone interpositatas</i>	hashibosogarasu	ハシボソガラス	D	<i>Tamerlania</i>	<i>corvi</i>		Overseas	Manchouko	Mis.65	506
Passeriformes	Corvidae	<i>Garrulus</i>	<i>glandarius japonicus</i>	kakesu	カケス	A	<i>Mediorhynchus</i>	<i>garruli</i>		Aichi	Toyohashi	Pt.29	348
Passeriformes	Corvidae	<i>Garrulus</i>	<i>glandarius japonicus</i>	kakesu	カケス	C	<i>Hymenolepis</i>	<i>farcimiosa</i>		Aichi	Toyohashi	Pt.30	205
Passeriformes	Corvidae	<i>Garrulus</i>	<i>glandarius japonicus</i>	kakesu	カケス	D	<i>Tamerlania</i>	<i>zarudnyi</i>		Aichi	Toyohashi	Pt.32	323
Passeriformes	Corvidae	<i>Garrulus</i>	<i>glandarius japonicus</i>	kakesu	カケス	N	<i>Capillaria</i>	<i>resecta</i>		Nara	Nara	Pt.36	442
Passeriformes	Corvidae	<i>Garrulus</i>	<i>glandarius japonicus</i>	kakesu	カケス	N	<i>Diplotrinaena</i>	<i>manipoli</i>		Shizuoka	?	Pt.12	413
Passeriformes	Corvidae	<i>Garrulus</i>	<i>glandarius japonicus</i>	kakesu	カケス	N	<i>Dispharynx</i>	<i>laplantei</i>		Aichi; Nara	Toyohashi; Nara	Pt.36	467
Passeriformes	Corvidae	<i>Pica</i>	<i>pica sericea</i>	kasasagi	カササギ	A	<i>Centrorhynchus</i>	<i>corvi</i>		Fukuoka	Fukuoka	Pt.29	330
Passeriformes	Corvidae	<i>Urocissa</i>	<i>caerulea</i>	yamamusume	ヤマムスメ	D	<i>Lyperosomum</i>	<i>urocissae</i>		Overseas	Formosa	Pt.25	182
Passeriformes	Corvinae	<i>Ptiloris</i>	<i>chrysotis</i>	gokurakuchou-ru	ゴクラクチョウの類	C	<i>Passerilepis</i>	<i>arciuterus</i>		Overseas	Celebes	Cs.11	36
Passeriformes	Estrildidae	<i>Lonchura</i>	<i>oryziuora</i>	kinpara-ru	キンバラの類	C	<i>Mayhewia</i>	<i>lamellaris</i>		Overseas	Celebes	Cs.11	31
Passeriformes	Estrildidae	<i>Lonchura</i>	<i>maja</i>	hekityou	ヘキチョウ	C	<i>Mayhewia</i>	<i>lamellaris</i>		Overseas	Celebes	Cs.11	31
Passeriformes	Fringillidae	<i>Coccothraustes</i>	<i>coccothraustes japonicus</i>	shime	シメ	D	<i>Leucochloridium</i>	<i>sime</i>		Shizuoka	?	Pt.5	173
Passeriformes	Fringillidae	<i>Coccothraustes</i>	<i>coccothraustes japonicus</i>	shime	シメ	D	<i>Tamerlania</i>	<i>japonica</i>		Mie	?	Pt.5	170
Passeriformes	Fringillidae	<i>Emberiza</i>	<i>spodocephala personata</i>	aoji	アオジ	C	<i>Anoncotaenia</i>	<i>arhyncha</i>		Kyoto	Uji	Pt.30	191
Passeriformes	Fringillidae	<i>Emberiza</i>	<i>spodocephala personata</i>	aoji	アオジ	N	<i>Dispharynx</i>	<i>emberizae</i>		Shizuoka	?	Pt.12	421
Passeriformes	Fringillidae	<i>Emberiza</i>	<i>variabilis</i>	kuroji	クロジ	C	<i>Anoncotaenia</i>	<i>arhyncha</i>		Aomori	Shiriya	Pt.30	191
Passeriformes	Fringillidae	<i>Emberiza</i>	<i>variabilis</i>	kuroji	クロジ	N	<i>Capillaria</i>	<i>emberizae</i>		Aomori	Shiriya	Pt.36	442
Passeriformes	Fringillidae	<i>Emberiza</i>	<i>variabilis</i>	kuroji	クロジ	A	<i>Centrorhynchus</i>	<i>turdi</i>		Mie; Aichi; Aomori	?	Pt.29	331
Passeriformes	Fringillidae	<i>Emberiza</i>	<i>variabilis</i>	kuroji	クロジ	D	<i>Lyperosomum</i>	<i>emberizae</i>		Aomori	Shiriyazaki	Pt.32	328
Passeriformes	Fringillidae	<i>Emberiza</i>	<i>variabilis</i>	kuroji	クロジ	D	<i>Lyperosomum</i>	<i>mosquense</i>		Aomori	Shiriyazaki	Pt.32	328
Passeriformes	Fringillidae	<i>Emberiza</i>	<i>variabilis</i>	kuroji	クロジ	D	<i>Tamerlania</i>	<i>japonica</i>		Kochi	?	Pt.5	170
Passeriformes	Fringillidae	<i>Emberiza</i>	<i>sulphurata</i>	nojiko	ノジコ	N	<i>Capillaria</i>	<i>emberizae</i>		Aomori	Shiriya	Pt.36	442

Host order	Host family	Host genus	Host species	Host Japanese name	宿主名	Para site	Genus	Species	Stage	Prefecture	Locality	Ref. No.	Page
Passeriformes	Fringillidae	<i>Emberiza</i>	<i>sulphurata</i>	nojiko	ノジコ	A	<i>Centrorhynchus</i>	<i>turdi</i>		Mie; Aichi; Aomori	?	Pt.29	331
Passeriformes	Fringillidae	<i>Emberiza</i>	<i>sulphurata</i>	nojiko	ノジコ	D	<i>Ornithobilharzia</i>	<i>emberizae</i>		Aomori	Shiriyazaki	Pt.32	340
Passeriformes	Fringillidae	<i>Eophona</i>	<i>personata personata</i>	ikaru	イカル	D	<i>Brachylaemus</i>	<i>eophonae</i>		Aomori	Shiriyazaki	Pt.32	324
Passeriformes	Fringillidae	<i>Eophona</i>	<i>personata personata</i>	ikaru	イカル	D	<i>Lyperosomum</i>	<i>eophonae</i>		Aomori	Shiriyazaki	Pt.32	330
Passeriformes	Hirundinidae	<i>Hirundo</i>	<i>daurica nipalensis</i>	koshiakatsubame	コシアカツバメ	D	<i>Plagiorchis</i>	<i>maculosus</i>		Kyoto	Kyoto	Pt.25	190
Passeriformes	Hirundinidae	<i>Hirundo</i>	<i>daurica striolata</i>	koshiakatsubame	コシアカツバメ	C	<i>Angularella</i>	<i>taiwanensis</i>		Overseas	Formosa	Pt.30	187
Passeriformes	Hirundinidae	<i>Hirundo</i>	<i>rustica gutturalis</i>	tsubame	ツバメ	D	<i>Plagiorchis</i>	<i>maculosus</i>		Kyoto	Kyoto	Pt.25	190
Passeriformes	Hirundinidae	<i>Hirundo</i>	<i>rustica gutturalis</i>	tsubame	ツバメ	D	<i>Plagiorchis</i>	<i>maculosus</i>		Overseas	Formosa	Mis.75	312
Passeriformes	Hirundinidae	<i>Oceanodroma</i>	<i>monorhis monorhis</i>	himekuroumitsubame	ヒメクロウミツバメ	N	<i>Seuratia</i>	<i>procellariae</i>		Aomori	Shiriyazaki	Pt.36	472
Passeriformes	Hirundinidae	<i>Riparia</i>	<i>paludicola chinensis</i>	taiwan-shoudoutsubame	タイワンショウドウツバメ	C	<i>Angularella</i>	<i>ripariae</i>		Overseas	Formosa	Pt.30	189
Passeriformes	Hirundinidae	<i>Riparia</i>	<i>riparia ijimae</i>	shoudoutsubame	ショウドウツバメ	D	<i>Plagiorchis</i>	<i>maculosus</i>		?	?	Pt.25	190
Passeriformes	Laniidae	<i>Lanius</i>	<i>cristatus lucionensis</i>	shimaakamozu	シマアカモズ	N	<i>Hamatospiculum</i>	<i>sp.</i>		Overseas	Formosa	Pt.36	475
Passeriformes	Laniidae	<i>Lanius</i>	<i>schach formosae</i>	takasagomozu	タカサゴモズ	D	<i>Eumegacestes</i>	<i>lanii</i>		Overseas	Formosa	Mis.75	325
Passeriformes	Laniidae	<i>Lanius</i>	<i>schach formosae</i>	takasagomozu	タカサゴモズ	D	<i>Neodiplostomum</i>	<i>sp.</i>		Overseas	Formosa	Mis.75	327
Passeriformes	Laniidae	<i>Lanius</i>	<i>schach formosae</i>	takasagomozu	タカサゴモズ	N	<i>Hamatospiculum</i>	<i>sp.</i>		Overseas	Formosa	Pt.36	
Passeriformes	Meliphagidae	" <i>meliphagid</i> "		(mizudori)	ミズドリ(ミツスイ?)	C	<i>Allohyemenolepis</i>	<i>mitudori</i>		Overseas	Celebes	Cs.11	28
Passeriformes	Meliphagidae	<i>Myzomela</i>	<i>rubratra rubratra</i>	mitsusui-ru	ミツスイの類	C	<i>Raillietina (Paroniella)</i>	<i>myzomelae</i>		Overseas	Celebes	Cs.11	22
Passeriformes	Motacillidae	<i>Anthus</i>	<i>hodgsoni borezowskii</i>	binzui	ピンズイ	C	<i>Anomotaenia</i>	<i>binzui</i>		Aomori	Shiriyazaki	Pt.50	6
Passeriformes	Motacillidae	<i>Anthus</i>	<i>trivialis hodgsoni (=A. hodgsoni)</i>	binzui	ピンズイ	N	<i>Capillaria</i>	<i>emberizae</i>		Aomori	Shiriyazaki	Pt.36	442
Passeriformes	Motacillidae	<i>Motacilla</i>	<i>cinerea caspica</i>	kisekirei	キセキレイ	D	<i>Plagiorchis</i>	<i>maculosus motacillae</i>		?	?	Pt.25	190
Passeriformes	Muscicapidae	<i>Calliope</i>	<i>calliope calliope (=Erithacus c. c.)</i>	nogoma	ノゴマ	N	<i>Capillaria</i>	<i>calliopis</i>		Aomori	Shiriyazaki	Pt.36	443
Passeriformes	Muscicapidae	<i>Luscinia</i>	<i>calliope (=Erithacus c. c.)</i>	nogoma	ノゴマ	D	<i>Euamphimerus</i>	<i>nipponicus</i>		Aomori	Shiriyazaki	Pt.32	333
Passeriformes	Muscicapidae	<i>Zanthopygia</i>	<i>narcissina narcissina (=Muscicapa n. n.)</i>	kibitaki	キビタキ	C	<i>Anoncotaenia</i>	<i>zanthopygiae</i>		Aomori	Shiriyazaki	Pt.50	10
Passeriformes	Paridae	<i>Parus</i>	<i>atricapillus restrictus</i>	kogara	コガラ	D	<i>Leucochloridium</i>	<i>turdi</i>		Overseas	Formosa	Mis.75	327
Passeriformes	Paridae	<i>Parus</i>	<i>atricapillus restrictus</i>	kogara	コガラ	D	<i>Plagiorchis</i>	<i>maculosus</i>		Overseas	Formosa	Mis.75	312

Host order	Host family	Host genus	Host species	Host Japanese name	宿主名	Para site	Genus	Species	Stage	Prefecture	Locality	Ref. No.	Page
Passeriformes	Passeridae	<i>Passer</i>	<i>montanus</i>	suzume	スズメ	C	<i>Choanotaenia</i>	<i>parina</i>		Overseas	Celebes	Cs.11	12
Passeriformes	Passeridae	<i>Passer</i>	<i>montanus</i>	suzume	スズメ	D	<i>Plagiorchis</i>	<i>maculosus</i>		Overseas	Celebes	Cs.4	336
Passeriformes	Prunellidae	<i>Prunella</i>	<i>collaris erythropygus</i>	iwahibari	イワヒバリ	C	<i>Choanotaenia</i>	<i>barbara</i>		Nagano	Mt. Ontake	On.2	400
Passeriformes	Pycnonotidae	<i>Microscelia</i>	<i>amaurotis (=Hypsipetes a. a.)</i>	hiyodori	ヒヨドリ	D	<i>Lyperosomum</i>	<i>microscelis</i>		Shizuoka	?	Pt.1	59
Passeriformes	Pycnonotidae	<i>Pycnonotus</i>	<i>sinensis formosae</i>	shirogashira	シロガシラ	C	<i>Paronia</i>	<i>pycnonoti</i>		Overseas	Formosa	Pt.6	200
Passeriformes	Pycnonotidae	<i>Pycnonotus</i>	<i>sinensis formosae</i>	shirogashira	シロガシラ	C	<i>Paronia</i>	<i>pycnonoti</i>		Overseas	Formosa	Pt.30	183
Passeriformes	Pycnonotidae	<i>Pycnonotus</i>	<i>sinensis formosae</i>	shirogashira	シロガシラ	C	<i>Raillietina (Paroniella)</i>	<i>pycnonoti</i>		Overseas	Formosa	Mis.74	275
Passeriformes	Pycnonotidae	<i>Pycnonotus</i>	<i>sinensis formosae</i>	shirogashira	シロガシラ	D	<i>Plagiorchis</i>	<i>sp.</i>		Overseas	Formosa	Mis.75	313
Passeriformes	Sturnidae	<i>Sturnia</i>	<i>philippinensis</i>	komukudori	コムクドリ	D	<i>Plagiorchis</i>	<i>maculosus</i>		Overseas	Celebes	Cs.4	336
Passeriformes	Sturnidae	<i>Sturnia</i>	<i>violacea (=Sturnus philippensis)</i>	komukudori	コムクドリ	N	<i>Capillaria</i>	<i>emberizae</i>		Aomori	Shiriyu	Pt.36	442
Passeriformes	Sylviidae	<i>Trochalopteron</i>	<i>canorum taiwanum (=Garrulax formosus)</i>	hoibii	ホイビイ	D	<i>Eumegacestes</i>	<i>lanii</i>		Overseas	Formosa	Mis.75	325
Passeriformes	Troglodytidae	<i>Troglodytes</i>	<i>troglodytes fumigatus</i>	misosazai	ミソサザイ	C	<i>Troglodytilepis</i>	<i>troglodytis</i>		Aomori	Shiriyu	Pt.50	11
Passeriformes	Turdidae	<i>Merula</i>	<i>eunomus (=Turdus naumanni)</i>	tsugumi	ツグミ	D	<i>Stephanoprora</i>	<i>merulae</i>		Shizuoka	?	Pt.1	36
Passeriformes	Turdidae	<i>Merula</i>	<i>obscura (=Turdus o.)</i>	mamichajinai	マミチャジナイ	D	<i>Lyperosomum</i>	<i>attenuatum</i>		Shizuoka; Mie	?	Pt.1	58
Passeriformes	Turdidae	<i>Monticola</i>	<i>solitarius magnus</i>	isohiyodori	イソヒヨドリ	N	<i>Diplotriaena</i>	<i>monticolae</i>		Overseas	Formosa	Pt.12	413
Passeriformes	Turdidae	<i>Turdus</i>	<i>aurorus aurorus (=Phoenicurus a.)</i>	joubitaki	ジョウビタキ	C	<i>Bancroftiella</i>	<i>toratugumi</i>		Aomori	Shiriyu	Pt.50	7
Passeriformes	Turdidae	<i>Turdus</i>	<i>aurorus aurorus (=Phoenicurus a.)</i>	joubitaki	ジョウビタキ	A	<i>Centrorhynchus</i>	<i>turdi</i>		Mie; Aichi; Aomori	?	Pt.29	331
Passeriformes	Turdidae	<i>Turdus</i>	<i>aurorus aurorus (=Phoenicurus a.)</i>	joubitaki	ジョウビタキ	C	<i>Dilepis</i>	<i>orientalis</i>		Aomori	Shiriyu	Pt.50	2
Passeriformes	Turdidae	<i>Turdus</i>	<i>aurorus aurorus (=Phoenicurus a.)</i>	joubitaki	ジョウビタキ	C	<i>Dilepis</i>	<i>turdi</i>		Aichi	?	Pt.6	202
Passeriformes	Turdidae	<i>Turdus</i>	<i>cardis cardis</i>	kurotsugumi	クロツグミ	A	<i>Centrorhynchus</i>	<i>turdi</i>		Kyoto	Kyoto	Pt.29	331
Passeriformes	Turdidae	<i>Turdus</i>	<i>cardis cardis</i>	kurotsugumi	クロツグミ	N	<i>Diplotriaena</i>	<i>nipponensis</i>		Kyoto	Kyoto	Pt.36	477
Passeriformes	Turdidae	<i>Turdus</i>	<i>cardis cardis</i>	kurotsugumi	クロツグミ	D	<i>Leucochloridium</i>	<i>cardis</i>		?	?	Pt.25	185
Passeriformes	Turdidae	<i>Turdus</i>	<i>cardis cardis</i>	kurotsugumi	クロツグミ	D	<i>Leucochloridium</i>	<i>turdi</i>		Kyoto	Kurama	Pt.25	184
Passeriformes	Turdidae	<i>Turdus</i>	<i>cardis cardis</i>	kurotsugumi	クロツグミ	D	<i>Oswaldoia</i>	<i>turdi</i>		Kyoto	Kurama	Pt.25	181
Passeriformes	Turdidae	<i>Turdus</i>	<i>chrysolais chrysolais</i>	akahara	アカハラ	A	<i>Centrorhynchus</i>	<i>turdi</i>		Mie; Aichi; Aomori	?	Pt.29	331
Passeriformes	Turdidae	<i>Turdus</i>	<i>chrysolais chrysolais</i>	akahara	アカハラ	D	<i>Euamphimerus</i>	<i>nipponicus</i>		Aomori	Shiriyazaki	Pt.32	333
Passeriformes	Turdidae	<i>Turdus</i>	<i>eunomus (=T. naumanni)</i>	tsugumi	ツグミ	N	<i>Diplotriaena</i>	<i>bargusinica</i>		Tottori	?	Pt.12	412

Host order	Host family	Host genus	Host species	Host Japanese name	宿主名	Parasite	Genus	Species	Stage	Prefecture	Locality	Ref. No.	Page
Passeriformes	Turdidae	<i>Turdus</i>	<i>eunomus (=T. naumanni)</i>	tsugumi	ツグミ	C	<i>Haploparaxis</i>	<i>dujardini</i>		?	?	Pt.6	220
Passeriformes	Turdidae	<i>Turdus</i>	<i>pallidus</i>	shirohara	シロハラ	A	<i>Centrorhynchus</i>	<i>turdi</i>		Mie; Aichi; Aomori	?	Pt.29	331
Pelecaniformes	Phalacrocoracidae	<i>Phalacrocorax</i>	<i>capillatus</i>	umi	ウミウ	D	<i>Echinoparyphium</i>	<i>phalacrocoracis</i>		Mie	Ise Province	Pt.25	142
Pelecaniformes	Phalacrocoracidae	<i>Phalacrocorax</i>	<i>capillatus</i>	umi	ウミウ	D	<i>Paryphostomum</i>	<i>radiatum</i>		Mie	?	Pt.25	143
Pelecaniformes	Phalacrocoracidae	<i>Phalacrocorax</i>	<i>capillatus</i>	umi	ウミウ	N	<i>Contraecum</i>	<i>umi</i>		Mie	Ise Province	Pt.36	459
Pelecaniformes	Phalacrocoracidae	<i>Phalacrocorax</i>	<i>capillatus</i>	umi	ウミウ	N	<i>Porrocaecum</i>	<i>phalacrocoracis</i>		Mie	Ise Province	Pt.36	454
Pelecaniformes	Phalacrocoracidae	<i>Phalacrocorax</i>	<i>carbo hanedae</i>	kawau	カワウ	C	<i>Paradilepis</i>	<i>scolecina</i>		Shiga	Lake Biwa	Pt.30	186
Pelecaniformes	Phalacrocoracidae	<i>Phalacrocorax</i>	<i>carbo hanedae</i>	kawau	カワウ	D	<i>Centrocestus</i>	<i>armatus</i>		Shiga	Lake Biwa	Pt.25	159
Pelecaniformes	Phalacrocoracidae	<i>Phalacrocorax</i>	<i>carbo hanedae</i>	kawau	カワウ	D	<i>Echinoparyphium</i>	<i>phalacrocoracis</i>		Mie	Ise Province	Pt.25	142
Pelecaniformes	Phalacrocoracidae	<i>Phalacrocorax</i>	<i>carbo hanedae</i>	kawau	カワウ	D	<i>Hysteromorpha</i>	<i>triloba</i>		Shiga	Lake Biwa	Pt.25	202
Pelecaniformes	Phalacrocoracidae	<i>Phalacrocorax</i>	<i>carbo hanedae</i>	kawau	カワウ	D	<i>Pygidiopsis</i>	<i>phalacrocoracis</i>		Mie	Ise Province	Pt.25	160
Pelecaniformes	Phalacrocoracidae	<i>Phalacrocorax</i>	<i>carbo hanedae</i>	kawau	カワウ	N	<i>Contraecum</i>	<i>spiculigerum</i>		Mie	Ise Province	Pt.36	456
Pelecaniformes	Phalacrocoracidae	<i>Phalacrocorax</i>	<i>pelagicus pelagicus</i>	himeu	ヒメウ	A	<i>Corynosoma</i>	<i>phalacrocoracis</i>		Tokushima	Tokushima	Pt.29	337
Pelecaniformes	Phalacrocoracidae	<i>Phalacrocorax</i>	<i>pelagicus pelagicus</i>	himeu	ヒメウ	D	<i>Galactosomum</i>	<i>phalacrocoracis</i>		Tokushima; Shimane	Tokushima; Matsue	Pt.25	165
Pelecaniformes	Phalacrocoracidae	<i>Phalacrocorax</i>	<i>pelagicus pelagicus</i>	himeu	ヒメウ	N	<i>Contraecum</i>	<i>himeu</i>		Shimane; Tokushima	Matsue; Tokushima	Pt.36	457
Piciformes	Picidae	<i>Picus</i>	<i>awokera awokera</i>	aogera	アオゲラ	C	<i>Amoebotaenia</i>	<i>awogera</i>		Hokuriku District	?	Pt.50	4
Piciformes	Picidae	<i>Picus</i>	<i>awokera awokera</i>	aogera	アオゲラ	C	<i>Raillietina (R.)</i>	<i>pici</i>		Nagano	?	Pt.6	189
Podicipediformes	Podicipedidae	<i>Podiceps</i>	<i>ruficollis japonicus</i>	kaitsuburi	カイツブリ	A	<i>Southwellina</i>	<i>hispida</i>		Kyoto	River Katsuta	Pt.29	336
Podicipediformes	Podicipedidae	<i>Podiceps</i>	<i>ruficollis japonicus</i>	kaitsuburi	カイツブリ	C	<i>Digramma</i>	<i>alternans</i>		Shiga	Lake Biwa	Pt.6	231
Podicipediformes	Podicipedidae	<i>Podiceps</i>	<i>ruficollis japonicus</i>	kaitsuburi	カイツブリ	C	<i>Hymenolepis</i>	<i>japonica</i>		Shiga	Lake Biwa	Pt.6	213
Podicipediformes	Podicipedidae	<i>Podiceps</i>	<i>ruficollis japonicus</i>	kaitsuburi	カイツブリ	C	<i>Hymenolepis</i>	<i>japonica</i>		Kyoto	Lake Ogura	Pt.30	202
Podicipediformes	Podicipedidae	<i>Podiceps</i>	<i>ruficollis japonicus</i>	kaitsuburi	カイツブリ	C	<i>Podicipitilepis</i>	<i>laticauda</i>		Shiga	?	Pt.50	14
Podicipediformes	Podicipedidae	<i>Podiceps</i>	<i>ruficollis japonicus</i>	kaitsuburi	カイツブリ	C	<i>Schistocephalus</i>	<i>solidus</i>		Kyoto	River Katsuta	Pt.50	20
Podicipediformes	Podicipedidae	<i>Podiceps</i>	<i>ruficollis japonicus</i>	kaitsuburi	カイツブリ	C	<i>Tatria</i>	<i>acanthorhyncha</i>		Kyoto	Lake Ogura	Pt.30	209

Host order	Host family	Host genus	Host species	Host Japanese name	宿主名	Parasite	Genus	Species	Stage	Prefecture	Locality	Ref. No.	Page
Podicipediformes	Podicipedidae	<i>Podiceps</i>	<i>ruficollis japonicus</i>	kaitsuburi	カイツブリ	C	<i>Tatria</i>	<i>decacantha</i>		Shiga	Lake Biwa	Pt.6	231
Podicipediformes	Podicipedidae	<i>Podiceps</i>	<i>ruficollis japonicus</i>	kaitsuburi	カイツブリ	D	<i>Metorchis</i>	<i>orientalis</i>		Shiga	Lake Biwa	Pt.1	62
Podicipediformes	Podicipedidae	<i>Podiceps</i>	<i>ruficollis japonicus</i>	kaitsuburi	カイツブリ	D	<i>Metorchis</i>	<i>orientalis</i>		?	?	Pt.3	545
Podicipediformes	Podicipedidae	<i>Podiceps</i>	<i>ruficollis japonicus</i>	kaitsuburi	カイツブリ	D	<i>Ornithodiplostomum</i>	<i>podicipitis</i>		Kyoto	Lake Ogura	Pt.25	195
Podicipediformes	Podicipedidae	<i>Podiceps</i>	<i>ruficollis japonicus</i>	kaitsuburi	カイツブリ	D	<i>Patagifer</i>	<i>parivispinosus</i>		Kyoto	Kyoto	Pt.1	31
Podicipediformes	Podicipedidae	<i>Podiceps</i>	<i>ruficollis japonicus</i>	kaitsuburi	カイツブリ	D	<i>Petasiger</i>	<i>grandivesicularis</i>		Kyoto	Kyoto	Pt.25	148
Podicipediformes	Podicipedidae	<i>Podiceps</i>	<i>ruficollis japonicus</i>	kaitsuburi	カイツブリ	D	<i>Petasiger</i>	<i>lobatus</i>		Shiga	Lake Biwa	Pt.1	33
Podicipediformes	Podicipedidae	<i>Podiceps</i>	<i>ruficollis japonicus</i>	kaitsuburi	カイツブリ	D	<i>Petasiger</i>	<i>lobatus</i>		Shiga; Kyoto	Lake Biwa; Lake Ogura	Pt.25	148
Podicipediformes	Podicipedidae	<i>Podiceps</i>	<i>ruficollis japonicus</i>	kaitsuburi	カイツブリ	N	<i>Capillaria</i>	<i>podicipitis</i>		Kyoto	Lake Ogura	Pt.36	444
Podicipediformes	Podicipedidae	<i>Podiceps</i>	<i>ruficollis japonicus</i>	kaitsuburi	カイツブリ	N	<i>Eustrongylides</i>	<i>elegans</i>		Shiga	Lake Biwa	Pt.12	429
Podicipediformes	Podicipedidae	<i>Podiceps</i>	<i>ruficollis japonicus</i>	kaitsuburi	カイツブリ	N	<i>Spirofilaria</i>	<i>podicipitis</i>		Shiga	Lake Biwa	Pt.12	416
Podicipediformes	Podicipedidae	<i>Podiceps</i>	<i>ruficollis japonicus</i>	kaitsuburi	カイツブリ	N	<i>Streptocara</i>	<i>recta</i>		Shiga	Lake Biwa	Pt.12	427
Strigiformes	Strigidae	<i>Asio</i>	<i>otus otus</i>	torafuzuku	トラフズク	A	<i>Centrorhynchus</i>	<i>elongatus</i>		Shizuoka	?	Pt.8	262
Strigiformes	Strigidae	<i>Asio</i>	<i>otus otus</i>	torafuzuku	トラフズク	D	<i>Neodiplostomum</i>	<i>cochleare</i>		unknown	?	Pt.5	177
Strigiformes	Strigidae	<i>Asio</i>	<i>otus otus</i>	torafuzuku	トラフズク	N	<i>Cyrnea</i>	<i>excisiformis</i>		unknown	?	Pt.12	420
Strigiformes	Strigidae	<i>Bubo</i>	<i>bubo tenuipes</i>	washimimizuku	ワシミミズク	A	<i>Centrorhynchus</i>	<i>bubonis</i>		Kyushu	?	Pt.29	332
Strigiformes	Strigidae	<i>Bubo</i>	<i>bubo tenuipes</i>	washimimizuku	ワシミミズク	D	<i>Neodiplostomum</i>	<i>cochleare</i>		Kyushu	?	Pt.25	194
Strigiformes	Strigidae	<i>Ninox</i>	<i>scutulata scutulata</i>	aobazuku	アオバズク	N	<i>Synhimantus</i>	<i>nipponensis</i>		Overseas	Formosa	Pt.36	469
Strigiformes	Strigidae	<i>Otus</i>	<i>bakkamoena semitorques</i>	ookonohazuku	オオコノハズク	A	<i>Centrorhynchus</i>	<i>elongatus</i>		Shizuoka	?	Pt.8	262
Strigiformes	Strigidae	<i>Otus</i>	<i>bakkamoena semitorques</i>	ookonohazuku	オオコノハズク	A	<i>Centrorhynchus</i>	<i>elongatus</i>		various parts of Japan	Gifu, Okazaki, Kiso & Ise	Pt.29	329
Strigiformes	Strigidae	<i>Otus</i>	<i>bakkamoena semitorques</i>	ookonohazuku	オオコノハズク	A	<i>Porrorchis</i>	<i>oti</i>		Mie	Ise Province	Pt.29	335
Strigiformes	Strigidae	<i>Otus</i>	<i>bakkamoena semitorques</i>	ookonohazuku	オオコノハズク	N	<i>Dispharynx</i>	<i>capitaia</i>		?	?	Pt.12	423
Strigiformes	Strigidae	<i>Otus</i>	<i>bakkamoena semitorques</i>	ookonohazuku	オオコノハズク	N	<i>Hamatospiculum</i>	<i>sp.</i>		Shizuoka	?	Pt.36	475

Host order	Host family	Host genus	Host species	Host Japanese name	宿主名	Parasite	Genus	Species	Stage	Prefecture	Locality	Ref. No.	Page
Strigiformes	Strigidae	<i>Strix</i>	<i>sp.</i>	fukurou-rui	フクロウの類	D	<i>Echinoparyphium</i>	<i>recurvatum</i>		Overseas	Formosa	Mis.75	320
Strigiformes	Strigidae	<i>Strix</i>	<i>sp.</i>	fukurou-rui	フクロウの類	D	<i>Echinostoma</i>	<i>revolutum</i>		Overseas	Formosa	Mis.76	318
Strigiformes	Strigidae	<i>Strix</i>	<i>sp.</i>	fukurou-rui	フクロウの類	D	<i>Neodiplostomum</i>	<i>sp.</i>		Overseas	Formosa	Mis.75	328
Strigiformes	Strigidae	<i>Strix</i>	<i>uralensis hondoensis</i>	fukurou	フクロウ	A	<i>Centrorhynchus</i>	<i>elongatus</i>		various parts of Japan	Gifu, Okazaki, Kiso & Ise	Pt.29	329
Strigiformes	Strigidae	<i>Strix</i>	<i>uralensis hondoensis</i>	fukurou	フクロウ	D	<i>Lyperosomum</i>	<i>strigis</i>		Mie	Ise Province	Pt.25	183
Strigiformes	Strigidae	<i>Strix</i>	<i>uralensis hondoensis</i>	fukurou	フクロウ	D	<i>Neodiplostomum</i>	<i>strigis</i>		Mie	Ise Province	Pt.25	193
Strigiformes	Strigidae	<i>Strix</i>	<i>uralensis hondoensis</i>	fukurou	フクロウ	N	<i>Capillaria</i>	<i>tenuissima</i>		Nagano; Mie	Kiso; Yamada, Ise Province	Pt.36	442
Strigiformes	Strigidae	<i>Strix</i>	<i>uralensis hondoensis</i>	fukurou	フクロウ	N	<i>Porrocaecum</i>	<i>spirale</i>		Nagano	Kiso	Pt.36	453
Strigiformes	Strigidae	<i>Strix</i>	<i>uralensis hondoensis</i>	fukurou	フクロウ	N	<i>Synhimantus</i>	<i>sigmoides</i>		Mie	Ise Province	Pt.36	468
Parasite taxon: A-Acanthocephala, C-Cestoda, D-Digenea, N-Nematoda													
References													
Pt.1) Yamaguti S. 1933. Studies on the helminth fauna of Japan. Part 1. Trematodes of birds, reptiles and mammals. Jpn. J. Zool. 5: 1-134.													
Pt.3) Yamaguti S. 1934. Studies on the helminth fauna of Japan. Part 3. Avian trematodes, II. Jpn. J. Zool. 5: 543-583.													
Pt.5) Yamaguti S. 1935. Studies on the helminth fauna of Japan. Part 5. Trematodes of birds, III. Jpn. J. Zool. 6: 159-182.													
Pt.6) Yamaguti S. 1935. Studies on the helminth fauna of Japan. Part 6. Cestodes of birds, I. Jpn. J. Zool. 6: 183-232.													
Pt.8) Yamaguti S. 1935. Studies on the helminth fauna of Japan. Part 8. Acanthocephala, I. Jpn. J. Zool. 6: 247-278.													
Pt.12) Yamaguti S. 1935. Studies on the helminth fauna of Japan. Part 12. Avian nematodes, I. Jpn. J. Zool. 6: 403-431.													
Pt.25) Yamaguti S. 1939. Studies on the helminth fauna of Japan. Part 25. Trematodes of birds, IV. Jpn. J. Zool. 8: 129-210.													
Pt.29) Yamaguti S. 1939. Studies on the helminth fauna of Japan. Part 29. Acanthocephala, II. Jpn. J. Zool. 8: 318-351.													
Pt.30) Yamaguti S. 1940. Studies on the helminth fauna of Japan. Part 30. Cestodes of birds, II. Jpn. J. Med. Sci. 1: 175-211.													
Pt.32) Yamaguti S. 1941. Studies on the helminth fauna of Japan. Part 32. Trematodes of birds, V. Jpn. J. Zool. 9: 321-341.													
Pt.36) Yamaguti S. 1941. Studies on the helminth fauna of Japan. Part 36. Avian nematodes, II. Jpn. J. Zool. 9: 441-480.													
Pt.47) Yamaguti S. 1951. Studies on the helminth fauna of Japan. Part 47. Cestodes of marine mammals and birds. Arb. Med. Fab. Okayama 1: 307-314.													
Pt.50) Yamaguti S. 1956. Studies on the helminth fauna of Japan. Part 50. Cestodes of birds, III. Published by the author, 1-23.													
On.2) Yamaguti S. 1954. Helminth fauna of Mt. Ontake. Part 2. Trematoda and Cestoda. Acta Med. Okayama 8: 393-405.													

Host order	Host family	Host genus	Host species	Host Japanese name	宿主名	Para site	Genus	Species	Stage	Prefecture	Locality	Ref. No.	Page
Crocodylia	Crocodylidae	<i>Crocodylus</i>	<i>porosus</i>	iriewani	イリエワニ	D	<i>Acanthostomum</i>	<i>crocodili</i>		Overseas	Celebes	Cs.4	333
Crocodylia	Crocodylidae	<i>Crocodylus</i>	<i>porosus</i>	iriewani	イリエワニ	D	<i>Cyathocotyle</i>	<i>crocodili</i>		Overseas	Celebes	Cs.4	329
Crocodylia	Crocodylidae	<i>Crocodylus</i>	<i>porosus</i>	iriewani	イリエワニ	D	<i>Pseudoneodiplostomum</i> (<i>Pseudoneodiplostomoides</i>)	<i>crocodili</i>		Overseas	Celebes	Cs.4	331
Squamata	Agamidae	<i>Japalura</i>	<i>swinhonis</i>	swinho-kinoboritokage	スウィンホーキノボリトカゲ	N	<i>Ascaridia</i>	<i>japalurae</i>		Overseas	Formosa	Pt.11	395
Squamata	Colubridae	<i>Elaphe</i>	<i>quadrivirgata</i>	shimahebi	シマヘビ	D	<i>Halipegus</i>	<i>japonicus</i>		Kyoto	Kyoto	Pt.14	561
Squamata	Colubridae	<i>Elaphe</i>	<i>quadrivirgata</i>	shimahebi	シマヘビ	D	<i>Mesocoelium</i>	<i>brevicaecum</i>		?	?	Pt.14	574
Squamata	Colubridae	<i>Elaphe</i>	<i>quadrivirgata</i>	shimahebi	シマヘビ	A	<i>Southwellina</i>	<i>hispida</i>	larva	Toyama	Namerikawa	Pt.8	269
Squamata	Colubridae	<i>Elaphe</i>	<i>quadrivirgata</i>	shimahebi	シマヘビ	C	<i>Ophiotaenia</i>	<i>japonensis</i>		Japan (common)	?	Pt.7	242
Squamata	Colubridae	<i>Elaphe</i>	<i>quadrivirgata</i>	shimahebi	シマヘビ	D	<i>Encyclometra</i>	<i>japonica</i>		?	?	Pt.1	80
Squamata	Colubridae	<i>Elaphe</i>	<i>quadrivirgata</i>	shimahebi	シマヘビ	D	<i>Proalarioides</i>	<i>serpentis</i>		Kyoto	Kyoto	Pt.1	91
Squamata	Colubridae	<i>Elaphe</i>	<i>quadrivirgata</i>	shimahebi	シマヘビ	N	<i>Capillaria</i>	<i>sp.</i>		?	?	Pt.11	402
Squamata	Colubridae	<i>Elaphe</i>	<i>quadrivirgata</i>	shimahebi	シマヘビ	N	<i>Kalicephalus</i>	<i>natricis</i>		Japan (common)	?	Pt.11	399
Squamata	Colubridae	<i>Elaphe</i>	<i>quadrivirgata</i>	shimahebi	シマヘビ	N	<i>Ophidascaaris</i>	<i>natricis</i>		Wakayama	?	Pt.11	393
Squamata	Colubridae	<i>Enhydris</i>	<i>plumbea</i>	kawahebi	カワヘビ	D	<i>Encyclometra</i>	<i>microrchis</i>		Overseas	Formosa	Pt.1	80
Squamata	Colubridae	<i>Natrix</i>	<i>tigrina</i> (= <i>Rhabdophis tigrinus</i>)	yamakagashi	ヤマカガシ	C	<i>Ophiotaenia</i>	<i>japonensis</i>		Japan (common)	?	Pt.7	242
Squamata	Colubridae	<i>Natrix</i>	<i>tigrina</i> (= <i>Rhabdophis tigrinus</i>)	yamakagashi	ヤマカガシ	D	<i>Encyclometra</i>	<i>japonica</i>		?	?	Pt.1	80
Squamata	Colubridae	<i>Natrix</i>	<i>tigrina</i> (= <i>Rhabdophis tigrinus</i>)	yamakagashi	ヤマカガシ	N	<i>Kalicephalus</i>	<i>natricis</i>		Japan (common)	?	Pt.11	399
Squamata	Colubridae	<i>Natrix</i>	<i>tigrina</i> (= <i>Rhabdophis tigrinus</i>)	yamakagashi	ヤマカガシ	N	<i>Ophidascaaris</i>	<i>natricis</i>		Wakayama	?	Pt.11	393
Squamata	Colubridae	<i>Natrix</i>	<i>tigrina</i> (= <i>Rhabdophis tigrinus</i>)	yamakagashi	ヤマカガシ	N	<i>Rhabdias</i> (<i>Ophiorhabdias</i>)	<i>horigutii</i>		Niigata	Niigata	Mis.83	8
Squamata	Elapidae	<i>Laticauda</i>	<i>laticaudata</i>	hiroo-umihebi	ヒロオウミヘビ	D	<i>Harmotrema</i>	<i>laticaudae</i>		Okinawa	Ishigaki-jima	Pt.1	86
Squamata	Elapidae	<i>Laticauda</i>	<i>laticaudata</i>	hiroo-umihebi	ヒロオウミヘビ	D	<i>Oesophagicola</i>	<i>laticaudae</i>		Okinawa	Ishigaki-jima	Pt.1	82
Squamata	Elapidae	<i>Laticauda</i>	<i>laticaudata</i>	hiroo-umihebi	ヒロオウミヘビ	N	<i>Kalicephalus</i>	<i>laticaudae</i>		Okinawa	Ishigaki-jima	Pt.11	398
Squamata	Elapidae	<i>Naja</i>	<i>naja</i>	indo-cobura	インドコブラ	C	<i>Diphyllobothrium</i>	<i>serpentis</i>		Overseas	Formosa	Pt.7	246

Host order	Host family	Host genus	Host species	Host Japanese name	宿主名	Parasite	Genus	Species	Stage	Prefecture	Locality	Ref. No.	Page
Squamata	Scincidae	<i>Eumeces</i>	<i>laticutatus</i>	nihontokage	ニホントカゲ	D	<i>Mesocoelium</i>	<i>brevicaecum</i>		?	?	Pt.14	574
Squamata	Scincidae	<i>Mabuja</i>	<i>sp.</i>	mabuyatokage	マブヤトカゲ	C	<i>Oochoristica</i>	<i>celebesensis</i>		Overseas	Celebes	Cs.7	375
Squamata	Varanidae	<i>Varanus</i>	<i>salvator</i>	ootokage	オオトカゲ	C	<i>Acanthotaenia</i>	<i>shipleyi</i>		Overseas	Celebes	Cs.7	381
Squamata	Varanidae	<i>Varanus</i>	<i>salvator</i>	ootokage	オオトカゲ	C	<i>Ophiovalipora</i>	<i>micracantha</i>		Overseas	Celebes	Cs.7	378
Testudines	Geoemydidae	<i>Clemmys</i>	<i>japonica</i>	ishigame	イシガメ	D	<i>Telorchis</i>	<i>clemmydis</i>		?	?	Pt.1	74
Testudines	Geoemydidae	<i>Clemmys</i>	<i>japonica</i>	ishigame	イシガメ	N	<i>Spironoura</i>	<i>japonensis</i>		Kyoto	Kyoto	Pt.11	396
Testudines	Geoemydidae	<i>Geoclemmys</i>	<i>reevesi</i>	kusagame	クサガメ	D	<i>Telorchis</i>	<i>clemmydis</i>		Hyogo	Tarumi	Pt.1	74
Testudines	Geoemydidae	<i>Geoclemmys</i>	<i>reevesi</i>	kusagame	クサガメ	D	<i>Telorchis</i>	<i>geoclemmydis</i>		Kyoto	Kyoto	Pt.1	78
Testudines	Geoemydidae	<i>Geoclemmys</i>	<i>reevesi</i>	kusagame	クサガメ	N	<i>Camallanus</i>	<i>intermedius</i>		Hyogo	Tarumi	Pt.11	400
Testudines	Geoemydidae	<i>Geoclemmys</i>	<i>reevesi</i>	kusagame	クサガメ	N	<i>Spironoura</i>	<i>japonensis</i>		Hyogo	?	Pt.11	396
Testudines	Trionychidae	<i>Amyda</i>	<i>japonica</i>	suppon	スッポン	D	<i>Astiotrema</i>	<i>orientale</i>		Overseas	Korea	Pt.18	1
Testudines	Trionychidae	<i>Amyda</i>	<i>japonica</i>	suppon	スッポン	D	<i>Kaurma</i>	<i>longicirra</i>		Overseas	Korea	Pt.18	3
Testudines	Trionychidae	<i>Amyda</i>	<i>japonica</i>	suppon	スッポン	D	<i>Kaurma</i>	<i>orientalis</i>		Overseas	Korea	Mis.54	505
Parasite taxon: A-Acanthocephala, C-Cestoda, D-Digenea, N-Nematoda													
References:													
Pt.1) Yamaguti S. 1933. Studies on the helminth fauna of Japan. Part 1. Trematodes of birds, reptiles and mammals. Jpn. J. Zool. 5: 1-134.													
Pt.7) Yamaguti S. 1935. Studies on the helminth fauna of Japan. Part 7. Cestodes of mammals and snakes. Jpn. J. Zool. 6: 233-246.													
Pt.8) Yamaguti S. 1935. Studies on the helminth fauna of Japan. Part 8. Acanthocephala, I. Jpn. J. Zool. 6: 247-278.													
Pt.11) Yamaguti S. 1935. Studies on the helminth fauna of Japan. Part 11. Reptilian nematodes. Jpn. J. Zool. 6: 393-402.													
Pt.14) Yamaguti S. 1936. Studies on the helminth fauna of Japan. Part 14. Amphibian trematodes. Jpn. J. Zool. 6: 551-576.													
Cs.4) Yamaguti S. 1954. Parasitic worms mainly from Celebes. Part 4. Trematodes of reptiles and birds. Acta Med. Okayama 8: 329-340.													
Cs.7) Yamaguti S. 1954. Parasitic worms mainly from Celebes. Part 7. Cestodes of reptiles. Acta Med. Okayama 8: 375-385.													
Mis.54) Yamaguti S. 1937. A new trematode from <i>Amyda japonica</i> (Temm. et Schleg.). Jpn. J. Zool. 7: 505-506.													
Mis.83) Yamaguti S. 1943. <i>Rhabdias (Ophiorhabdias) horiquitii</i> n. subg., n. sp. (Nematoda) from the lung of a Japanese snake <i>Natrix tigrina</i> . Annot. Zool. Jpn. 22: 8-10.													

Host order	Host family	Host genus	Host species	Host Japanese name	宿主名	Para site	Genus	Species	Stage	Prefecture	Locality	Ref. No.	Page
Anura	Bufo	<i>Bufo</i>	<i>asper</i>	hikigaeru - rui	ヒキガエルの類	A	<i>Acanthocephalus</i>	<i>bufonis</i>		Overseas	Celebes	Cs.8	406
Anura	Bufo	<i>Bufo</i>	<i>melanostictus</i>	herogurphikig aeru	ヘリグロヒキガエル	A	<i>Acanthocephalus</i>	<i>sinensis</i>		Overseas	Formosa	Mis.76	153
Anura	Bufo	<i>Bufo</i>	<i>melanostictus</i>	herogurphikig aeru	ヘリグロヒキガエル	D	<i>Diplodiscus</i>	<i>melanosticti</i>		Overseas	Formosa	Mis.76	146
Anura	Bufo	<i>Bufo</i>	<i>melanostictus</i>	herogurphikig aeru	ヘリグロヒキガエル	D	<i>Glythelmins</i>	<i>staffordi</i>		Overseas	Formosa	Mis.76	?
Anura	Bufo	<i>Bufo</i>	<i>melanostictus</i>	herogurphikig aeru	ヘリグロヒキガエル	N	<i>Cosmocerca</i>	<i>japonica</i>		Overseas	Formosa	Mis.76	152
Anura	Bufo	<i>Bufo</i>	<i>melanostictus</i>	herogurphikig aeru	ヘリグロヒキガエル	N	<i>Oswaldocruzia</i>	<i>hoepplii</i>		Overseas	Formosa	Mis.76	149
Anura	Bufo	<i>Bufo</i>	<i>melanostictus</i>	herogurphikig aeru	ヘリグロヒキガエル	N	<i>Spinicauda</i>	<i>bufonis</i>		Overseas	Formosa	Pt.10	388
Anura	Bufo	<i>Bufo</i>	<i>melanostictus</i>	herogurphikig aeru	ヘリグロヒキガエル	N	<i>Spinitectus</i>	<i>ranae</i>		Overseas	Formosa	Mis.76	148
Anura	Bufo	<i>Bufo</i>	<i>melanostictus</i>	herogurphikig aeru	ヘリグロヒキガエル	N	<i>Strongyluris</i>	<i>bufonis</i>		Overseas	Formosa	Mis.76	151
Anura	Bufo	<i>Bufo</i>	<i>vulgaris japonicus</i>	hikigaeru	ヒキガエル	A	<i>Acanthocephalus</i>	<i>lucidus</i>		Nagano	Mt. Ontake	On.1	391
Anura	Bufo	<i>Bufo</i>	<i>vulgaris japonicus</i>	hikigaeru	ヒキガエル	C	<i>Baerietta</i>	<i>montana</i>		Nagano	Mt. Ontake	On.2	396
Anura	Bufo	<i>Bufo</i>	<i>vulgaris japonicus</i>	hikigaeru	ヒキガエル	D	<i>Mesocoelium</i>	<i>brevicaecum</i>		-	-	Pt.14	574
Anura	Bufo	<i>Bufo</i>	<i>vulgaris japonicus</i>	hikigaeru	ヒキガエル	N	<i>Capillaria</i>	<i>buccalis</i>		Kyoto	Kyoto	Mis.82	5
Anura	Bufo	<i>Bufo</i>	<i>vulgaris japonicus</i>	hikigaeru	ヒキガエル	N	<i>Capillaria</i>	<i>bufonis</i>		Shiga	-	Pt.34	399
Anura	Bufo	<i>Bufo</i>	<i>vulgaris japonicus</i>	hikigaeru	ヒキガエル	N	<i>Cosmocerca</i>	<i>japonica</i>		Nagano	Mt. Ontake, Sintaka	On.1	387
Anura	Bufo	<i>Bufo</i>	<i>vulgaris japonicus</i>	hikigaeru	ヒキガエル	N	<i>Cosmocercoides</i>	<i>pulcher</i>		Shiga	-	Pt.34	402
Anura	Bufo	<i>Bufo</i>	<i>vulgaris japonicus</i>	hikigaeru	ヒキガエル	N	<i>Cosmocercoides</i>	<i>pulcher</i>		Nagano	Mt. Ontake	On.1	387
Anura	Bufo	<i>Bufo</i>	<i>vulgaris japonicus</i>	hikigaeru	ヒキガエル	N	<i>Oswaldocruzia</i>	<i>bialata</i>		Nagano	Mt. Ontake, Sintaka & Totinosawa	On.1	388
Anura	Bufo	<i>Bufo</i>	<i>vulgaris japonicus</i>	hikigaeru	ヒキガエル	N	<i>Oswaldocruzia</i>	<i>bialata</i>		Shiga	-	Pt.34	400
Anura	Bufo	<i>Bufo</i>	<i>vulgaris japonicus</i>	hikigaeru	ヒキガエル	N	<i>Rhabdias</i>	<i>incerta</i>		Shiga	-	Pt.34	398
Anura	Bufo	<i>Bufo</i>	<i>vulgaris japonicus</i>	hikigaeru	ヒキガエル	N	<i>Spinicauda</i>	<i>japonica</i>		Wakayama	Shirahama	Pt.10	387
Anura	Bufo	<i>Bufo</i>	<i>vulgaris japonicus</i>	hikigaeru	ヒキガエル	N	<i>Spinicauda</i>	<i>japonica</i>		Shiga	-	Pt.34	403
Anura	Hylidae	<i>Hyla</i>	<i>arborea japonica</i>	amagaeru	アマガエル	C	<i>Baerietta</i>	<i>sp.</i>	immature	Nagano	Suwa	Pt.22	557
Anura	Hylidae	<i>Hyla</i>	<i>arborea japonica</i>	amagaeru	アマガエル	N	<i>Cosmocerca</i>	<i>japonica</i>		Nagano	Suwa	Pt.23	605
Anura	Ranidae	<i>Rana</i>	<i>esculenta</i>	(akagaeru?)	アカガエルの類 (tadpole)	D	<i>Echinochasmus</i>	<i>elongatus</i>	metacercaria	-	-	Pt.1	108
Anura	Ranidae	<i>Rana</i>	<i>rugosa</i>	tsuchigaeru	ツチガエル	A	<i>Acanthocephalus</i>	<i>nanus</i>		Kyoto	Hanazono	Pt.8	251
Anura	Ranidae	<i>Rana</i>	<i>tagoi</i>	tagogaeru	タゴガエル	A	<i>Acanthocephalus</i>	<i>lucidus (=artatus)</i>		Kyoto	Kyoto	Pt.29	321
Anura	Ranidae	<i>Rana</i>	<i>temporaria ornativentris (=Rana (R.) ornativentris)</i>	yamaakagaeru	ヤマアカガエル	A	<i>Acanthocephalus</i>	<i>lucidus (=artatus)</i>		Kyoto	Kyoto	Pt.29	321

Host order	Host family	Host genus	Host species	Host Japanese name	宿主名	Para site	Genus	Species	Stage	Prefecture	Locality	Ref. No.	Page
Anura	Ranidae	<i>Rana</i>	<i>temporaria ornativentris</i> (= <i>Rana</i> (<i>R.</i>) <i>ornativentris</i>)	yamaakagaeru	ヤマアカガエル	C	<i>Baerietta</i>	<i>claviformis</i>		Nagano	Mt. Ontake	On.2	398
Anura	Ranidae	<i>Rana</i>	<i>temporaria ornativentris</i> (= <i>Rana</i> (<i>R.</i>) <i>ornativentris</i>)	yamaakagaeru	ヤマアカガエル	N	<i>Cosmocerca</i>	<i>japonica</i>		Nagano	Mt. Ontake, Sintaka	On.1	387
Anura	Ranidae	<i>Rana</i>	<i>temporaria ornativentris</i> (= <i>Rana</i> (<i>R.</i>) <i>ornativentris</i>)	yamaakagaeru	ヤマアカガエル	N	<i>Oswaldocruzia</i>	<i>bialata</i>		Kyoto	Mt. Hiei	Pt.34	400
Anura	Ranidae	<i>Rana</i>	<i>temporaria ornativentris</i> (= <i>Rana</i> (<i>R.</i>) <i>ornativentris</i>)	yamaakagaeru	ヤマアカガエル	N	<i>Oswaldocruzia</i>	<i>bialata</i>		Nagano	Mt. Ontake	On.1	388
Anura	Ranidae	<i>Rana</i>	<i>temporaria ornativentris</i> (= <i>Rana</i> (<i>R.</i>) <i>ornativentris</i>)	yamaakagaeru	ヤマアカガエル	N	<i>Rhabdias</i>	<i>montana</i>		Nagano	Mt. Ontake	On.1	388
Anura	Ranidae	<i>Rana</i>	<i>japonica</i>	nihon-akagaeru	ニホンアカガエル	A	<i>Acanthocephalus</i>	<i>artatus</i>		-	-	Pt.8	252
Anura	Ranidae	<i>Rana</i>	<i>japonica</i>	nihon-akagaeru	ニホンアカガエル	A	<i>Acanthocephalus</i>	<i>lucidus</i> (= <i>artatus</i>)		Kyoto	Kyoto	Pt.29	321
Anura	Ranidae	<i>Rana</i>	<i>japonica</i>	nihon-akagaeru	ニホンアカガエル	C	<i>Baerietta</i>	<i>japonica</i>		Okayama	Okayama	Pt.22	556
Anura	Ranidae	<i>Rana</i>	<i>japonica</i>	nihon-akagaeru	ニホンアカガエル	N	<i>Amphibiophilus</i>	<i>socialis</i>		-	-	Pt.10	390
Anura	Ranidae	<i>Rana</i>	<i>japonica</i>	nihon-akagaeru	ニホンアカガエル	N	<i>Cosmocerca</i>	<i>japonica</i>		Kyoto	Mt. Hiei	Pt.23	605
Anura	Ranidae	<i>Rana</i>	<i>limnocharis</i>	numagaeru	ヌマガエル	N	<i>Icosiella</i>	<i>kobayasii</i>		Kagoshima	Makurazaki	Pt.34	406
Anura	Ranidae	<i>Rana</i>	<i>nigromaculata</i>	tonosamagaeru	トノサマガエル	A	<i>Acanthocephalus</i>	<i>lucidus</i> (= <i>artatus</i>)		Kyoto	Kyoto	Pt.29	321
Anura	Ranidae	<i>Rana</i>	<i>nigromaculata</i>	tonosamagaeru	トノサマガエル	A	<i>Southwellina</i>	<i>hispida</i>	larva	Kyoto	Kyoto	Pt.29	336
Anura	Ranidae	<i>Rana</i>	<i>nigromaculata</i>	tonosamagaeru	トノサマガエル	C	<i>Ophiotaenia</i>	<i>ranae</i>		Kyoto	Lake Kobata, Kyoto	Pt.22	553
Anura	Ranidae	<i>Rana</i>	<i>nigromaculata</i>	tonosamagaeru	トノサマガエル	D	<i>Diplodiscus</i>	<i>amphichrus japonicus</i>		Kyoto	Kyoto	Pt.14	559
Anura	Ranidae	<i>Rana</i>	<i>nigromaculata</i>	tonosamagaeru	トノサマガエル (tadpole)	D	<i>Echinochasmus</i>	<i>elongatus</i>	metacercaria	-	-	Pt.1	109
Anura	Ranidae	<i>Rana</i>	<i>nigromaculata</i>	tonosamagaeru	トノサマガエル	D	<i>Encyclometra</i>	<i>japonica</i>	metacercaria	Kyoto	Kyoto	Pt.14	570
Anura	Ranidae	<i>Rana</i>	<i>nigromaculata</i>	tonosamagaeru	トノサマガエル	D	<i>Enodiotrema</i>	<i>rugocaudatum</i>		Kyoto	Kyoto	Pt.14	566

Host order	Host family	Host genus	Host species	Host Japanese name	宿主名	Para site	Genus	Species	Stage	Prefecture	Locality	Ref. No.	Page
Anura	Ranidae	<i>Rana</i>	<i>nigromaculata</i>	tonosamagaeru	トノサマガエル	D	<i>Gorgodera</i>	<i>japonica</i>		Nagano	Kamisuwa	Pt.14	563
Anura	Ranidae	<i>Rana</i>	<i>nigromaculata</i>	tonosamagaeru	トノサマガエル	D	<i>Halipegus</i>	<i>japonicus</i>		Nagano	-	Pt.14	561
Anura	Ranidae	<i>Rana</i>	<i>nigromaculata</i>	tonosamagaeru	トノサマガエル	D	<i>Pleurogenes</i>	<i>japonicus</i>		Fukuoka	-	Pt.14	571
Anura	Ranidae	<i>Rana</i>	<i>nigromaculata</i>	tonosamagaeru	トノサマガエル	D	<i>Pneumonoeces</i>	<i>nanchangensis major</i>		Fukuoka	-	Pt.14	569
Anura	Ranidae	<i>Rana</i>	<i>nigromaculata</i>	tonosamagaeru	トノサマガエル	D	<i>Pneumonoeces</i>	<i>sibiricus japonicus</i>		Kyoto	Kyoto	Pt.14	567
Anura	Ranidae	<i>Rana</i>	<i>nigromaculata</i>	tonosamagaeru	トノサマガエル	D	<i>Proalarioides</i>	<i>serpentis</i>	† etracotyle	Kyoto	Kyoto	Pt.14	574
Anura	Ranidae	<i>Rana</i>	<i>nigromaculata</i>	tonosamagaeru	トノサマガエル	N	<i>Cosmocerca</i>	<i>japonica</i>		Kyoto	Kyoto	Pt.23	605
Anura	Ranidae	<i>Rana</i>	<i>nigromaculata</i>	tonosamagaeru	トノサマガエル	N	<i>Hedruris</i>	<i>ijimai</i>		-	-	Pt.10	391
Anura	Ranidae	<i>Rana</i>	<i>nigromaculata</i>	tonosamagaeru	トノサマガエル	N	<i>Rhabdias</i>	<i>nipponica</i>		Kyoto	Kyoto	Pt.10	389
Anura	Ranidae	<i>Rana</i>	<i>nigromaculata</i>	tonosamagaeru	トノサマガエル	N	<i>Spinitectus</i>	<i>ranae</i>		Shiga	Seta	Pt.34	405
Anura	Ranidae	<i>Rana</i>	<i>rugosa</i>	tsuchigaeru	ツチガエル	D	<i>Diplodiscus</i>	<i>amphichrus japonicus</i>		Kyoto	Kyoto	Pt.14	559
Anura	Ranidae	<i>Rana</i>	<i>rugosa</i>	tsuchigaeru	ツチガエル	D	<i>Enodiotrema</i>	<i>rugocaudatum</i>		Kyoto	Kyoto	Pt.14	566
Anura	Ranidae	<i>Rana</i>	<i>rugosa</i>	tsuchigaeru	ツチガエル	D	<i>Mesocoelium</i>	<i>elongatum</i>		Shiga	-	Pt.14	573
Anura	Ranidae	<i>Rana</i>	<i>rugosa</i>	tsuchigaeru	ツチガエル	M	<i>Diplorchis</i>	<i>ranae</i>		Japan (common)	-	Pt.14	552
Anura	Ranidae	<i>Rana</i>	<i>rugosa</i>	tsuchigaeru	ツチガエル	N	<i>Cosmocerca</i>	<i>japonica</i>		Kyoto	Kyoto	Pt.23	605
Anura	Ranidae	<i>Rana</i>	<i>rugosa</i>	tsuchigaeru	ツチガエル	N	<i>Gyrinicola</i>	<i>japonica</i>		Kyoto	Kyoto	Pt.23	603
Anura	Ranidae	<i>Rana</i>	<i>rugosa</i>	tsuchigaeru	ツチガエル	N	<i>Hedruris</i>	<i>ijimai</i>		-	-	Pt.10	391
Anura	Ranidae	<i>Rana</i>	<i>rugosa</i>	tsuchigaeru	ツチガエル	N	<i>Rhabdias</i>	<i>nipponica</i>		Kyoto	Kyoto	Pt.10	389
Anura	Ranidae	<i>Rana</i>	<i>rugosa</i>	tsuchigaeru	ツチガエル	N	<i>Spiroxys</i>	<i>japonica</i>		-	-	Pt.10	391
Anura	Ranidae	<i>Rana</i>	<i>tigrina</i>	torafugaeru	トラフガエル	A	<i>Acanthocephalus</i>	<i>bufonis</i>		Overseas	Celebes	Cs.8	406
Anura	Rhacophoridae	<i>Polypedates</i>	<i>buergeri</i> (=Rhacophorus buergeri)	kajikagaeru(aogaeru)	カジカガエル	A	<i>Acanthocephalus</i>	<i>lucidus</i> (=artatus)		Kyoto	Kyoto	Pt.29	321
Anura	Rhacophoridae	<i>Polypedates</i>	<i>buergeri</i> (=Rhacophorus buergeri)	kajikagaeru(aogaeru)	カジカガエル	N	<i>Pharyngodon</i>	<i>polypedatis</i>		Kyoto	Syuzan	Pt.34	401
Anura	Rhacophoridae	<i>Polypedates</i>	<i>buergeri</i> (=Rhacophorus buergeri)	kajikagaeru(aogaeru)	カジカガエル	N	<i>Rhabdias</i>	<i>polypedatis</i>		Kyoto	Syuzan	Pt.34	397
Anura	Rhacophoridae	<i>Rhacophorus</i>	<i>schlegeli</i> var. <i>arborae</i> (=Rhacophorus arborae)	mori-aogaeru	モリアオガエル	C	<i>Baerietta</i>	<i>sp.</i>	immature	Kyoto	Kyoto	Pt.22	557

Host order	Host family	Host genus	Host species	Host Japanese name	宿主名	Para site	Genus	Species	Stage	Prefecture	Locality	Ref. No.	Page
Anura	Rhacophoridae	<i>Rhacophorus</i>	<i>schlegeli</i> var. <i>arborea</i> (= <i>Rhacophorus arborea</i>)	mori-aogaeru	モリアオガエル	M	<i>Polystoma</i>	<i>rhacophori</i>		Kyoto	Kurama	Pt.14	553
Anura	Rhacophoridae	<i>Rhacophorus</i>	<i>schlegeli</i> var. <i>arborea</i> (= <i>Rhacophorus arborea</i>)	mori-aogaeru	モリアオガエル	N	<i>Oswaldocruzia</i>	<i>bialata</i>		Kyoto	Kurama	Pt.34	400
Anura	Rhacophoridae	<i>Rhacophorus</i>	<i>schlegeli</i> var. <i>arborea</i> (= <i>Rhacophorus arborea</i>)	mori-aogaeru	モリアオガエル	N	<i>Rhabdias</i>	<i>rhacophori</i>		Kyoto	Kyoto	Pt.34	398
Caudata	Cryptobranchidae	<i>Megalobatrachus</i>	<i>japonicus</i>	oosansho-uo	オオサンショウウオ	A	<i>Acanthocephalus</i>	<i>lucidus</i> (= <i>artatus</i>)		Kyoto	Kyoto	Pt.29	321
Caudata	Cryptobranchidae	<i>Megalobatrachus</i>	<i>japonicus</i>	oosansho-uo	オオサンショウウオ	D	<i>Diplodiscus</i>	<i>amphichrus japonicus</i>		Kyoto	Kyoto	Pt.14	559
Caudata	Cryptobranchidae	<i>Megalobatrachus</i>	<i>japonicus</i>	oosansho-uo	オオサンショウウオ	N	<i>Megalobatrachonema</i>	<i>nipponicum</i>		Kyoto	Syuzan	Pt.34	403
Caudata	Salamandridae	<i>Diemyctylus</i>	<i>pyrrhogaster</i> (= <i>Cynops pyrrhogaster pyrrhogaster</i>)	imori	イモリ	A	<i>Acanthocephalus</i>	<i>nanus</i>		Kyoto	Hanazono	Pt.8	251
Caudata	Salamandridae	<i>Diemyctylus</i>	<i>pyrrhogaster</i> (= <i>Cynops pyrrhogaster pyrrhogaster</i>)	imori	イモリ	A	<i>Acanthocephalus</i>	<i>nanus</i>		Kyoto	Kyoto	Pt.29	322
Caudata	Salamandridae	<i>Diemyctylus</i>	<i>pyrrhogaster</i> (= <i>Cynops pyrrhogaster pyrrhogaster</i>)	imori	イモリ	D	<i>Mesocoelium</i>	<i>elongatum</i>		Shiga	-	Pt.14	573
Caudata	Salamandridae	<i>Diemyctylus</i>	<i>pyrrhogaster</i> (= <i>Cynops pyrrhogaster pyrrhogaster</i>)	imori	イモリ	D	<i>Phyllodistomum</i>	<i>patellare</i>		Kyoto	Kyoto	Pt.14	565
Caudata	Salamandridae	<i>Diemyctylus</i>	<i>pyrrhogaster</i> (= <i>Cynops pyrrhogaster pyrrhogaster</i>)	imori	イモリ	N	<i>Capillaria</i>	<i>bufonis</i>		Kyoto	Kyoto	Pt.10	391
Caudata	Salamandridae	<i>Diemyctylus</i>	<i>pyrrhogaster</i> (= <i>Cynops pyrrhogaster pyrrhogaster</i>)	imori	イモリ	N	<i>Rhabdias</i>	<i>tokyoensis</i>		Japan (common)	-	Pt.10	389
Caudata	Salamandridae	<i>Diemyctylus</i>	<i>pyrrhogaster</i> (= <i>Cynops pyrrhogaster pyrrhogaster</i>)	imori	イモリ	N	<i>Rhabdias</i>	<i>tokyoensis</i>		Kyoto	Kyoto	Pt.34	398

Host order	Host family	<i>Host genus</i>	<i>Host species</i>	Host Japanese name	宿主名	Para site	<i>Genus</i>	<i>Species</i>	Stage	Prefecture	Locality	Ref. No.	Page
Parasite taxon: A-Acanthocephala, C-Cestoda, D-Digenea, M-Monogenea, N-Nematoda													
References:													
Pt.1) Yamaguti S. 1933. Studies on the helminth fauna of Japan. Part 1. Trematodes of birds, reptiles and mammals. Jpn. J. Zool. 5: 1-134.													
Pt.8) Yamaguti S. 1935. Studies on the helminth fauna of Japan. Part 8. Acanthocephala, I. Jpn. J. Zool. 6: 247-278.													
Pt.10) Yamaguti S. 1935. Studies on the helminth fauna of Japan. Part 10. Amphibian nematodes. Jpn. J. Zool. 6: 387-392.													
Pt.14) Yamaguti S. 1936. Studies on the helminth fauna of Japan. Part 14. Amphibian trematodes. Jpn. J. Zool. 6: 551-576.													
Pt.22) Yamaguti S. 1938. Studies on the helminth fauna of Japan. Part 22. Two new species of frog cestodes. Jpn. J. Zool. 7: 553-558.													
Pt.23) Yamaguti S. 1938. Studies on the helminth fauna of Japan. Part 23. Two new species of amphibian nematodes. Jpn. J. Zool. 7: 603-608.													
Pt.29) Yamaguti S. 1939. Studies on the helminth fauna of Japan. Part 29. Acanthocephala, II. Jpn. J. Zool. 8: 318-351.													
Pt.34) Yamaguti S. 1941. Studies on the helminth fauna of Japan. Part 34. Amphibian nematodes, II. Jpn. J. Zool. 9: 397-408.													
Cs.8) Yamaguti S. 1954. Parasitic worms mainly from Celebes. Part 8. Acanthocephala. Acta Med. Okayama 8: 406-413.													
On.1) Yamaguti S. 1954. Helminth fauna of Mt. Ontake. Part 1. Nematoda and Acanthocephala. Acta Med. Okayama 8: 386-392.													
On.2) Yamaguti S. 1954. Helminth fauna of Mt. Ontake. Part 2. Trematoda and Cestoda. Acta Med. Okayama 8: 393-405.													
Mis.76) Yamaguti S. & Mitunaga Y. 1943. Intestinal helminths from <i>Bufo melanostictus</i> . Trans. Nat. Hist. Soc. Taiwan 33(236): 300-311.													
Mis.82) Yamaguti S. 1943. <i>Capillaria bubccalis</i> n. sp. (Nematoda) from <i>Bufo vulgaris japonicus</i> . Annot. Zool. Jpn. 10: 455-460.													

Host order	Host family	Host Genus	Host Species	Host Japanese Name	宿主名	Parasite	Genus (subg.)	species	Stage	Prefecture	Locality	Ref.No.	Page	Remarks
?	?	"unknown marine fish"		unknown	?	D	<i>Paracryptogonimus</i>	<i>ovatus</i>		Overseas	Celebes	Cs.1	173	
Anguilliformes	Anguillidae	<i>Anguilla</i>	<i>japonica</i>	unagi	ウナギ	A	<i>Acanthocephalus</i>	<i>gotoi</i>		?	?	Pt.8	252	
Anguilliformes	Anguillidae	<i>Anguilla</i>	<i>japonica</i>	unagi	ウナギ	N	<i>Anguillicola</i>	<i>globiceps</i>		Shizuoka	Lake Hamana	Pt.9	362	
Anguilliformes	Anguillidae	<i>Anguilla</i>	<i>japonica</i>	unagi	ウナギ	D	<i>Azygia</i>	<i>anguillae</i>		Ibaraki	Kasumigaura	Pt.2	360	
Anguilliformes	Anguillidae	<i>Anguilla</i>	<i>japonica</i>	unagi	ウナギ	C	<i>Bothriocephalus</i>	<i>japonicus</i>		Ibaraki	Kasumigaura	Pt.4	13	
Anguilliformes	Anguillidae	<i>Anguilla</i>	<i>japonica</i>	unagi	ウナギ	N	<i>Cucullanus</i>	<i>filiformis</i>		Mie	Hamajima	Pt.33	380	
Anguilliformes	Anguillidae	<i>Anguilla</i>	<i>japonica</i>	unagi	ウナギ	D	<i>Genarchopsis</i>	<i>anguillae</i>		Ibaraki	Tsuchiura	Pt.21	132	
Anguilliformes	Anguillidae	<i>Anguilla</i>	<i>japonica</i>	unagi	ウナギ	N	<i>Heliconema</i>	<i>anguillae</i>		?	?	Pt.9	369	
Anguilliformes	Anguillidae	<i>Anguilla</i>	<i>japonica</i>	unagi	ウナギ	C	<i>Nybelinia</i>	<i>anguillicola</i>		Mie	Kuki	Pt.49	67	
Anguilliformes	Anguillidae	<i>Anguilla</i>	<i>japonica</i>	unagi	ウナギ	C	<i>Nybelinia</i>	<i>sp. plerocercoid-II</i>	plerocercoid	Mie	Kuki	Pt.4	105	
Anguilliformes	Anguillidae	<i>Anguilla</i>	<i>japonica</i>	unagi	ウナギ	D	<i>Sterrhurus</i>	<i>musculus</i>		Aichi or Mie; ?	Ise Bay; Inland Sea	Pt.2	444	
Anguilliformes	Anguillidae	<i>Anguilla</i>	<i>japonica</i>	unagi	ウナギ	D	<i>Tubulovesicula</i>	<i>anguillae</i>		Miyagi	Matsushima	Pt.2	470	
Anguilliformes	Anguillidae	<i>Anguilla</i>	<i>japonica</i>	unagi	ウナギ	D	<i>Tubulovesicula</i>	<i>anguillae</i>		Mie	Hamajima	Pt.31	93	
Anguilliformes	Congridae	"black eel"		kuroanago?	クロアナゴ?	D	<i>Opecoelus</i>	<i>sphaericus</i>		Mie	Hamajima	Pt.31	73	
Anguilliformes	Congridae	<i>Conger</i>	<i>conger</i>	maanago	マアナゴ	D	<i>Dolichoenterum</i>	<i>magnum</i>		Aichi	Shinmaiko	Pt.54	244	Host syn.: <i>Astroconger myriaster</i>
Anguilliformes	Congridae	<i>Conger</i>	<i>myriaster</i>	maanago	マアナゴ	N	<i>Anisakis</i>	<i>sp.</i>	larva	?	East China Sea	Pt.33	346	Host syn.: <i>Astroconger myriaster</i>
Anguilliformes	Congridae	<i>Conger</i>	<i>myriaster</i>	maanago	マアナゴ	M	<i>Benedeniella</i>	<i>congeri</i>		?	Inland Sea	Pt.53	54	Host syn.: <i>Astroconger myriaster</i>
Anguilliformes	Congridae	<i>Conger</i>	<i>myriaster</i>	maanago	マアナゴ	N	<i>Contraeaecum</i>	<i>gracile</i>		Kyushu; ?	Sea of Ariake; Inland Sea	Pt.33	364	Host syn.: <i>Astroconger myriaster</i>
Anguilliformes	Congridae	<i>Conger</i>	<i>myriaster</i>	maanago	マアナゴ	N	<i>Contraeaecum</i>	<i>gracile</i>		?	Inland Sea	Pt.57	222	Host syn.: <i>Astroconger myriaster</i>
Anguilliformes	Congridae	<i>Conger</i>	<i>myriaster</i>	maanago	マアナゴ	N	<i>Contraeaecum</i>	<i>sp. larva-I</i>	larva	?	Sea of Ariake	Pt.33	370	Host syn.: <i>Astroconger myriaster</i>
Anguilliformes	Congridae	<i>Conger</i>	<i>myriaster</i>	maanago	マアナゴ	N	<i>Contraeaecum</i>	<i>sp. larva-I</i>	larva	?	Inland Sea	Pt.9	348	Host syn.: <i>Astroconger myriaster</i>
Anguilliformes	Congridae	<i>Conger</i>	<i>myriaster</i>	maanago	マアナゴ	N	<i>Contraeaecum</i>	<i>sp. larva-V</i>	larva	?	East China Sea	Pt.33	371	Host syn.: <i>Astroconger myriaster</i>
Anguilliformes	Congridae	<i>Conger</i>	<i>myriaster</i>	maanago	マアナゴ	N	<i>Cucullanus</i>	<i>filiformis</i>		?	Inland Sea	Pt.57	223	Host syn.: <i>Astroconger myriaster</i>
Anguilliformes	Congridae	<i>Conger</i>	<i>myriaster</i>	maanago	マアナゴ	N	<i>Cucullanus</i>	<i>filiformis</i>		?	Inland Sea	Pt.9	382	Host syn.: <i>Astroconger myriaster</i>
Anguilliformes	Congridae	<i>Conger</i>	<i>myriaster</i>	maanago	マアナゴ	N	<i>Cucullanus</i>	<i>robustus</i>		Aichi or Mie; ?	Ise Bay; Inland Sea	Pt.9	381	Host syn.: <i>Astroconger myriaster</i>
Anguilliformes	Congridae	<i>Conger</i>	<i>myriaster</i>	maanago	マアナゴ	D	<i>Dolichoenterum</i>	<i>longissimum</i>		?	Sea of Japan	Pt.21	11	Host syn.: <i>Astroconger myriaster</i>

Host order	Host family	Host Genus	Host Species	Host Japanese Name	宿主名	Para site	Genus (subg.)	species	Stage	Prefecture	Locality	Ref.No.	Page	Remarks
Anguilliformes	Congridae	<i>Conger</i>	<i>myriaster</i>	maanago	マアナゴ	C	<i>Echeneibothrium</i>	<i>sp. larva - VI</i>	larva	Mie	Kuki	Pt.4	81	Host syn.: <i>Astroconger myriaster</i>
Anguilliformes	Congridae	<i>Conger</i>	<i>myriaster</i>	maanago	マアナゴ	A	<i>Echinorhynchus</i>	<i>gadi</i>		Fukui	?	Pt.29	318	Host syn.: <i>Astroconger myriaster</i>
Anguilliformes	Congridae	<i>Conger</i>	<i>myriaster</i>	maanago	マアナゴ	C	<i>Oncomegas</i>	<i>wagneri</i>	plerocercoid	Mie	Pacific coast	Pt.4	106	Host syn.: <i>Astroconger myriaster</i>
Anguilliformes	Congridae	<i>Conger</i>	<i>myriaster</i>	maanago	マアナゴ	C	<i>Oncomegas</i>	<i>wagneri</i>	plerocercoid	?	Sea of Japan	Pt.49	62	Host syn.: <i>Astroconger myriaster</i>
Anguilliformes	Congridae	<i>Conger</i>	<i>myriaster</i>	maanago	マアナゴ	D	<i>Opecoelus</i>	<i>sphaericus</i>		?	Inland Sea	Pt.2	344	Host syn.: <i>Astroconger myriaster</i>
Anguilliformes	Congridae	<i>Conger</i>	<i>myriaster</i>	maanago	マアナゴ	D	<i>Prosorhynchus</i>	<i>aculeatus</i>		Aichi or Mie	Ise Bay	Pt.2	277	Host syn.: <i>Astroconger myriaster</i>
Anguilliformes	Congridae	<i>Conger</i>	<i>myriaster</i>	maanago	マアナゴ	D	<i>Prosorhynchus</i>	<i>crucibulum japonicum</i>		?	Inland Sea	Pt.52	382	Host syn.: <i>Astroconger myriaster</i>
Anguilliformes	Congridae	<i>Conger</i>	<i>myriaster</i>	maanago	マアナゴ	D	<i>Prosorhynchus (Skrjabiniella)</i>	<i>aculeatus</i>		?	Sea of Ariake	Pt.21	5	Host syn.: <i>Astroconger myriaster</i>
Anguilliformes	Congridae	<i>Conger</i>	<i>myriaster</i>	maanago	マアナゴ	D	<i>Prosorhynchus (Skrjabiniella)</i>	<i>crucibulum</i>		?	East China Sea	Pt.21	6	Host syn.: <i>Astroconger myriaster</i>
Anguilliformes	Congridae	<i>Conger</i>	<i>myriaster</i>	maanago	マアナゴ	D	<i>Prosorhynchus (Skrjabiniella)</i>	<i>magniovatus</i>		?	Inland Sea	Pt.21	6	Host syn.: <i>Astroconger myriaster</i>
Anguilliformes	Congridae	<i>Conger</i>	<i>myriaster</i>	maanago	マアナゴ	D	<i>Sterrhurus</i>	<i>musculus</i>		Aichi or Mie; ?	Ise Bay; Inland Sea	Pt.2	444	Host syn.: <i>Astroconger myriaster</i>
Anguilliformes	Congridae	<i>Conger</i>	<i>myriaster</i>	maanago	マアナゴ	D	<i>Tubulovesicula</i>	<i>muraenesocis</i>		Mie	Hamajima	Pt.31	92	Host syn.: <i>Astroconger myriaster</i>
Anguilliformes	Congridae	<i>Conger</i>	<i>nystromi</i>	goten-anago	ゴテンアナゴ	D	<i>Lecithophyllum</i>	<i>fuscum</i>		Shizuoka	Maisaka	Pt.21	118	Host syn.: <i>Anago anago & Rhinchocymba nystromi</i>
Anguilliformes	Congridae	<i>Conger</i>	<i>nystromi</i>	goten-anago	ゴテンアナゴ	D	<i>Plagioporus</i>	<i>lobatus</i>		Wakayama	Taiji	Pt.44	248	Host syn.: <i>Anago anago & Rhinchocymba nystromi</i>
Anguilliformes	Congridae	<i>Conger</i>	<i>nystromi</i>	goten-anago	ゴテンアナゴ	D	<i>Tubulovesicula</i>	<i>muraenesocis</i>		Wakayama	Taiji	Pt.48	316	Host syn.: <i>Anago anago & Rhinchocymba nystromi</i>
Anguilliformes	Muraenesocidae	<i>Muraenesox</i>	<i>cinereus</i>	hamo	ハモ	D	<i>Aerobiotrema</i>	<i>muraenesocis</i>		Okayama	Shibukawa (Tamano Aquarium)	Pt.52	369	
Anguilliformes	Muraenesocidae	<i>Muraenesox</i>	<i>cinereus</i>	hamo	ハモ	C	<i>Callotetrarhynchus</i>	<i>speciosus</i>	larva	?	Inland Sea; or Pacific coast; or East China Sea	Pt.49	64	syn.: <i>Lintoniella speciosa</i> (Linton, 1897)
Anguilliformes	Muraenesocidae	<i>Muraenesox</i>	<i>cinereus</i>	hamo	ハモ	C	<i>Callotetrarhynchus</i>	<i>speciosus</i>	cysticercoid	?	Inland Sea	Pt.6	232	syn.: <i>Lintoniella speciosa</i> (Linton, 1897)
Anguilliformes	Muraenesocidae	<i>Muraenesox</i>	<i>cinereus</i>	hamo	ハモ	N	<i>Capillaria</i>	<i>sp.</i>		?	Inland Sea	Pt.9	386	
Anguilliformes	Muraenesocidae	<i>Muraenesox</i>	<i>cinereus</i>	hamo	ハモ	N	<i>Contracecum</i>	<i>gracile</i>		?	Inland Sea	Pt.9	346	
Anguilliformes	Muraenesocidae	<i>Muraenesox</i>	<i>cinereus</i>	hamo	ハモ	N	<i>Cucullanus</i>	<i>muraenesocis</i>		?	Inland Sea	Pt.57	223	
Anguilliformes	Muraenesocidae	<i>Muraenesox</i>	<i>cinereus</i>	hamo	ハモ	D	<i>Dolichoenterum</i>	<i>longissimum</i>		Toyama	Toyama Bay	Pt.2	280	
Anguilliformes	Muraenesocidae	<i>Muraenesox</i>	<i>cinereus</i>	hamo	ハモ	C	<i>Echeneibothrium</i>	<i>sp. larva - VI</i>	larva	?	Inland Sea	Pt.4	81	

Host order	Host family	Host Genus	Host Species	Host Japanese Name	宿主名	Parasite	Genus (subg.)	species	Stage	Prefecture	Locality	Ref.No.	Page	Remarks
Anguilliformes	Muraenesocidae	<i>Muraenesox</i>	<i>cinereus</i>	hamo	ハモ	C	<i>Lintoniella</i>	<i>speciosa</i>	cysticeroid	?	Inland Sea	Pt.4	109	syn.: <i>Rhynchobothrius speciosum</i> Linton, 1897; <i>Callotetrarhynchus speciosus</i> (Linton, 1897)
Anguilliformes	Muraenesocidae	<i>Muraenesox</i>	<i>cinereus</i>	hamo	ハモ	N	<i>Paranisakis</i>	<i>muraenesocis</i>		?	Inland Sea	Pt.9	350	
Anguilliformes	Muraenesocidae	<i>Muraenesox</i>	<i>cinereus</i>	hamo	ハモ	C	<i>Scolex</i>	<i>polymorphus -I</i>		?	Inland Sea	Pt.4	80	
Anguilliformes	Muraenesocidae	<i>Muraenesox</i>	<i>cinereus</i>	hamo	ハモ	D	<i>Stomachicola</i>	<i>muraenesocis</i>		?	Inland Sea	Pt.2	456	
Anguilliformes	Muraenesocidae	<i>Muraenesox</i>	<i>cinereus</i>	hamo	ハモ	C	<i>Taphrobothrium</i>	<i>japonense</i>		?	Inland Sea	Pt.4	21	
Anguilliformes	Muraenesocidae	<i>Muraenesox</i>	<i>cinereus</i>	hamo	ハモ	D	<i>Tubulovesicula</i>	<i>muraenesocis</i>		?	Inland Sea	Pt.2	472	
Anguilliformes	Muraenidae	<i>Gymnothorax</i>	<i>kidako</i>	utsubo	ウツボ	N	<i>Anisakis</i>	<i>sp.</i>	larva	?	Pacific	Pt.9	338	syn.: <i>Anisakis salaris</i> (Gmelin, 1790)
Anguilliformes	Muraenidae	<i>Gymnothorax</i>	<i>kidako</i>	utsubo	ウツボ	D	<i>Lecithochirium</i>	<i>macrostoma</i>		Okinawa	Naha	Pt.39	381	
Anguilliformes	Muraenidae	<i>Gymnothorax</i>	<i>kidako</i>	utsubo	ウツボ	D	<i>Musculovesicula</i>	<i>gymnothoracis</i>		Okinawa	Naha	Pt.39	384	
Anguilliformes	Muraenidae	<i>Gymnothorax</i>	<i>kidako</i>	utsubo	ウツボ	D	<i>Musculovesicula</i>	<i>gymnothoracis</i>		Mie	Hamajima	Pt.31	94	
Anguilliformes	Muraenidae	<i>Gymnothorax</i>	<i>kidako</i>	utsubo	ウツボ	D	<i>Sterrhurus</i>	<i>gymnothoracis</i>		Mie	Hamajima	Pt.31	91	
Anguilliformes	Muraenidae	<i>Gymnothorax</i>	<i>kidako</i>	utsubo	ウツボ	D	<i>Sterrhurus</i>	<i>gymnothoracis</i>		Shizuoka	Miya (Mikawa Province)	Pt.48	315	
Anguilliformes	Muraenidae	<i>Gymnothorax</i>	<i>kidako</i>	utsubo	ウツボ	D	<i>Sterrhurus</i>	<i>magnacetabulum</i>		Okinawa	Naha	Pt.39	380	
Anguilliformes	Nemichthyidae	<i>Nemichthys</i>	<i>sp.</i>	shigiunagi-rui	シギウナギの類	D	<i>Cymbephallus</i>	<i>japonicus</i>		Shizuoka	Suruga Bay	Pt.21	48	
Anguilliformes	Ophichthidae	<i>Ophichthus</i>	<i>asakusae</i>	inaka-umihebi	イナカウミヘビ	D	<i>Phyllostrema</i>	<i>bicaudatum</i>		?	?	Pt.2	338	
Anguilliformes	Ophichthidae	<i>Ophichthus</i>	<i>roseus</i>	bara-umihebi	バラウミヘビ	N	<i>Anisakis</i>	<i>sp.</i>	larva	?	Pacific	Pt.33	347	Host syn.: <i>Ophichthus roseus</i>
Anguilliformes	Ophichthidae	<i>Ophisurus</i>	<i>macrorhynchus</i>	dainan-umihebi	ダイナンウミヘビ	C	<i>Oncomegas</i>	<i>wagneri</i>	plerocercoid?	Mie	Pacific coast	Pt.4	106	
Anguilliformes	Ophichthidae	<i>Pisodontophis</i>	<i>cancrivora</i>	minamihotateumihebi	ミナミホタテウミヘビ	D	<i>Proctotrematoides</i>	<i>pisodontophidis</i>		?	Inland Sea	Pt.21	84	
Anguilliformes	Synaphobranchidae	<i>Synaphobranchus</i>	<i>affinis</i>	horaanago	ホラアナゴ	D	<i>Dinosoma</i>	<i>synaphobranchi</i>		Shizuoka	Maisaka	Pt.21	114	
Argentiniformes	Argentinidae	<i>Argentina</i>	<i>kagoshimae</i>	kagoshima-nigisu	カゴシマニギス	D	<i>Echinostephanus</i>	<i>sp.</i>	larva	Toyama	Toyama Bay	Pt.2	378	
Argentiniformes	Argentinidae	<i>Argentina</i>	<i>kagoshimae</i>	kagoshima-nigisu	カゴシマニギス	D	<i>Glomicirrus</i>	<i>amadai</i>		Shizuoka or Fukui or Kochi	Maisaka or Obama or Kochi	Pt.21	130	
Argentiniformes	Argentinidae	<i>Argentina</i>	<i>kagoshimae</i>	kagoshima-nigisu	カゴシマニギス	C	<i>Nybelinia</i>	<i>nipponica</i>	larva	Kochi or Fukui	Tosa or Obama	Pt.49	68	
Argentiniformes	Argentinidae	<i>Argentina</i>	<i>kagoshimae</i>	kagoshima-nigisu	カゴシマニギス	C	<i>Scolex</i>	<i>polymorphus -IV</i>		Toyama	Toyama Bay	Pt.4	81	

Host order	Host family	Host Genus	Host Species	Host Japanese Name	宿主名	Para site	Genus (subg.)	species	Stage	Prefecture	Locality	Ref.No.	Page	Remarks
Argentiniformes	Argentinidae	<i>Argentina</i>	<i>kagoshimae</i>	kagoshima-nigisu	カゴシマニギス	D	<i>Stephanochasmus</i>	<i>sp. (36 cephalic spines)</i>	larva	Toyama	Toyama Bay	Pt.2	372	
Ateleopodiformes	Ateleopodidae	<i>Ateleopus</i>	<i>japonicus</i>	shachiburi	シャチブリ	D	<i>Cymbephallus</i>	<i>japonicus</i>		Shizuoka	Suruga Bay	Pt.21	48	
Ateleopodiformes	Ateleopodidae	<i>Ateleopus</i>	<i>japonicus</i>	shachiburi	シャチブリ	N	<i>Raphidascaroides</i>	<i>nipponensis</i>		Kochi	Tosa Bay	Pt.33	353	
Atheriniformes	Atherinidae	<i>Atherina</i>	<i>bleekeri</i>	tougorouiwashi	トウゴロウイワシ	D	<i>Bivesiculoides</i>	<i>atherinae</i>		Shizuoka	Lake Hamana	Pt.21	78	
Atheriniformes	Atherinidae	<i>Atherina</i>	<i>bleekeri</i>	tougorouiwashi	トウゴロウイワシ	D	<i>Parahemiurus</i>	<i>atherinae</i>		?	Sea of Ariake	Pt.21	109	
Atheriniformes	Atherinidae	<i>Atherina</i>	<i>bleekeri</i>	tougorouiwashi	トウゴロウイワシ	N	<i>Contraecum</i>	<i>sp. larva-I</i>	larva	Kyushu	Sea of Ariake	Pt.33	370	
Atheriniformes	Atherinidae	<i>Atherina</i>	<i>bleekeri</i>	tougorouiwashi	トウゴロウイワシ	N	<i>Contraecum</i>	<i>sp. larva-IV</i>	larva	Kyushu	Sea of Ariake	Pt.33	371	
Aulopiformes	Aulopodidae	<i>Aulopus</i>	<i>japonicus</i>	hime	ヒメ	D	<i>Cymbephallus</i>	<i>japonicus</i>		Shizuoka	Suruga Bay	Pt.21	48	
Aulopiformes	Chlorophthalmidae	<i>Chlorophthalmus</i>	<i>albatros</i>	aome-eso	アオメエソ	D	<i>Cymbephallus</i>	<i>japonicus</i>		Shizuoka	Suruga Bay	Pt.21	48	
Aulopiformes	Chlorophthalmidae	<i>Chlorophthalmus</i>	<i>albatros</i>	aome-eso	アオメエソ	D	<i>Dinosoma</i>	<i>tortum</i>		Shizuoka	Maisaka	Pt.21	113	
Aulopiformes	Synodontidae	<i>Harpodon</i>	<i>macrochir</i>	mizutengu	ミズテング	N	<i>Anisakis</i>	<i>sp.</i>	larva	?	Pacific	Pt.33	347	
Aulopiformes	Synodontidae	<i>Saurida</i>	<i>argyrophanes</i>	maeso	マエソ	N	<i>Anisakis</i>	<i>sp.</i>	larva	?	East China Sea	Pt.33	346	Host syn.: <i>Saurida undosquanis</i>
Aulopiformes	Synodontidae	<i>Saurida</i>	<i>argyrophanes</i>	maeso	マエソ	N	<i>Anisakis</i>	<i>sp.</i>	larva	?	Pacific	Pt.9	338	syn.: <i>Anisakis salaris</i> (Gmelin, 1790) Host syn.: <i>Saurida undosquanis</i>
Aulopiformes	Synodontidae	<i>Saurida</i>	<i>argyrophanes</i>	maeso	マエソ	N	<i>Contraecum</i>	<i>sp. larva-I</i>	larva	Kochi	Tosa Bay	Pt.33	370	Host syn.: <i>Saurida undosquanis</i>
Aulopiformes	Synodontidae	<i>Saurida</i>	<i>argyrophanes</i>	maeso	マエソ	N	<i>Contraecum</i>	<i>sp. larva-I</i>	larva	?	Inland Sea	Pt.9	348	Host syn.: <i>Saurida undosquanis</i>
Aulopiformes	Synodontidae	<i>Saurida</i>	<i>argyrophanes</i>	maeso	マエソ	N	<i>Contraecum</i>	<i>sp. larva-V</i>	larva	?	East China Sea	Pt.33	371	Host syn.: <i>Saurida undosquanis</i>
Aulopiformes	Synodontidae	<i>Saurida</i>	<i>argyrophanes</i>	maeso	マエソ	D	<i>Lecithochirium</i>	<i>longicaudatum</i>		Overseas	Celebes	Cs.3	277	Host syn.: <i>Saurida undosquanis</i>
Aulopiformes	Synodontidae	<i>Saurida</i>	<i>argyrophanes</i>	maeso	マエソ	C	<i>Oncodiscus</i>	<i>sauridae</i>		Hyogo; Kumamoto	Tarumi; Tomioka	Pt.4	26	Host syn.: <i>Saurida undosquanis</i>
Aulopiformes	Synodontidae	<i>Saurida</i>	<i>argyrophanes</i>	maeso	マエソ	C	<i>Oncodiscus</i>	<i>sauridae</i>		?, Kochi	East China Sea; Tosa Bay	Pt.49	9	Host syn.: <i>Saurida undosquanis</i>
Aulopiformes	Synodontidae	<i>Saurida</i>	<i>argyrophanes</i>	maeso	マエソ	N	<i>Raphidascaris or Raphidascaroides</i>	<i>sp. B</i>	larva	Kochi	Tosa Bay	Pt.33	357	Host syn.: <i>Saurida undosquanis</i>
Aulopiformes	Synodontidae	<i>Saurida</i>	<i>argyrophanes</i>	maeso	マエソ	C	<i>Scolex</i>	<i>polymorphus -I</i>		Toyama	Toyama Bay	Pt.4	80	Host syn.: <i>Saurida undosquanis</i>
Aulopiformes	Synodontidae	<i>Saurida</i>	<i>argyrophanes</i>	maeso	マエソ	D	<i>Sterrhurus</i>	<i>magnus</i>		Kochi	Tosa Bay	Pt.21	129	Host syn.: <i>Saurida undosquanis</i>
Aulopiformes	Synodontidae	<i>Saurida</i>	<i>argyrophanes</i>	maeso	マエソ	D	<i>Torticaecum</i>	<i>nipponicum</i>	larva	?	Inland Sea	Pt.38	157	Host syn.: <i>Saurida undosquanis</i>
Aulopiformes	Synodontidae	<i>Saurida</i>	<i>argyrophanes</i>	maeso	マエソ	D	<i>Tubulovesicula</i>	<i>angusticauda</i>		Overseas	Celebes	Cs.3	284	Host syn.: <i>Saurida undosquanis</i>
Aulopiformes	Synodontidae	<i>Saurida</i>	<i>gracilis</i>	eso-rui	エソの類	N	<i>Contraecum</i>	<i>sp.</i>	larva	Overseas	Celebes	Cs.9	131	
Aulopiformes	Synodontidae	<i>Synodus</i>	<i>japonicus</i>	akaeso	アカエソ	D	<i>Bivesicula</i>	<i>synodi</i>		Shizuoka	Numazu	Pt.21	75	Host syn.: <i>Synodus variegatus</i>

Host order	Host family	Host Genus	Host Species	Host Japanese Name	宿主名	Parasite	Genus (subg.)	species	Stage	Prefecture	Locality	Ref.No.	Page	Remarks
Aulopiformes	Synodontidae	<i>Synodus</i>	<i>japonicus</i>	akaeso	アカエソ	D	<i>Lecithochirium</i>	<i>japonicum</i>		Shizuoka	Suruga Bay	Pt.21	120	Host syn.: <i>Synodus variegatus</i>
Aulopiformes	Synodontidae	<i>Synodus</i>	<i>japonicus</i>	akaeso	アカエソ	D	<i>Pseudoprosorhynchus</i>	<i>synodi</i>		Shizuoka	Numazu	Pt.21	7	Host syn.: <i>Synodus variegatus</i>
Aulopiformes	Synodontidae	<i>Trachinocephalus</i>	<i>myops</i>	okieso	オキエソ	D	<i>Sterrhurus</i>	<i>magnus</i>		Nagasaki	Nagasaki	Pt.21	129	
Aulopiformes	Synodontidae	<i>Trachinocephalus</i>	<i>myops</i>	okieso	オキエソ	D	<i>Tubulovesicula</i>	<i>muraenesocis</i>		Nagasaki	Nagasaki	Pt.21	122	
Beloniformes	Belonidae	<i>Tylosurus</i>	<i>schismatorhynchus</i>	hamadatsu	ハマダツ	A	<i>Neoechinorhynchus</i>	<i>tylosuri</i>		Shizuoka; Kochi	Lake Hamana; Tosa Bay	Pt.29	347	Host syn.: <i>Ablennes hians</i> & <i>Belone hians</i>
Beloniformes	Belonidae	<i>Tylosurus</i>	<i>schismatorhynchus</i>	hamadatsu	ハマダツ	A	<i>Rhadinorhynchus</i>	<i>ornatus</i>		Kochi	Tosa Bay	Pt.29	341	Host syn.: <i>Ablennes hians</i> & <i>Belone hians</i>
Beloniformes	Belonidae	<i>Tylosurus</i>	<i>schismatorhynchus</i>	hamadatsu	ハマダツ	C	<i>Callotetrarhynchus</i>	<i>speciosus</i>	cysticercoid ?		Inland Sea	Pt.6	232	syn.: <i>Lintoniella speciosa</i> (Linton, 1897) Host syn.: <i>Ablennes hians</i> & <i>Belone hians</i>
Beloniformes	Belonidae	<i>Tylosurus</i>	<i>schismatorhynchus</i>	hamadatsu	ハマダツ	C	<i>Lintoniella</i>	<i>speciosa</i>	cysticercoid ?		Inland Sea	Pt.4	109	syn.: <i>Rhynchobothrius speciosum</i> Linton, 1897; <i>Callotetrarhynchus speciosus</i> (Linton, 1897) Host syn.: <i>Ablennes hians</i> & <i>Belone hians</i>
Beloniformes	Belonidae	<i>Tylosurus</i>	<i>schismatorhynchus</i>	hamadatsu	ハマダツ	C	<i>Ptychobothrium</i>	<i>belones</i>		Mie	Pacific coast	Pt.4	23	Host syn.: <i>Ablennes hians</i> & <i>Belone hians</i>
Beloniformes	Belonidae	<i>Tylosurus</i>	<i>schismatorhynchus</i>	hamadatsu	ハマダツ	M	<i>Axine</i>	<i>aberrans</i>		Hyogo	Tarumi	Pt.2	273	Host syn.: <i>Ablennes hians</i> & <i>Belone hians</i>
Beloniformes	Belonidae	<i>Tylosurus</i>	<i>schismatorhynchus</i>	hamadatsu	ハマダツ	M	<i>Axine (Axine)</i>	<i>constricta</i>		Shizuoka	Lake Hamana	Pt.24	34	Host syn.: <i>Ablennes hians</i> & <i>Belone hians</i>
Beloniformes	Belonidae	<i>Tylosurus</i>	<i>schismatorhynchus</i>	hamadatsu	ハマダツ	M	<i>Axine (Axinoides)</i>	<i>tylosuri</i>		Kochi	Kochi	Pt.24	37	Host syn.: <i>Ablennes hians</i> & <i>Belone hians</i>
Beloniformes	Exocoetidae	<i>Cypselurus</i>	<i>agoo</i>	hontobi	トビウオ (ホントビ)	C	<i>Scolex</i>	<i>polymorphus -IV</i>		Toyama	Toyama Bay	Pt.4	81	Host syn.: <i>Prognichthys agoo</i>
Beloniformes	Exocoetidae	<i>Cypselurus</i>	<i>agoo</i>	hontobi	トビウオ (ホントビ)	D	<i>Gonapodasmius</i>	<i>cypseluri</i>		Mie	Hamajima	Pt.31	106	Host syn.: <i>Prognichthys agoo</i>
Beloniformes	Exocoetidae	<i>Cypselurus</i>	<i>agoo</i>	hontobi	トビウオ (ホントビ)	M	<i>Axine (Axine)</i>	<i>cypseluri</i>		Mie	Hamajima	Pt.31	54	Host syn.: <i>Prognichthys agoo</i>
Beloniformes	Exocoetidae	<i>Cypselurus</i>	<i>agoo</i>	hontobi	トビウオ (ホントビ)	N	<i>Contraecaecum</i>	<i>sp. larva-II</i>	larva	Aomori	Mutsu Bay	Pt.9	348	Host syn.: <i>Prognichthys agoo</i>
Beloniformes	Hemiramphidae	<i>Hyporhamphus</i>	<i>sajori</i>	sayori	サヨリ	A	<i>Allorhadinorhynchus</i>	<i>segmentatum</i>		?	Inland Sea	Pt.55	324	Host syn.: <i>Hemirhamphus sajori</i>
Beloniformes	Hemiramphidae	<i>Hyporhamphus</i>	<i>sajori</i>	sayori	サヨリ	C	<i>Scolex</i>	<i>polymorphus -I</i>		Toyama	Toyama Bay	Pt.4	80	Host syn.: <i>Hemirhamphus sajori</i>

Host order	Host family	Host Genus	Host Species	Host Japanese Name	宿主名	Para site	Genus (subg.)	species	Stage	Prefecture	Locality	Ref.No.	Page	Remarks
Beloniformes	Hemiramphidae	<i>Hyporhamphus</i>	<i>sajori</i>	sayori	サヨリ	D	<i>Lecithaster</i>	<i>sayori</i>		Shizuoka	Lake Hamana	Pt.21	136	Host syn.: <i>Hemirhamphus sajori</i>
Beloniformes	Hemiramphidae	<i>Hyporhamphus</i>	<i>sajori</i>	sayori	サヨリ	D	<i>Orientophorus</i>	<i>sayori</i>		Ibaraki	Tsuchiura	Pt.39	367	Host syn.: <i>Hemirhamphus sajori</i>
Beloniformes	Hemiramphidae	<i>Hyporhamphus</i>	<i>sajori</i>	sayori	サヨリ	D	<i>Torticaecum</i>	<i>nipponicum</i>	larva	Aichi or Mie	Ise Bay	Pt.38	157	Host syn.: <i>Hemirhamphus sajori</i>
Beloniformes	Hemiramphidae	<i>Hyporhamphus</i>	<i>sajori</i>	sayori	サヨリ	N	<i>Contraecum</i>	<i>sp. larva-II</i>	larva	?	Inland Sea	Pt.9	348	Host syn.: <i>Hemirhamphus sajori</i>
Beloniformes	Scomberesocidae	<i>Cololabis</i>	<i>saira</i>	sanma	サンマ	D	<i>Monilicaecum</i>	<i>ventricosum</i>	larva	Wakayama	Taiji	Pt.38	155	
Beryciformes	Berycidae	<i>Beryx</i>	<i>splendens</i>	kinmedai	キンメダイ	D	<i>Dinosoma</i>	<i>tortum</i>		Shizuoka	Numazu	Pt.21	113	
Beryciformes	Holocentridae	<i>Holocentrus</i>	<i>spinosissimus</i>	ittoudai	イトウダイ	D	<i>Bianium</i>	<i>holocentri</i>		Tokushima	Tokushima	Pt.39	357	
Beryciformes	Monocentridae	<i>Monocentris</i>	<i>japonica</i>	matsukasauo	マツカサウオ	D	<i>Deretrema</i>	<i>pacificum</i>		Tokushima	Tokushima	Pt.39	365	
Carcharhiniformes	Carcharhinidae	<i>Prionace</i>	<i>glauca</i>	yoshikirizame	ヨシキリザメ	C	<i>Dasyrhynchus</i>	<i>ingens</i>		Mie	Pacific coast	Pt.4	99	
Carcharhiniformes	Carcharhinidae	<i>Prionace</i>	<i>glauca</i>	yoshikirizame	ヨシキリザメ	C	<i>Dibothriorhynchus</i>	<i>squali</i>		Mie	Kuki	Pt.4	85	
Carcharhiniformes	Carcharhinidae	<i>Prionace</i>	<i>glauca</i>	yoshikirizame	ヨシキリザメ	C	<i>Dibothriorhynchus</i>	<i>squali</i>	larva	Mie	Kuki	Pt.4	85	
Carcharhiniformes	Carcharhinidae	<i>Prionace</i>	<i>glauca</i>	yoshikirizame	ヨシキリザメ	C	<i>Dibothriorhynchus</i>	<i>squali</i>	larva	Mie	Pacific coast	Pt.4	104	
Carcharhiniformes	Carcharhinidae	<i>Prionace</i>	<i>glauca</i>	yoshikirizame	ヨシキリザメ	C	<i>Nybelinia</i>	<i>pintneri</i>		Mie	Kuki	Pt.4	90	
Carcharhiniformes	Carcharhinidae	<i>Prionace</i>	<i>glauca</i>	yoshikirizame	ヨシキリザメ	C	<i>Pelichnibothrium</i>	<i>speciosum</i>		?	Pacific	Pt.4	71	
Carcharhiniformes	Carcharhinidae	<i>Prionace</i>	<i>glauca</i>	yoshikirizame	ヨシキリザメ	C	<i>Pelichnibothrium</i>	<i>speciosum</i>		Mie	Hamajima	Pt.49	53	
Carcharhiniformes	Carcharhinidae	<i>Prionace</i>	<i>glauca</i>	yoshikirizame	ヨシキリザメ	C	<i>Phyllobothrium</i>	<i>prionacis</i>		?	Pacific	Pt.4	51	
Carcharhiniformes	Carcharhinidae	<i>Prionace</i>	<i>glauca</i>	yoshikirizame	ヨシキリザメ	C	<i>Platybothrium</i>	<i>auriculatum</i>		Mie	Pacific coast	Pt.49	51	
Carcharhiniformes	Carcharhinidae	<i>Prionace</i>	<i>glauca</i>	yoshikirizame	ヨシキリザメ	C	<i>Prosobothrium</i>	<i>japonicum</i>		?	Pacific	Pt.4	76	
Carcharhiniformes	Carcharhinidae	<i>Prionace</i>	<i>glauca</i>	yoshikirizame	ヨシキリザメ	C	<i>Tentacularia</i>	<i>coryphaenae</i>		Mie	Kuki	Pt.4	88	
Carcharhiniformes	Carcharhinidae	<i>Scoliodon</i>	<i>walbeehmi</i>	hiragashira	ヒラガシラ	C	<i>Anthobothrium</i>	<i>laciniatum</i>		?	Pacific	Pt.4	55	
Carcharhiniformes	Carcharhinidae	<i>Scoliodon</i>	<i>walbeehmi</i>	hiragashira	ヒラガシラ	C	<i>Tentacularia</i>	<i>coryphaenae</i>		Mie	Kuki	Pt.4	88	
Carcharhiniformes	Scyliorhinidae	<i>Cephaloscyllium</i>	<i>umbratile</i>	nanukazame	ナヌカザメ	C	<i>Monorygma</i>	<i>megacotyla</i>		Nagasaki	Nagasaki	Pt.49	30	
Carcharhiniformes	Scyliorhinidae	<i>Cephaloscyllium</i>	<i>umbratile</i>	nanukazame	ナヌカザメ	N	<i>Porrocaecum</i>	<i>cephaloscyllii</i>		Nagasaki	Nagasaki	Pt.33	357	
Carcharhiniformes	Sphyrnidae	<i>Sphyrna</i>	<i>zygaena</i>	shiroshumokuzame	シロシュモクザメ	C	<i>Nybelinia (Syngenes)</i>	<i>sphyrnae</i>		Nagasaki	Nagasaki	Pt.49	56	
Carcharhiniformes	Sphyrnidae	<i>Sphyrna</i>	<i>zygaena</i>	shiroshumokuzame	シロシュモクザメ	N	<i>Contraecum</i>	<i>sp.</i>		Overseas	Celebes	Cs.9	130	

Host order	Host family	Host Genus	Host Species	Host Japanese Name	宿主名	Para site	Genus (subg.)	species	Stage	Prefecture	Locality	Ref.No.	Page	Remarks	
Carcharhiniformes	Triakidae	<i>Galeorhinus</i>	<i>manazo</i>	hoshizame	ホシザメ	D	<i>Ptychogonimus</i>	<i>megastoma</i>		Shizuoka	Numazu	Pt.21	65	Host syn.: <i>Mustelus manazo</i>	
Carcharhiniformes	Triakidae	<i>Mustelus</i>	<i>griseus</i>	shirozame	シロザメ	N	<i>Acanthocheilus</i>	<i>quadriantatus</i>		?	Sea of Ariake	Pt.33	371		
Carcharhiniformes	Triakidae	<i>Mustelus</i>	<i>manazo</i>	hoshizame	ホシザメ	C	<i>Anthobothrium</i>	<i>parvum</i>		Fukui	Obama	Pt.49	27	syn.: <i>Anthobothrium exiguum</i> Yam., 1935	
Carcharhiniformes	Triakidae	<i>Mustelus</i>	<i>manazo</i>	hoshizame	ホシザメ	C	<i>Calliobothrium</i>	<i>verticillatum</i>		?	Sea of Japan	Pt.49	49		
Carcharhiniformes	Triakidae	<i>Mustelus</i>	<i>manazo</i>	hoshizame	ホシザメ	C	<i>Nybelinia</i>	<i>manazo</i>		Mie	Hamajima	Pt.49	54		
Carcharhiniformes	Triakidae	<i>Mustelus</i>	<i>manazo</i>	hoshizame	ホシザメ	C	<i>Orygmatobothrium</i>	<i>musteli</i>		Mie	Hamajima	Pt.49	28	syn.: <i>Orygmatobothrium velamentum</i> Yoshida, 1917	
Carcharhiniformes	Triakidae	<i>Mustelus</i>	<i>manazo</i>	hoshizame	ホシザメ	C	<i>Orygmatobothrium</i>	<i>versatile</i>		?	Pacific; Sea of Japan	Pt.49	29	syn.: <i>Orygmatobothrium musteli</i> of Woodland, 1927	
Carcharhiniformes	Triakidae	<i>Mustelus</i>	<i>manazo</i>	hoshizame	ホシザメ	C	<i>Phyllobothrium</i>	<i>lactuca</i>		?	Sea of Japan	Pt.49	22		
Carcharhiniformes	Triakidae	<i>Mustelus</i>	<i>manazo</i>	hoshizame	ホシザメ	C	<i>Platybothrium</i>	<i>musteli</i>		?	Sea of Japan	Pt.49	52		
Carcharhiniformes	Triakidae	<i>Mustelus</i>	<i>manazo</i>	hoshizame	ホシザメ	M	<i>Squaloncotyle</i>	<i>laymani</i>		?	Inland Sea	Pt.53	85		
Carcharhiniformes	Triakidae	<i>Mustelus</i>	<i>manazo</i>	hoshizame	ホシザメ	N	<i>Acanthocheilus</i>	<i>quadriantatus</i>		?	Sea of Japan	Pt.33	371		
Carcharhiniformes	Triakidae	<i>Triacis</i>	<i>scyllum</i>	dochizame	ドチザメ	C	<i>Acanthobothrium</i>	<i>triacis</i>		Mie	Hamajima	Pt.49	41		
Carcharhiniformes	Triakidae	<i>Triacis</i>	<i>scyllum</i>	dochizame	ドチザメ	C	<i>Phyllobothrium</i>	<i>serratum</i>		Mie	Hamajima	Pt.49	17		
Carcharhiniformes	Triakidae	<i>Triacis</i>	<i>scyllum</i>	dochizame	ドチザメ	C	<i>Phyllobothrium</i>	<i>triacis</i>		?	Pacific	Pt.49	15		
Chimaeriformes	Chimaeridae	<i>Chimaera</i>	<i>ogilbyi</i>	ginzamedama shi	ギンザメダマシ	C	<i>Gyrocotyle</i>	<i>urna</i>			Wakayama	Seto Marine Biol. Station	Pt.4	3	Host syn.: <i>Psychichthys ogilbyi</i>
Clupeiformes	Chirocentridae	<i>Chirocentrus</i>	<i>dorab</i>	oki-iwashi	オキイワシ	C	<i>Nybelinia</i>	<i>sp. plerocercoid-I</i>	plerocercoid	Toyama	Toyama Bay	Pt.4	105		
Clupeiformes	Chirocentridae	<i>Chirocentrus</i>	<i>dorab</i>	oki-iwashi	オキイワシ	C	<i>Scolex</i>	<i>polymorphus -II</i>		Toyama	Toyama Bay	Pt.4	81		
Clupeiformes	Chirocentridae	<i>Chirocentrus</i>	<i>dorab</i>	oki-iwashi	オキイワシ	N	<i>Anisakis</i>	<i>sp.</i>	larva	Toyama	Toyama Bay	Pt.9	338	syn.: <i>Anisakis salaris</i> (Gmelin, 1790)	
Clupeiformes	Chirocentridae	<i>Chirocentrus</i>	<i>dorab</i>	oki-iwashi	オキイワシ	N	<i>Raphidascaris</i>	<i>chirocentri</i>		Toyama	Toyama Bay	Pt.9	340		
Clupeiformes	Clupeidae	<i>Clupea</i>	<i>clupeoides</i>	yamatomizun	ヤマトミズン	D	<i>Aphanurus</i>	<i>harengulae</i>		Overseas	Celebes	Cs.3	272	Host syn.: <i>Sardinella clupeoides</i>	
Clupeiformes	Clupeidae	<i>Clupea</i>	<i>clupeoides</i>	yamatomizun	ヤマトミズン	D	<i>Parahemiurus</i>	<i>clupeae</i>		Overseas	Celebes	Cs.3	270		
Clupeiformes	Clupeidae	<i>Clupea</i>	<i>clupeoides</i>	yamatomizun	ヤマトミズン	D	<i>Prosogonotrema</i>	<i>clupeae</i>		Overseas	Celebes	Cs.1	192		
Clupeiformes	Clupeidae	<i>Dorosoma</i>	<i>chacunda</i>	nan-yo-konoshiro	ナンヨウコノシロ	D	<i>Aphanurus</i>	<i>dorosomatis</i>		Overseas	Celebes	Cs.3	273	Host syn.: <i>Anodontostoma chacunda</i>	
Clupeiformes	Clupeidae	<i>Dorosoma</i>	<i>thrissa</i>	shinadorokui	シナドロクイ	D	<i>Aphanurus</i>	<i>stossichii</i>		Shizuoka	Lake Hamana	Pt.21	110	Host syn.: <i>Clupanodon thrissa</i>	
Clupeiformes	Clupeidae	<i>Dorosoma</i>	<i>thrissa</i>	shinadorokui	シナドロクイ	D	<i>Lecithaster</i>	<i>stellatus</i>		Shizuoka	Miya (Mikawa Province)	Pt.48	317	Host syn.: <i>Clupanodon thrissa</i>	

Host order	Host family	Host Genus	Host Species	Host Japanese Name	宿主名	Para site	Genus (subg.)	species	Stage	Prefecture	Locality	Ref.No.	Page	Remarks
Clupeiformes	Clupeidae	<i>Dorosoma</i>	<i>thrissa</i>	shinadorokui	シナドロクイ	D	<i>Plagioporus (Caudotestis)</i>	<i>dorosomatis</i>		Aichi	Miya (Mikawa Province)	Pt.44	253	Host syn.: <i>Clupanodon thrissa</i>
Clupeiformes	Clupeidae	<i>Dorosoma</i>	<i>thrissa</i>	shinadorokui	シナドロクイ	D	<i>Pseudoheterophyes</i>	<i>cantina major</i>	larva	Shizuoka	Lake Hamana	Pt.25	164	Host syn.: <i>Clupanodon thrissa</i>
Clupeiformes	Clupeidae	<i>Dorosoma</i>	<i>thrissa</i>	shinadorokui	シナドロクイ	M	<i>Discocotyle</i>	<i>dorosomatis</i>		Shizuoka	Bentenjima	Pt.24	24	Host syn.: <i>Clupanodon thrissa</i>
Clupeiformes	Clupeidae	<i>Dorosoma</i>	<i>thrissa</i>	shinadorokui	シナドロクイ	M	<i>Discocotyle</i>	<i>dorosomatis</i>		Shizuoka	Miya (Mikawa Province)	Pt.37	128	Host syn.: <i>Clupanodon thrissa</i>
Clupeiformes	Clupeidae	<i>Dorosoma</i>	<i>thrissa</i>	shinadorokui	シナドロクイ	M	<i>Pseudocotocotyla</i>	<i>dorosomatis</i>		Shizuoka	Bentenjima	Pt.24	25	Host syn.: <i>Clupanodon thrissa</i>
Clupeiformes	Clupeidae	<i>Dorosoma</i>	<i>thrissa</i>	shinadorokui	シナドロクイ	M	<i>Pseudocotocotyla</i>	<i>dorosomatis</i>		Shizuoka	Miya (Mikawa Province)	Pt.37	128	Host syn.: <i>Clupanodon thrissa</i>
Clupeiformes	Clupeidae	<i>Etrumeus</i>	<i>micropus</i>	urumeiwashi	ウルメイワシ	C	<i>Nybelinia</i>	<i>sp. plerocercoid-III</i>	plerocercoid	Toyama	Toyama Bay	Pt.4	106	
Clupeiformes	Clupeidae	<i>Etrumeus</i>	<i>micropus</i>	urumeiwashi	ウルメイワシ	C	<i>Scolex</i>	<i>polymorphus -I</i>		?	Inland Sea	Pt.4	80	
Clupeiformes	Clupeidae	<i>Etrumeus</i>	<i>micropus</i>	urumeiwashi	ウルメイワシ	C	<i>Scolex</i>	<i>polymorphus -III</i>		Toyama	Toyama Bay	Pt.4	81	
Clupeiformes	Clupeidae	<i>Etrumeus</i>	<i>micropus</i>	urumeiwashi	ウルメイワシ	N	<i>Anisakis</i>	<i>sp.</i>	larva	Toyama	Toyama Bay	Pt.9	338	syn.: <i>Anisakis salaris</i> (Gmelin, 1790)
Clupeiformes	Clupeidae	<i>Harengula</i>	<i>zunasi</i>	sappa	サッパ	C	<i>Nybelinia</i>	<i>sp. plerocercoid-III</i>	plerocercoid	Hyogo	Tarumi	Pt.4	106	
Clupeiformes	Clupeidae	<i>Harengula</i>	<i>zunasi</i>	sappa	サッパ	D	<i>Aphanurus</i>	<i>harengulae</i>		Shizuoka	Lake Hamana	Pt.21	111	
Clupeiformes	Clupeidae	<i>Harengula</i>	<i>zunasi</i>	sappa	サッパ	D	<i>Bacciger</i>	<i>harengulae</i>		Shizuoka; Kyushu	Lake Hamana; Sea of Ariake	Pt.21	70	
Clupeiformes	Clupeidae	<i>Harengula</i>	<i>zunasi</i>	sappa	サッパ	D	<i>Heterophyopsis</i>	<i>continua</i>	metacercaria	Shizuoka	Mikawa Bay	Pt.38	134	
Clupeiformes	Clupeidae	<i>Harengula</i>	<i>zunasi</i>	sappa	サッパ	D	<i>Parahemius</i>	<i>harengulae</i>		?	Sea of Ariake	Pt.21	108	
Clupeiformes	Clupeidae	<i>Ilisha</i>	<i>elongata</i>	hira	ヒラ	C	<i>Pterobothrium</i>	<i>hira</i>	larva	Kyushu	Sea of Ariake	Pt.49	63	
Clupeiformes	Clupeidae	<i>Ilisha</i>	<i>elongata</i>	hira	ヒラ	N	<i>Contracaecum</i>	<i>ilishae</i>		?	Sea of Ariake	Pt.33	365	
Clupeiformes	Clupeidae	<i>Sardinia</i>	<i>melanosticta</i>	maiwashi	マイワシ	D	<i>Parahemius</i>	<i>sardiniae</i>		Toyama	Toyama Bay	Pt.2	434	
Clupeiformes	Clupeidae	<i>Stolephorus</i>	<i>japonicus</i>	kibinago	キビナゴ	C	<i>Scolex</i>	<i>polymorphus -I</i>		?	Inland Sea	Pt.4	80	Host syn.: <i>Spratelloides gracilis</i>
Clupeiformes	Engraulidae	<i>Coilia</i>	<i>mystus</i>	etsu	エツ	A	<i>Neoechinorhynchus</i>	<i>coiliae</i>		Kyushu	Sea of Ariake	Pt.29	346	
Clupeiformes	Engraulidae	<i>Coilia</i>	<i>mystus</i>	etsu	エツ	N	<i>Contracaecum</i>	<i>coiliae</i>		Kyushu	Sea of Ariake	Pt.33	363	
Clupeiformes	Engraulidae	<i>Coilia</i>	<i>mystus</i>	etsu	エツ	N	<i>Contracaecum</i>	<i>sp. larva-IV</i>	larva	Kyushu	Sea of Ariake	Pt.33	371	
Clupeiformes	Engraulidae	<i>Engraulis</i>	<i>japonica</i>	katakuchi-iwashi	カタクチイワシ	C	<i>Scolex</i>	<i>polymorphus -I</i>		Toyama	Toyama Bay	Pt.4	80	
Clupeiformes	Engraulidae	<i>Engraulis</i>	<i>japonica</i>	katakuchi-iwashi	カタクチイワシ	D	<i>Stephanochasmus</i>	<i>sp. (46 cephalic spines)</i>	larva	Toyama	Toyama Bay	Pt.2	372	
Clupeiformes	Engraulidae	<i>Engraulis</i>	<i>japonicus</i>	katakuchi-iwashi	カタクチイワシ	D	<i>Parahemius</i>	<i>sardiniae</i>		Toyama	Toyama Bay	Pt.2	434	
Clupeiformes	Engraulidae	<i>Engraulis</i>	<i>japonicus</i>	katakuchi-iwashi	カタクチイワシ	D	<i>Pharyngora</i>	<i>orientalis</i>		Toyama	Toyama Bay	Pt.2	327	
Cypriniformes	Cobitidae	<i>Cobitis</i>	<i>biwae</i>	shimadojou	シマドジョウ	D	<i>Asymphyllodora</i>	<i>japonica</i>		Kyoto	Katsura River	Pt.21	88	
Cypriniformes	Cobitidae	<i>Cobitis</i>	<i>biwae</i>	shimadojou	シマドジョウ	D	<i>Asymphyllodora</i>	<i>macrostoma</i>	metacercaria	Kyoto	Katsura River	Pt.21	86	
Cypriniformes	Cobitidae	<i>Cobitis</i>	<i>biwae</i>	shimadojou	シマドジョウ	D	<i>Pseudexorchis</i>	<i>major</i>	metacercaria	Kyoto	Kyoto	Pt.21	67	
Cypriniformes	Cobitidae	<i>Hymenophysa</i>	<i>curta</i>	ayumodoki	アユモドキ	A	<i>Acanthocephalus</i>	<i>opsalichthydis</i>		Kyoto or Shiga	Lake Ogura or Lake Biwa	Pt.8	254	
Cypriniformes	Cobitidae	<i>Hymenophysa</i>	<i>curta</i>	ayumodoki	アユモドキ	C	<i>Bothriocephalus</i>	<i>fluviatilis</i>		Kyoto	Yodo River	Pt.49	3	

Host order	Host family	Host Genus	Host Species	Host Japanese Name	宿主名	Parasite	Genus (subg.)	species	Stage	Prefecture	Locality	Ref.No.	Page	Remarks
Cypriniformes	Cobitidae	<i>Misgurnus</i>	<i>anguillicaudatus</i>	dojou	ドジョウ	A	<i>Acanthocephalus</i>	<i>opsariichthydis</i>		Nagano	Lake Suwa	Pt.29	320	
Cypriniformes	Cobitidae	<i>Misgurnus</i>	<i>anguillicaudatus</i>	dojou	ドジョウ	C	<i>Anomotaenia</i>	<i>nycticoracis</i>		Okayama	?	Mis.69	1	
Cypriniformes	Cobitidae	<i>Misgurnus</i>	<i>anguillicaudatus</i>	dojou	ドジョウ	C	<i>Caryophyllaeus</i>	<i>gotoi</i>		Shiga; Kyoto; Hyogo	?; ?; ?	Pt.4	9	
Cypriniformes	Cobitidae	<i>Misgurnus</i>	<i>anguillicaudatus</i>	dojou	ドジョウ	D	<i>Coitocaecum</i>	<i>plagiorchis</i>		Hyogo	Nishinomiya	Pt.39	351	
Cypriniformes	Cobitidae	<i>Misgurnus</i>	<i>anguillicaudatus</i>	dojou	ドジョウ	D	<i>Echinochasmus</i>	<i>tobi</i>	metace- rcaria	Shiga	Lake Biwa	Mis.68	1	
Cypriniformes	Cobitidae	<i>Misgurnus</i>	<i>anguillicaudatus</i>	dojou	ドジョウ	D	<i>Encyclometra</i>	<i>japonica</i>	metace- rcaria	Shizuoka; Kyushu	Mikawa; ?	Pt.38	154	
Cypriniformes	Cobitidae	<i>Misgurnus</i>	<i>anguillicaudatus</i>	dojou	ドジョウ	D	<i>Pseudexorchis</i>	<i>major</i>	metace- rcaria	Kyoto	Kyoto	Pt.21	67	
Cypriniformes	Cobitidae	<i>Misgurnus</i>	<i>anguillicaudatus</i>	dojou	ドジョウ	M	<i>Gyrodactylus</i>	<i>elegans</i>		Kyoto	Kyoto	Pt.37	105	
Cypriniformes	Cobitidae	<i>Misgurnus</i>	<i>anguillicaudatus</i>	dojou	ドジョウ	N	<i>Contraecum</i>	<i>microcephalum</i>	larva	Kyoto	Kyoto	Pt.35	456	
Cypriniformes	Cobitidae	<i>Misgurnus</i>	<i>fossilis</i>	dojou	ドジョウ	A	<i>Tenuiproboscis</i>	<i>misgurni</i>		?	?	Pt.8	260	
Cypriniformes	Cobitidae	<i>Misgurnus</i>	<i>fossilis</i>	dojou	ドジョウ	C	<i>Glaridacris</i>	<i>limnodrili</i>		Kyoto	Kyoto	Pt.4	10	
Cypriniformes	Cobitidae	<i>Misgurnus</i>	<i>fossilis anguillicaudatus</i>	dojou	ドジョウ	D	<i>Clinostomum</i>	<i>complanatum</i>	metace- rcaria	Kyushu; Shizuoka	?; Mikawa Province	Pt.21	138	
Cypriniformes	Cyprinidae	"gold-fish"		kingyo	キンギョ	M	<i>Gyrodactylus</i>	<i>elegans</i>		?	?	Pt.31	36	
Cypriniformes	Cyprinidae	<i>Acheilognathus</i>	<i>cyanostigma</i>	ichimonjitanago	イチモンジタナゴ	D	<i>Urorchis</i>	<i>acheilognathi</i>		Kyoto	Lake Ogura	Pt.2	415	
Cypriniformes	Cyprinidae	<i>Acheilognathus</i>	<i>intermedia</i>	yaritanago	ヤリタナゴ	D	<i>Urorchis</i>	<i>acheilognathi</i>		Kyoto	Lake Ogura	Pt.2	415	Host syn.: <i>Acheilognathus lanceolata</i>
Cypriniformes	Cyprinidae	<i>Acheilognathus</i>	<i>intermedia</i>	yaritanago	ヤリタナゴ	D	<i>Clinostomum</i>	<i>complanatum</i>	metace- rcaria	Kyoto	Lake Ogura	Pt.1	66	Host syn.: <i>Acheilognathus lanceolata</i>
Cypriniformes	Cyprinidae	<i>Acheilognathus</i>	<i>lanceolata lanceolata</i>	yaritanago	ヤリタナゴ	D	<i>Echinochasmus</i>	<i>milvi</i>	metace- rcaria	Kyoto	Katsura	Pt.38	132	
Cypriniformes	Cyprinidae	<i>Acheilognathus</i>	<i>lanceolata lanceolata</i>	yaritanago	ヤリタナゴ	D	<i>Tetracotyle</i>	<i>sp.</i>	larva	Kyoto	Katsura	Pt.38	151	
Cypriniformes	Cyprinidae	<i>Acheilognathus</i>	<i>lanceolata tabira</i>	yaritanago	ヤリタナゴ	D	<i>Pseudexorchis</i>	<i>major</i>	metace- rcaria	Okayama	?	Pt.21	66	
Cypriniformes	Cyprinidae	<i>Acheilognathus</i>	<i>rhombea</i>	kanehira	カネヒラ	C	<i>Bothriocephalus</i>	<i>acheilognathi</i>		Kyoto	Lake Ogura	Pt.4	15	
Cypriniformes	Cyprinidae	<i>Carassius</i>	<i>carassius</i>	funa	フナ	A	<i>Acanthocephalus</i>	<i>minor</i>		Fukui	Obama	Pt.29	322	
Cypriniformes	Cyprinidae	<i>Carassius</i>	<i>carassius</i>	funa	フナ	D	<i>Carassotrema</i>	<i>koreanum</i>		Osaka	Kawachi Province	Pt.39	392	
Cypriniformes	Cyprinidae	<i>Carassius</i>	<i>carassius</i>	funa	フナ	D	<i>Clinostomum</i>	<i>complanatum</i>	metace- rcaria	Kyoto	Lake Ogura	Pt.1	66	
Cypriniformes	Cyprinidae	<i>Carassius</i>	<i>carassius</i>	funa	フナ	D	<i>Exorchis</i>	<i>oviformis</i>	metace- rcaria	Shizuoka	Lake Hamana	Pt.21	66	
Cypriniformes	Cyprinidae	<i>Carassius</i>	<i>carassius</i>	funa	フナ	D	<i>Metagonimus</i>	<i>takahashii</i>	metace- rcaria	?	?	Mis.55	691	

Host order	Host family	Host Genus	Host Species	Host Japanese Name	宿主名	Parasite	Genus (subg.)	species	Stage	Prefecture	Locality	Ref.No.	Page	Remarks
Cypriniformes	Cyprinidae	<i>Carassius</i>	<i>carassius</i>	funa	フナ	M	<i>Dactylogyrus</i>	<i>arcuatus</i>		Kyoto	Kyoto	Pt.37	106	
Cypriniformes	Cyprinidae	<i>Carassius</i>	<i>carassius</i>	funa	フナ	M	<i>Dactylogyrus</i>	<i>spiralis</i>		Kyoto	Kyoto	Pt.37	107	
Cypriniformes	Cyprinidae	<i>Carassius</i>	<i>carassius</i>	funa	フナ	M	<i>Dactylogyrus</i>	<i>vastator</i>		Kyoto	Kyoto	Pt.31	38	
Cypriniformes	Cyprinidae	<i>Carassius</i>	<i>carassius</i>	funa	フナ	M	<i>Gyrodactylus</i>	<i>elegans</i>		?	?	Pt.31	36	
Cypriniformes	Cyprinidae	<i>Carassius</i>	<i>carassius</i>	funa	フナ	M	<i>Gyrodactylus</i>	<i>elegans</i>		Kyoto	Kyoto	Pt.37	105	
Cypriniformes	Cyprinidae	<i>Cyprinus</i>	<i>carassius</i>	funa	フナ	A	<i>Southwellina</i>	<i>hispida</i>	larva	Toyama	Namerikawa	Pt.8	269	Host syn.: <i>Cyprinus auratus</i>
Cypriniformes	Cyprinidae	<i>Cyprinus</i>	<i>carassius</i>	funa	フナ	C	<i>Digamma</i>	<i>alternans</i>		Shiga	Lake Biwa	Pt.4	40	Host syn.: <i>Cyprinus auratus</i>
Cypriniformes	Cyprinidae	<i>Cyprinus</i>	<i>carpio</i>	koi	コイ	A	<i>Acanthocephalus</i>	<i>opsalichthydis</i>		Shiga	Lake Biwa	Pt.8	254	
Cypriniformes	Cyprinidae	<i>Cyprinus</i>	<i>carpio</i>	koi	コイ	C	<i>Caryophyllaeus</i>	<i>japonensis</i>		Shiga	Lake Biwa	Pt.4	5	
Cypriniformes	Cyprinidae	<i>Cyprinus</i>	<i>carpio</i>	koi	コイ	D	<i>Asymphyiodora</i>	<i>japonica</i>		Okayama; Shiga	?; Lake Biwa	Pt.21	87	
Cypriniformes	Cyprinidae	<i>Cyprinus</i>	<i>carpio</i>	koi	コイ	D	<i>Asymphyiodora</i>	<i>japonica</i>		Ibaraki	Kasumigaura	Pt.39	371	
Cypriniformes	Cyprinidae	<i>Cyprinus</i>	<i>carpio</i>	koi	コイ	D	<i>Carassotrema</i>	<i>koreanum</i>		Ibaraki	Kasumigaura	Pt.39	392	
Cypriniformes	Cyprinidae	<i>Cyprinus</i>	<i>carpio</i>	koi	コイ	N	<i>Cucullanus</i>	<i>cyprini</i>		Shiga	Lake Biwa	Pt.33	382	
Cypriniformes	Cyprinidae	<i>Gnathopogon</i>	<i>elongatus</i>	moroko	モロコ	C	<i>Proteocephalus</i>	<i>parasiluri</i>	plerocercoid	Shiga	Lake Biwa	Pt.4	44	
Cypriniformes	Cyprinidae	<i>Gnathopogon</i>	<i>elongatus</i>	moroko	モロコ	D	<i>Caudotestis</i>	<i>gnathopogonis</i>		Shiga	Lake Biwa	Pt.2	290	
Cypriniformes	Cyprinidae	<i>Gnathopogon</i>	<i>elongatus</i>	moroko	モロコ	N	<i>Raphidascaris</i>	<i>gigi</i>	larva	?	?	Pt.9	339	
Cypriniformes	Cyprinidae	<i>Gnathopogon</i>	<i>elongatus caerulescens</i>	honmoroko	ホンモロコ	C	<i>Paradilepis</i>	<i>scolecina</i>	cysticercoid	Shiga	Lake Biwa	Pt.30	187	
Cypriniformes	Cyprinidae	<i>Gnathopogon</i>	<i>elongatus caerulescens</i>	honmoroko	ホンモロコ	D	<i>Asymphyiodora</i>	<i>macrostoma</i>	metacercaria	Shiga	Lake Biwa	Pt.21	86	
Cypriniformes	Cyprinidae	<i>Gnathopogon</i>	<i>elongatus elongatus</i>	tamoroko	タモロコ	A	<i>Acanthocephalus</i>	<i>opsariichthydis</i>		Nagano	Lake Suwa	Pt.29	320	
Cypriniformes	Cyprinidae	<i>Gnathopogon</i>	<i>elongatus elongatus</i>	tamoroko	タモロコ	D	<i>Exorchis</i>	<i>oviformis</i>	metacercaria	Shizuoka	Yaizu	Pt.21	66	
Cypriniformes	Cyprinidae	<i>Gnathopogon</i>	<i>elongatus elongatus</i>	tamoroko	タモロコ	D	<i>Isoparorchis</i>	<i>trisimilitubis</i>	larva	Nagano	Lake Suwa	Pt.21	137	
Cypriniformes	Cyprinidae	<i>Gnathopogon</i>	<i>elongatus elongatus</i>	tamoroko	タモロコ	D	<i>Pseudexorchis</i>	<i>major</i>	metacercaria	Kyoto	Kyoto	Pt.21	67	
Cypriniformes	Cyprinidae	<i>Gnathopogon</i>	<i>elongatus suwae</i>	suwamoroko	スワモロコ	C	<i>Bothriocephalus</i>	<i>acheilognathi</i>		Nagano	Lake Suwa	Pt.49	6	
Cypriniformes	Cyprinidae	<i>Hemibarbus</i>	<i>barbus</i>	nigoi	ニゴイ	A	<i>Acanthocephalus</i>	<i>opsalichthydis</i>		Shiga or Kyoto	Lake Biwa or Lake Ogura	Pt.8	254	
Cypriniformes	Cyprinidae	<i>Hemibarbus</i>	<i>barbus</i>	nigoi	ニゴイ	D	<i>Asymphyiodora</i>	<i>macrostoma</i>		Ibaraki	Kasumigaura	Pt.2	393	
Cypriniformes	Cyprinidae	<i>Leuciscus</i>	<i>hakonensis</i>	ugui	ウグイ	A	<i>Acanthocephalus</i>	<i>opsariichthydis</i>		Nagano	Lake Suwa	Pt.29	320	Host syn.: <i>Tribolodon hakonensis</i>

Host order	Host family	Host Genus	Host Species	Host Japanese Name	宿主名	Para site	Genus (subg.)	species	Stage	Prefecture	Locality	Ref.No.	Page	Remarks
Cypriniformes	Cyprinidae	<i>Leuciscus</i>	<i>hakonensis</i>	ugui	ウグイ	D	<i>Asymphyiodora</i>	<i>macrostoma</i>		Toyama	Namerikawa	Pt.2	393	Host syn.: <i>Tribolodon hakonensis</i>
Cypriniformes	Cyprinidae	<i>Leuciscus</i>	<i>hakonensis</i>	ugui	ウグイ	D	<i>Isoparorchis</i>	<i>trisimilitubis</i>	immature	Ibaraki	Kasumigaura	Pt.2	504	Host syn.: <i>Tribolodon hakonensis</i>
Cypriniformes	Cyprinidae	<i>Leuciscus</i>	<i>hakonensis</i>	ugui	ウグイ	N	<i>Camallanus</i>	<i>cotti</i>		?	?	Pt.9	377	Host syn.: <i>Tribolodon hakonensis</i>
Cypriniformes	Cyprinidae	<i>Leuciscus</i>	<i>hakonensis</i>	ugui	ウグイ	N	<i>Capillaria</i>	<i>ugui</i>		Fukui	Obama	Pt.33	344	Host syn.: <i>Tribolodon hakonensis</i>
Cypriniformes	Cyprinidae	<i>Moroco</i>	<i>steindachneri</i>	aburahaya	アブラハヤ	D	<i>Asymphyiodora</i>	<i>macrostoma</i>		Kyoto	Yura River	Pt.2	393	
Cypriniformes	Cyprinidae	<i>Opsariichthys</i>	<i>uncirostris</i>	hasu	ハス	A	<i>Acanthocephalus</i>	<i>opsalichthydis</i>		?	Yodo River	Pt.8	254	
Cypriniformes	Cyprinidae	<i>Opsariichthys</i>	<i>uncirostris</i>	hasu	ハス	C	<i>Bothriocephalus</i>	<i>opsalichthydis</i>		Shiga; ?	Lake Biwa; Yodo River	Pt.4	17	
Cypriniformes	Cyprinidae	<i>Opsariichthys</i>	<i>uncirostris</i>	hasu	ハス	D	<i>Allocreadium</i>	<i>hasu</i>		Shiga	Lake Biwa	Pt.2	281	
Cypriniformes	Cyprinidae	<i>Opsariichthys</i>	<i>uncirostris</i>	hasu	ハス	D	<i>Asymphyiodora</i>	<i>macrostoma</i>		Shiga; ?	Lake Biwa; Yodo River	Pt.2	393	
Cypriniformes	Cyprinidae	<i>Opsariichthys</i>	<i>uncirostris</i>	hasu	ハス	D	<i>Centrocestus</i>	<i>formosanus</i>	metacercaria	Kyoto	Katsura	Pt.38	135	
Cypriniformes	Cyprinidae	<i>Opsariichthys</i>	<i>uncirostris</i>	hasu	ハス	N	<i>Philometra</i>	<i>opsalichthydis</i>		Shiga	Lake Biwa	Pt.9	353	
Cypriniformes	Cyprinidae	<i>Opsariichthys</i>	<i>uncirostris</i>	hasu	ハス	N	<i>Raphidascaris</i>	<i>gigi</i>	larva	Kyoto	Katsura River	Pt.33	357	
Cypriniformes	Cyprinidae	<i>Phoxinus</i>	<i>steindachneri</i>	aburahaya	アブラハヤ	A	<i>Acanthocephalus</i>	<i>opsariichthydis</i>		Nagano	Lake Suwa	Pt.29	320	Host syn.: <i>Moroco steindachneri</i>
Cypriniformes	Cyprinidae	<i>Pseudogobio</i>	<i>esocinus</i>	kamatsuka	カマツカ	C	<i>Glaridacris</i>	<i>limnodrili</i>		Kyoto	Kyoto	Pt.4	10	
Cypriniformes	Cyprinidae	<i>Pseudogobio</i>	<i>esocinus</i>	kamatsuka	カマツカ	C	<i>Glaridacris</i>	<i>limnodrili</i>		Nagano	Lake Suwa	Pt.49	2	
Cypriniformes	Cyprinidae	<i>Pseudogobio</i>	<i>esocinus</i>	kamatsuka	カマツカ	D	<i>Asymphyiodora</i>	<i>diploorchis</i>		Nagano	Lake Suwa	Pt.15	4	
Cypriniformes	Cyprinidae	<i>Pseudogobio</i>	<i>esocinus</i>	kamatsuka	カマツカ	D	<i>Caudotestis</i>	<i>orientalis</i>		?	Yodo River	Pt.2	288	
Cypriniformes	Cyprinidae	<i>Pseudogobio</i>	<i>esocinus</i>	kamatsuka	カマツカ	D	<i>Clinostomum</i>	<i>complanatum</i>	metacercaria	Kyoto	Lake Ogura	Pt.1	66	
Cypriniformes	Cyprinidae	<i>Pseudogobio</i>	<i>esocinus</i>	kamatsuka	カマツカ	D	<i>Tetracotyle</i>	<i>biwaensis</i>	Tetracotyle	?	?	Pt.38	150	
Cypriniformes	Cyprinidae	<i>Pseudoperilampus</i>	<i>typus</i>	zenitanago	ゼニタナゴ	D	<i>Cyathocotyle</i>	<i>melanittae</i>	metacercaria	Nagano	Lake Suwa	Pt.25	203	
Cypriniformes	Cyprinidae	<i>Pseudorasbora</i>	<i>parva</i>	motsugo	モツゴ	A	<i>Acanthocephalus</i>	<i>opsalichthydis</i>		Kyoto or Shiga	Lake Ogura or Lake Biwa	Pt.8	254	
Cypriniformes	Cyprinidae	<i>Pseudorasbora</i>	<i>parva</i>	motsugo	モツゴ	D	<i>Asymphyiodora</i>	<i>macrostoma</i>		Kyoto	Lake Kobata	Pt.2	393	
Cypriniformes	Cyprinidae	<i>Pseudorasbora</i>	<i>parva</i>	motsugo	モツゴ	D	<i>Cyathocotyle</i>	<i>melanittae</i>	metacercaria	Ibaraki	Tsuchiura	Pt.38	149	
Cypriniformes	Cyprinidae	<i>Pseudorasbora</i>	<i>parva</i>	motsugo	モツゴ	D	<i>Holostephanus</i>	<i>metorchis</i>	metacercaria	Okayama	Okayama	Pt.25	206	
Cypriniformes	Cyprinidae	<i>Pseudorasbora</i>	<i>parva</i>	motsugo	モツゴ	D	<i>Holostephanus</i>	<i>nipponicus</i>	metacercaria	?	?	Pt.25	205	
Cypriniformes	Cyprinidae	<i>Pseudorasbora</i>	<i>parva</i>	motsugo	モツゴ	D	<i>Urorchis</i>	<i>achelognathi</i>		Kyoto	Kyoto	Pt.39	359	

Host order	Host family	Host Genus	Host Species	Host Japanese Name	宿主名	Para site	Genus (subg.)	species	Stage	Prefecture	Locality	Ref.No.	Page	Remarks
Cypriniformes	Cyprinidae	<i>Sarcocheilichthys</i>	<i>variegatus</i>	higai	ヒガイ	D	" <i>Echinostomatid</i> "	<i>sp. (27 collar spines)</i>	larva	Ibaraki	Tsuchiura	Pt.38	132	
Cypriniformes	Cyprinidae	<i>Sarcocheilichthys</i>	<i>variegatus</i>	higai	ヒガイ	D	<i>Caudotestis</i>	<i>orientalis</i>		?	Yodo River	Pt.2	288	
Cypriniformes	Cyprinidae	<i>Sarcocheilichthys</i>	<i>variegatus</i>	higai	ヒガイ	D	<i>Exorchis</i>	<i>oviformis</i>	larva	Ibaraki	Tsuchiura	Pt.39	373	
Cypriniformes	Cyprinidae	<i>Sarcocheilichthys</i>	<i>variegatus</i>	higai	ヒガイ	D	<i>Isoparorchis</i>	<i>trisimilitubis</i>	immature	Ibaraki	Kasumigaura	Pt.2	504	
Cypriniformes	Cyprinidae	<i>Sarcocheilichthys</i>	<i>variegatus</i>	higai	ヒガイ	D	<i>Philopinna</i>	<i>higai</i>		Nagano	Lake Suwa	Pt.15	1	
Cypriniformes	Cyprinidae	<i>Zacco</i>	<i>platypus</i>	oikawa	オイカワ	A	<i>Acanthocephalus</i>	<i>opsalichthydis</i>		Shiga or Nagano	Lake Biwa or Lake Suwa	Pt.8	254	
Cypriniformes	Cyprinidae	<i>Zacco</i>	<i>platypus</i>	oikawa	オイカワ	A	<i>Neoechinorhynchus</i>	<i>zacconis</i>		Kyoto	Lake Kobata	Pt.8	276	
Cypriniformes	Cyprinidae	<i>Zacco</i>	<i>platypus</i>	oikawa	オイカワ	D	<i>Allocreadium</i>	<i>japonicum</i>		Shiga	Lake Biwa	Pt.2	282	
Cypriniformes	Cyprinidae	<i>Zacco</i>	<i>platypus</i>	oikawa	オイカワ	N	<i>Camallanus</i>	<i>cotti</i>		?	?	Pt.9	377	
Cypriniformes	Cyprinidae	<i>Zacco</i>	<i>platypus</i>	oikawa	オイカワ	N	<i>Philometra</i>	<i>opsalichthydis</i>		Shiga	Lake Biwa	Pt.9	353	
Cypriniformes	Cyprinidae	<i>Zacco</i>	<i>platypus</i>	oikawa	オイカワ	N	<i>Rhabdochona</i>	<i>zacconis</i>		Nagano	?	Pt.9	371	
Cypriniformes	Cyprinidae	<i>Zacco</i>	<i>temmincki</i>	kawamutsu	カワムツ	D	<i>Allocreadium</i>	<i>japonicum</i>		Shiga	Lake Biwa	Pt.2	282	
Cypriniformes	Cyprinidae	<i>Zacco</i>	<i>temmincki</i>	kawamutsu	カワムツ	D	<i>Caudotestis</i>	<i>zacconis</i>		Hyogo	small river	Pt.2	292	
Cypriniformes	Cyprinidae	<i>Zacco</i>	<i>temmincki</i>	kawamutsu	カワムツ	D	<i>Caudotestis</i>	<i>zacconis</i>		Nagano	Lake Suwa	Pt.21	20	
Cypriniformes	Cyprinidae	<i>Zacco</i>	<i>temmincki</i>	kawamutsu	カワムツ	N	<i>Camallanus</i>	<i>cotti</i>		?	?	Pt.9	377	
Elopiformes	Megalopidae	<i>Megalops</i>	<i>cyprinoides</i>	hairen	ハイレ	M	<i>Diplectanocotyla</i>	<i>gracilis</i>		Overseas	Celebes	Cs.2	235	
Elopiformes	Megalopidae	<i>Megalops</i>	<i>cyprinoides</i>	hairen	ハイレ	N	<i>Porrocaecum</i>	<i>sp.</i>	larva	Overseas	Celebes	Cs.9	132	
Gadiformes	Gadidae	<i>Gadus</i>	<i>macrocephalus</i>	madara	マダラ	A	<i>Echinorhynchus</i>	<i>gadi</i>		?	Sea of Japan	Pt.8	248	
Gadiformes	Gadidae	<i>Gadus</i>	<i>macrocephalus</i>	madara	マダラ	C	<i>Abothrium</i>	<i>rugosum</i>		Toyama	Toyama Bay	Pt.4	36	
Gadiformes	Gadidae	<i>Gadus</i>	<i>macrocephalus</i>	madara	マダラ	C	<i>Grillotia</i>	<i>erinacea</i>	cysticeroid	Toyama	Toyama Bay	Pt.4	110	
Gadiformes	Gadidae	<i>Gadus</i>	<i>macrocephalus</i>	madara	マダラ	C	<i>Nybelinia</i>	<i>sp. plerocercoid-I</i>	plerocercoid	Toyama	Toyama Bay	Pt.4	105	
Gadiformes	Gadidae	<i>Gadus</i>	<i>macrocephalus</i>	madara	マダラ	C	<i>Scolex</i>	<i>polymorphus -II</i>		Toyama	Toyama Bay	Pt.4	81	
Gadiformes	Gadidae	<i>Gadus</i>	<i>macrocephalus</i>	madara	マダラ	D	<i>Leptotrema</i>	<i>gadi</i>		Toyama	Toyama Bay	Pt.2	325	
Gadiformes	Gadidae	<i>Gadus</i>	<i>macrocephalus</i>	madara	マダラ	N	<i>Anisakis</i>	<i>sp.</i>	larva	Toyama	Toyama Bay	Pt.9	338	syn.: <i>Anisakis salaris</i> (Gmelin, 1790)
Gadiformes	Gadidae	<i>Theragra</i>	<i>chalcogramma</i>	suketoudara	スケトウダラ	A	<i>Echinorhynchus</i>	<i>gadi</i>		?	Sea of Japan	Pt.8	248	
Gadiformes	Gadidae	<i>Theragra</i>	<i>chalcogramma</i>	suketoudara	スケトウダラ	C	<i>Abothrium</i>	<i>rugosum</i>		Toyama	Toyama Bay	Pt.4	36	
Gadiformes	Gadidae	<i>Theragra</i>	<i>chalcogramma</i>	suketoudara	スケトウダラ	C	<i>Scolex</i>	<i>polymorphus -II</i>		Toyama	Toyama Bay	Pt.4	81	
Gadiformes	Gadidae	<i>Theragra</i>	<i>chalcogramma</i>	suketoudara	スケトウダラ	D	<i>Hemiusurus</i>	<i>odhneri</i>		Toyama	Toyama Bay	Pt.2	432	
Gadiformes	Gadidae	<i>Theragra</i>	<i>chalcogramma</i>	suketoudara	スケトウダラ	N	<i>Anisakis</i>	<i>sp.</i>	larva	Toyama	Toyama Bay	Pt.9	338	syn.: <i>Anisakis salaris</i> (Gmelin, 1790)
Gadiformes	Macrouridae	<i>Coelorthynchus</i>	<i>parallelus</i>	soroihige	ソロイヒゲ	N	<i>Contraecum</i>	<i>sp. larva-I</i>	larva	Kochi	Tosa Bay	Pt.33	369	
Gadiformes	Macrouridae	<i>Coelorthynchus</i>	<i>sp.</i>	hige- rui	ヒゲの類	C	<i>Microbothriorthynchus</i>	<i>coelorthynchi</i>	larva	Shizuoka	Maisaka	Pt.49	60	
Gadiformes	Macrouridae	<i>Coelorthynchus</i>	<i>sp.</i>	hige- rui	ヒゲの類	C	<i>Nybelinia</i>	<i>sp. plerocercoid-II</i>	plerocercoid	Mie	Kuki	Pt.4	106	
Gadiformes	Macrouridae	<i>Coelorthynchus</i>	<i>sp.</i>	hige- rui	ヒゲの類	D	<i>Derogenes</i>	<i>crassus</i>		Shizuoka	Maisaka	Pt.21	134	

Host order	Host family	Host Genus	Host Species	Host Japanese Name	宿主名	Para site	Genus (subg.)	species	Stage	Prefecture	Locality	Ref.No.	Page	Remarks
Gadiformes	Macrouridae	<i>Coelorhynchus</i>	<i>sp.</i>	hige- rui	ヒゲの類	D	<i>Gonocerca</i>	<i>crassa</i>		Shizuoka	Maisaka	Pt.21	137	
Gadiformes	Macrouridae	<i>Coelorhynchus</i>	<i>sp.</i>	hige- rui	ヒゲの類	D	<i>Lepidapedon</i>	<i>coelorhynchi</i>		Shizuoka	Maisaka	Pt.21	42	
Gadiformes	Macrouridae	<i>Coelorhynchus</i>	<i>sp.</i>	hige- rui	ヒゲの類	N	<i>Paranisakiopsis</i>	<i>coelorhynchi</i>		Shizuoka	Maisaka	Pt.33	350	
Gadiformes	Macrouridae	<i>Coryphaenoides</i>	<i>garmani</i>	sagamisokodara	サガミソコダラ	D	<i>Glomericirrus</i>	<i>propositus</i>		Shizuoka	Maisaka	Pt.21	131	Host syn.: <i>Ventrifossa garmani</i>
Gadiformes	Macrouridae	<i>Coryphaenoides</i>	<i>sp.</i>	sokodara- rui	ソコダラの類	D	<i>Lepidapedon</i>	<i>luteum</i>		Shizuoka	Maisaka	Pt.21	39	
Gadiformes	Macrouridae	<i>Coryphaenoides</i>	<i>sp.</i>	sokodara- rui	ソコダラの類	N	<i>Anisakis</i>	<i>sp.</i>	larva	Kanagawa	Suruga Bay	Pt.33	347	
Gadiformes	Moridae	<i>Lotella</i>	<i>phycis</i>	isoainame	イソアイナメ	A	<i>Echinorhynchus</i>	<i>dissimilis</i>		Shizuoka	Maisaka	Pt.29	319	
Gadiformes	Moridae	<i>Lotella</i>	<i>phycis</i>	isoainame	イソアイナメ	A	<i>Echinorhynchus</i>	<i>gadi</i>		?	Sea of Japan	Pt.8	249	
Gadiformes	Moridae	<i>Lotella</i>	<i>phycis</i>	isoainame	イソアイナメ	A	<i>Echinorhynchus</i>	<i>lotellae</i>		Shizuoka	Maisaka	Pt.29	318	
Gadiformes	Moridae	<i>Lotella</i>	<i>phycis</i>	isoainame	イソアイナメ	C	<i>Echeneibothrium</i>	<i>sp. larva- VI</i>	larva	Toyama	Toyama Bay	Pt.4	82	
Gadiformes	Moridae	<i>Lotella</i>	<i>phycis</i>	isoainame	イソアイナメ	C	<i>Grillotia</i>	<i>erinacea</i>	cysticeroid	Toyama	Toyama Bay	Pt.4	110	
Gadiformes	Moridae	<i>Lotella</i>	<i>phycis</i>	isoainame	イソアイナメ	C	<i>Nybelinia</i>	<i>sp. plerocercoid- I</i>	plerocercoid	Toyama	Toyama Bay	Pt.4	105	
Gadiformes	Moridae	<i>Lotella</i>	<i>phycis</i>	isoainame	イソアイナメ	D	<i>Glomericirrus</i>	<i>amadai</i>	immature	Shizuoka or Fukui or Kochi	Maisaka or Obama or Kochi	Pt.21	130	
Gadiformes	Moridae	<i>Lotella</i>	<i>phycis</i>	isoainame	イソアイナメ	D	<i>Stephanochasmus</i>	<i>japonicus</i>	metacercaria	Toyama	Toyama Bay	Pt.2	372	
Gadiformes	Moridae	<i>Lotella</i>	<i>phycis</i>	isoainame	イソアイナメ	N	<i>Cucullanus</i>	<i>sp.</i>		Shizuoka	Suruga Bay	Pt.33	386	
Gasterosteiformes	Fistulariidae	<i>Fistularia</i>	<i>petimba</i>	akayagara	アカヤガラ	C	<i>Echeneibothrium</i>	<i>sp. larva- VI</i>	larva	Toyama	Toyama Bay	Pt.4	81	
Gasterosteiformes	Fistulariidae	<i>Fistularia</i>	<i>petimba</i>	akayagara	アカヤガラ	D	<i>Allolepidapedon</i>	<i>fistulariae</i>		Mie	Hamajima	Pt.31	68	
Gasterosteiformes	Fistulariidae	<i>Fistularia</i>	<i>petimba</i>	akayagara	アカヤガラ	D	<i>Brachyenteron</i>	<i>doderleiniae</i>		Nagasaki	Nagasaki	Pt.21	93	
Gasterosteiformes	Fistulariidae	<i>Fistularia</i>	<i>petimba</i>	akayagara	アカヤガラ	D	<i>Echinostephanus</i>	<i>fistulariae</i>	larva	Mie	Hamajima	Pt.31	82	
Gasterosteiformes	Macroramphosidae	<i>Macrorhamphosus</i>	<i>japonicus</i>	daikokusagifue	ダイコクサギブエ	D	<i>Piriforma</i>	<i>macrorhamphosi</i>		Shizuoka	Maisaka	Pt.21	103	
Gasterosteiformes	Syngnathidae	<i>Hippocampus</i>	<i>coronatus</i>	tatsunootoshigo	タツノオトシゴ	D	<i>Stephanochasmus</i>	<i>sp. (36 circumoral spines)</i>	larva	Aichi or Mie	Ise Bay	Pt.38	145	
Gasterosteiformes	Syngnathidae	<i>Syngnathus</i>	<i>schlegeli</i>	youjiuo	ヨウジウオ	D	<i>Lecithaster</i>	<i>salmonis</i>		Aichi	Tokoname	Pt.48	317	
Gasterosteiformes	Syngnathidae	<i>Syngnathus</i>	<i>schlegeli</i>	youjiuo	ヨウジウオ	D	<i>Opegaster</i>	<i>syngnathi</i>		Aichi or Mie	Ise Bay	Pt.2	352	
Gasterosteiformes	Syngnathidae	<i>Syngnathus</i>	<i>schlegeli</i>	youjiuo	ヨウジウオ	D	<i>Opegaster</i>	<i>syngnathi</i>		Aichi or Mie	Ise Bay	Pt.44	262	
Heterodontiformes	Heterodontidae	<i>Cestracion</i>	<i>japonicus</i>	nekozame	ネコザメ	C	<i>Acanthobothrium</i>	<i>cestraciontis</i>		?	Pacific	Pt.4	65	Host syn.: <i>Heterodontus japonicus</i>
Heterodontiformes	Heterodontidae	<i>Heterodontus</i>	<i>zebra</i>	shimanekozame	シマネコザメ	C	<i>Phyllobothrium</i>	<i>loculatum</i>		?	East China Sea	Pt.49	20	
Lamniformes	Alopiidae	<i>Alopias</i>	<i>vulpinus</i>	onagazame	オナガザメ	C	<i>Anthobothrium</i>	<i>exiguum</i>		?	Pacific	Pt.6	232	syn.: <i>Anthobothrium parvum</i> Yam., 1934
Lamniformes	Alopiidae	<i>Alopias</i>	<i>vulpinus</i>	onagazame	オナガザメ	C	<i>Anthobothrium</i>	<i>parvum</i>		?	Pacific	Pt.4	56	syn.: <i>Anthobothrium exiguum</i> Yam., 1935
Lamniformes	Alopiidae	<i>Alopias</i>	<i>vulpinus</i>	onagazame	オナガザメ	C	<i>Marsupiobothrium</i>	<i>alopias</i>		?	Pacific	Pt.49	33	
Lamniformes	Alopiidae	<i>Alopias</i>	<i>vulpinus</i>	onagazame	オナガザメ	C	<i>Phyllobothrium</i>	<i>filiforme</i>		?	Pacific	Pt.49	16	
Lamniformes	Alopiidae	<i>Vulpecula</i>	<i>marina</i>	onagazame	オナガザメ	C	<i>Floriceps</i>	<i>uncinatus</i>		Wakayama	Taiji	Pt.49	58	Host syn.: <i>Alopias vulpinus</i>

Host order	Host family	Host Genus	Host Species	Host Japanese Name	宿主名	Para site	Genus (subg.)	species	Stage	Prefecture	Locality	Ref.No.	Page	Remarks
Lamniformes	Alopiidae	<i>Vulpecula</i>	<i>marina</i>	onagazame	オナガザメ	C	<i>Pithophorus</i>	<i>vulpeculae</i>		Wakayama	Taiji	Pt.49	31	Host syn.: <i>Alopias vulpinus</i>
Lamniformes	Cetorhinidae	<i>Cetorhinus</i>	<i>maximus</i>	ubazame	ウバザメ	C	<i>Dinobothrium</i>	<i>spinulosum</i>		?	Pacific	Pt.49	36	
Lamniformes	Cetorhinidae	<i>Cetorhinus</i>	<i>maximus</i>	ubazame	ウバザメ	C	<i>Gastroleicithus</i>	<i>planus</i>		?	Pacific	Pt.49	38	syn.: <i>Dinobothrium planum</i> Linton, 1922
Lamniformes	Lamnidae	<i>Carcharias</i>	<i>sp.</i>	hohojirozame- rui	ホホジロザメ の類	C	<i>Phoreiobothrium</i>	<i>sp.</i>	immature	Overseas	Celebes	Cs.6	360	
Lamniformes	Lamnidae	<i>Isurus</i>	<i>glaucus</i>	aozame	アオザメ	C	<i>Ceratobothrium</i>	<i>xanthocephalum</i>		Mie	Kuki	Pt.4	69	
Lamniformes	Lamnidae	<i>Isurus</i>	<i>glaucus</i>	aozame	アオザメ	C	<i>Dibothriorhynchus</i>	<i>squali</i>		Mie	Kuki	Pt.4	85	
Lamniformes	Lamnidae	<i>Isurus</i>	<i>glaucus</i>	aozame	アオザメ	C	<i>Floriceps</i>	<i>elongatus</i>		?	Pacific	Pt.4	96	
Lamniformes	Lamnidae	<i>Isurus</i>	<i>glaucus</i>	aozame	アオザメ	C	<i>Phyllobothrium</i>	<i>sp.</i>	immature	?	?	Pt.4	54	
Lamniformes	Lamnidae	<i>Isurus</i>	<i>glaucus</i>	aozame	アオザメ	C	<i>Sphyrrocephalus</i>	<i>viridis</i>		?	Pacific	Pt.4	94	
Lamniformes	Lamnidae	<i>Isurus</i>	<i>glaucus</i>	aozame	アオザメ	N	<i>Anisakis</i>	<i>sp.</i>	larva	?	Pacific	Pt.9	338	syn.: <i>Anisakis salaris</i> (Gmelin, 1790)
Lampridiformes	Lampridae	<i>Lampris</i>	<i>regia</i>	akamanbou	アカマンボウ	C	<i>Pelichnibothrium</i>	<i>speciosum</i>	immature	Mie	Hamajima	Pt.49	53	Host syn.: <i>Lampris regius</i>
Lampridiformes	Lampridae	<i>Lampris</i>	<i>regia</i>	akamanbou	アカマンボウ	D	<i>Lampritrema</i>	<i>nipponicum</i>		Mie	Hamajima	Pt.31	100	Host syn.: <i>Lampris regius</i>
Lampridiformes	Lampridae	<i>Lampris</i>	<i>regia</i>	akamanbou	アカマンボウ	D	<i>Nematobothrium</i>	<i>lampridis</i>		?	Pacific	Pt.31	103	Host syn.: <i>Lampris regius</i>
Lophiiformes	Antennariidae	<i>Antennarius</i>	<i>tridens</i>	izariuo	イザリウオ	N	<i>Contraecum</i>	<i>sp. larva-I</i>	larva	Kochi	Tosa Bay	Pt.33	370	
Lophiiformes	Chaunacidae	<i>Chaunax</i>	<i>fimbriatus</i>	fusa-ankou	フサアンコウ	D	<i>Dinosoma</i>	<i>manteri</i>		Shizuoka	Maisaka	Pt.21	116	
Lophiiformes	Chaunacidae	<i>Chaunax</i>	<i>fimbriatus</i>	fusa-ankou	フサアンコウ	D	<i>Lecithophyllum</i>	<i>fuscum</i>		Shizuoka;	Maisaka;	Pt.21	118	Nagasaki
Lophiiformes	Chaunacidae	<i>Chaunax</i>	<i>fimbriatus</i>	fusa-ankou	フサアンコウ	N	<i>Raphidascaris</i>	<i>chirocentri</i>		Kochi	Tosa Bay	Pt.33	353	
Lophiiformes	Lophiidae	<i>Lophius</i>	<i>litulon</i>	hon-ankou	ホンアンコウ	C	<i>Oncomegas</i>	<i>sp.</i>	plerocercoid	Wakayama	Seto Marine Biol. Station	Pt.4	107	
Lophiiformes	Lophiidae	<i>Lophius</i>	<i>litulon</i>	hon-ankou	ホンアンコウ	D	<i>Tubulovesicula</i>	<i>muraenesocis</i>		Mie	Hamajima	Pt.31	92	
Lophiiformes	Lophiidae	<i>Lophius</i>	<i>litulon</i>	hon-ankou	ホンアンコウ	N	<i>Anisakis</i>	<i>sp.</i>	larva	Kyushu	West coast	Pt.9	338	syn.: <i>Anisakis salaris</i> (Gmelin, 1790)
Lophiiformes	Lophiidae	<i>Lophius</i>	<i>litulon</i>	hon-ankou	ホンアンコウ	N	<i>Contraecum</i>	<i>marinum</i>		Yamaguchi	Shimonoseki	Pt.9	344	
Lophiiformes	Lophiidae	<i>Lophius</i>	<i>litulon</i>	hon-ankou	ホンアンコウ	N	<i>Contraecum</i>	<i>sp. larva-I</i>	larva	Fukui	Wakasa Bay	Pt.33	370	
Lophiiformes	Lophiidae	<i>Lophius</i>	<i>litulon</i>	hon-ankou	ホンアンコウ	N	<i>Contraecum</i>	<i>sp. larva-III</i>	larva	?	Pacific	Pt.9	348	
Lophiiformes	Lophiidae	<i>Lophius</i>	<i>litulon</i>	hon-ankou	ホンアンコウ	N	<i>Paranisakis</i>	<i>lophii</i>		Mie	Pacific coast	Pt.9	349	
Lophiiformes	Lophiidae	<i>Lophius</i>	<i>litulon</i>	hon-ankou	ホンアンコウ	N	<i>Raphidascaroides</i>	<i>nipponensis lophii</i>		?	Pacific	Pt.33	355	
Lophiiformes	Lophiidae	<i>Lophius</i>	<i>setigerus</i>	kutsu-ankou	クツアンコウ	N	<i>Contraecum</i>	<i>sp. larva-I</i>	larva	Shizuoka	Maisaka	Pt.33	370	
Lophiiformes	Ogcocephalidae	<i>Halietaea</i>	<i>stellata</i>	akagutsu	アカグツ	N	<i>Paranisakis</i>	<i>halietaenae</i>		Shizuoka	Maisaka	Pt.33	349	
Mugiliformes	Mugilidae	"mugilid"		bora-rui	ボラの類	M	<i>Haliotrema</i>	<i>alatum</i>		Overseas	Celebes	Cs.2	210	
Mugiliformes	Mugilidae	<i>Mugil</i>	<i>cephalus</i>	bora	ボラ	A	<i>Neoechinorhynchus</i>	<i>agilis</i>		?, Mie	Inland Sea; Pacific coast	Pt.8	275	
Mugiliformes	Mugilidae	<i>Mugil</i>	<i>cephalus</i>	bora	ボラ	A	<i>Neoechinorhynchus</i>	<i>agilis</i>		Shizuoka;	Suruga Bay;	Pt.29	345	Kyushu; Sea of Ariake
Mugiliformes	Mugilidae	<i>Mugil</i>	<i>cephalus</i>	bora	ボラ	D	<i>Haploplanchnus</i>	<i>pachysomus</i>		?	Inland Sea	Pt.2	361	
Mugiliformes	Mugilidae	<i>Mugil</i>	<i>cephalus</i>	bora	ボラ	M	<i>Metamicrocotyla</i>	<i>bora</i>		Overseas	Celebes	Cs.2	247	
Mugiliformes	Mugilidae	<i>Mugil</i>	<i>cephalus</i>	bora	ボラ	M	<i>Metamicrocotyla</i>	<i>filiformis</i>		Overseas	Celebes	Cs.2	248	
Mugiliformes	Mugilidae	<i>Mugil</i>	<i>cephalus</i>	bora	ボラ	M	<i>Microcotyle</i>	<i>mugilis</i>		Kyushu	Sea of Ariake	Pt.24	32	
Myctophiformes	Neoscopelidae	<i>Neoscopelus</i>	<i>alcocki</i>	soto-ori- iwashi	ソトオリイワシ	N	<i>Anisakis</i>	<i>sp.</i>	larva	Kanagawa	Suruga Bay	Pt.33	347	Host syn.: <i>Neoscopelus macrolepidotus</i>
Myxiniformes	Myxinidae	<i>Eptatretus</i>	<i>burgeri</i>	nutaunagi	ヌタウナギ	N	<i>Cucullanus</i>	<i>filiformis</i>		?	?	Pt.33	380	
Ophidiiformes	Ophidiidae	<i>Brotula</i>	<i>multibarbata</i>	itachiuo	イタチウオ	C	<i>Bothriocephalus</i>	<i>brotulae</i>		Fukushima	Onahama	Pt.49	6	

Host order	Host family	Host Genus	Host Species	Host Japanese Name	宿主名	Para site	Genus (subg.)	species	Stage	Prefecture	Locality	Ref.No.	Page	Remarks
Ophidiiformes	Ophidiidae	<i>Brotula</i>	<i>multibarbata</i>	itachiuo	イタチウオ	D	<i>Derogenes</i>	<i>varicus</i>		Nagasaki	Nagasaki	Pt.21	134	
Ophidiiformes	Ophidiidae	<i>Brotula</i>	<i>multibarbata</i>	itachiuo	イタチウオ	N	<i>Anisakis</i>	<i>sp.</i>	larva	?	East China Sea	Pt.33	346	
Ophidiiformes	Ophidiidae	<i>Brotula</i>	<i>multibarbata</i>	itachiuo	イタチウオ	N	<i>Contracaecum</i>	<i>sp. larva-I</i>	larva	Kochi	Tosa Bay	Pt.33	370	
Ophidiiformes	Ophidiidae	<i>Brotula</i>	<i>multibarbata</i>	itachiuo	イタチウオ	N	<i>Contracaecum</i>	<i>sp. larva-V</i>	larva	?	East China Sea	Pt.33	371	
Ophidiiformes	Ophidiidae	<i>Hoplobrotula</i>	<i>armata</i>	ashiro	アシロ	N	<i>Contracaecum</i>	<i>sp. larva-I</i>	larva	Fukui	Wakasa Bay	Pt.33	370	
Ophidiiformes	Ophidiidae	<i>Hoplobrotula</i>	<i>armata</i>	ashiro	アシロ	N	<i>Paranisakis</i>	<i>lophii hoplobrotulae</i>		?	Pacific	Pt.33	350	
Ophidiiformes	Ophidiidae	<i>Neobythites</i>	<i>macrops</i>	shiotachiuroi	シオイタチウオの類	A	<i>Acanthocephalus</i>	<i>neobythitis</i>		Fukui	Obama	Pt.29	322	
Ophidiiformes	Ophidiidae	<i>Neobythites</i>	<i>macrops</i>	shiotachiuroi	シオイタチウオの類	C	<i>Nybelinia</i>	<i>nipponica</i>	larva	Shizuoka	Maisaka	Pt.49	68	
Ophidiiformes	Ophidiidae	<i>Neobythites</i>	<i>macrops</i>	shiotachiuroi	シオイタチウオの類	D	<i>Lecithophyllum</i>	<i>fuscum</i>		Shizuoka; Nagasaki	Maisaka; Nagasaki	Pt.21	118	
Ophidiiformes	Ophidiidae	<i>Neobythites</i>	<i>macrops</i>	shiotachiuroi	シオイタチウオの類	D	<i>Paramonorchelides</i>	<i>awatati</i>		Shizuoka	Maisaka	Pt.21	80	
Ophidiiformes	Ophidiidae	<i>Neobythites</i>	<i>macrops</i>	shiotachiuroi	シオイタチウオの類	N	<i>Hedruris</i>	<i>neobythitis</i>		Shizuoka	Off Maisaka	Pt.33	376	
Ophidiiformes	Ophidiidae	<i>Sirembo</i>	<i>imberbis</i>	umidojou	ウミドジョウ	D	<i>Cymbephallus</i>	<i>japonicus</i>		Shizuoka	Suruga Bay	Pt.21	48	
Ophidiiformes	Ophidiidae	<i>Sirembo</i>	<i>imberbis</i>	umidojou	ウミドジョウ	D	<i>Paramonorchelides</i>	<i>sirembonis</i>		?	Pacific	Pt.21	82	
Orectolobiformes	Stegostomidae	<i>Stegostoma</i>	<i>tigrinum</i>	torafuzame	トラフザメ	C	<i>Balanobothrium</i>	<i>tenax</i>		Overseas	Celebes	Cs.6	353	Host syn.: <i>Stegostoma fasciata</i>
Orectolobiformes	Stegostomidae	<i>Stegostoma</i>	<i>tigrinum</i>	torafuzame	トラフザメ	C	<i>Balanobothrium</i>	<i>stegostomatis</i>		Overseas	Celebes	Cs.6	353	Host syn.: <i>Stegostoma fasciata</i>
Orectolobiformes	Stegostomidae	<i>Stegostoma</i>	<i>tigrinum</i>	torafuzame	トラフザメ	C	<i>Hornelliella</i>	<i>annandalei</i>		Overseas	Celebes	Cs.8	362	Host syn.: <i>Stegostoma fasciata</i>
Perciformes	Acanthuridae	<i>Xesurus</i>	<i>scalprum</i>	nizadai	ニザダイ	A	<i>Neorhadinorhynchus</i>	<i>sp.</i>		?	?	Pt.29	345	Host syn.: <i>Prionurus microlepidotus</i>
Perciformes	Acanthuridae	<i>Xesurus</i>	<i>scalprum</i>	nizadai	ニザダイ	A	<i>Rhadinorhynchus (Neorhadinorhynchus)</i>	<i>aspinosus</i>		Shizuoka	Numazu	Pt.29	344	Host syn.: <i>Prionurus microlepidotus</i>
Perciformes	Acanthuridae	<i>Xesurus</i>	<i>scalprum</i>	nizadai	ニザダイ	D	<i>Coitocaecum</i>	<i>xesuri</i>		Mie	Hamajima	Pt.31	77	Host syn.: <i>Prionurus microlepidotus</i>
Perciformes	Acanthuridae	<i>Xesurus</i>	<i>scalprum</i>	nizadai	ニザダイ	D	<i>Hysterolecitha</i>	<i>xesuri</i>		Shizuoka	Numazu	Pt.21	127	Host syn.: <i>Prionurus microlepidotus</i>
Perciformes	Acanthuridae	<i>Xesurus</i>	<i>scalprum</i>	nizadai	ニザダイ	D	<i>Hysterolecitha</i>	<i>xesuri</i>		?	?	Pt.31	95	Host syn.: <i>Prionurus microlepidotus</i>
Perciformes	Acanthuridae	<i>Xesurus</i>	<i>scalprum</i>	nizadai	ニザダイ	D	<i>Opechona</i>	<i>xesuri</i>		Mie	Hamajima	Pt.31	63	Host syn.: <i>Prionurus microlepidotus</i>
Perciformes	Acanthuridae	<i>Xesurus</i>	<i>scalprum</i>	nizadai	ニザダイ	M	<i>Haliotrema</i>	<i>xesuri</i>		Mie	Hamajima	Pt.31	42	Host syn.: <i>Prionurus microlepidotus</i>
Perciformes	Acropomatidae	<i>Doderleinia</i>	<i>berycoides</i>	akamutsu	アカムツ	D	<i>Brachyenteron</i>	<i>doderleiniae</i>		Nagasaki	Nagasaki	Pt.21	93	
Perciformes	Acropomatidae	<i>Doederleinia</i>	<i>berycoides</i>	akamutsu	アカムツ	C	<i>Scolex</i>	<i>polymorphus -III</i>		Toyama	Toyama Bay	Pt.4	81	
Perciformes	Acropomatidae	<i>Synagrops</i>	<i>japonica</i>	kumikuiuo	スマクイウオ	D	<i>Cymbephallus</i>	<i>japonicus</i>		Shizuoka	Suruga Bay	Pt.21	48	
Perciformes	Acropomatidae	<i>Synagrops</i>	<i>japonica</i>	kumikuiuo	スマクイウオ	D	<i>Rhipidocotyle</i>	<i>longleyi</i>		Shizuoka	Suruga Bay	Pt.21	9	
Perciformes	Ammodytidae	<i>Ammodytes</i>	<i>personatus</i>	ikanago	イカナゴ	D	<i>Lecithaster</i>	<i>salmonis</i>		Aichi	Tokoname	Pt.48	317	
Perciformes	Apogonidae	"apogonid"		tenjikudai-ru	テンジクダイの類	M	<i>Haliotrema</i>	<i>ornatum</i>		Okinawa	Naha	Pt.37	117	

Host order	Host family	Host Genus	Host Species	Host Japanese Name	宿主名	Para site	Genus (subg.)	species	Stage	Prefecture	Locality	Ref.No.	Page	Remarks
Perciformes	Apogonidae	<i>Apogon</i>	<i>lineatus</i>	tenjikudai	テンジクダイ	C	<i>Bothriocephalus</i>	<i>apogonis</i>		Aichi	Tokoname	Pt.49	7	
Perciformes	Apogonidae	<i>Apogon</i>	<i>lineatus</i>	tenjikudai	テンジクダイ	D	<i>Lecithaster</i>	<i>salmonis</i>		Aichi	Tokoname	Pt.48	317	
Perciformes	Apogonidae	<i>Apogon</i>	<i>lineatus</i>	tenjikudai	テンジクダイ	D	<i>Terestia</i>	<i>laticollis</i>		Mie	Hamajima	Pt.31	88	
Perciformes	Apogonidae	<i>Apogon</i>	<i>quadrifasciatus</i>	tenjikudai - rui	テンジクダイの類	D	<i>Dinosoma</i>	<i>apogonis</i>		Kochi	?	Pt.21	117	
Perciformes	Apogonidae	<i>Apogon</i>	<i>semilineatus</i>	nenbutsudai	ネンブツダイ	D	<i>Opegaster</i>	<i>brevifistula</i>		Mie	Hamajima	Pt.31	73	
Perciformes	Apogonidae	<i>Apogon</i>	<i>semilineatus</i>	nenbutsudai	ネンブツダイ	D	<i>Opegaster</i>	<i>elongata</i>		Kanagawa	Sagami Bay	Pt.54	251	
Perciformes	Apogonidae	<i>Apogon</i>	<i>semilineatus</i>	nenbutsudai	ネンブツダイ	D	<i>Plagioporus (Plagioporus)</i>	<i>apogonichthydis</i>		Kanagawa	Sagami Bay	Pt.54	247	
Perciformes	Apogonidae	<i>Apogon</i>	<i>semilineatus</i>	nenbutsudai	ネンブツダイ	M	<i>Dactylogyrus</i>	<i>apogonis</i>		Mie	Hamajima	Pt.31	39	
Perciformes	Apogonidae	<i>Apogonichthys</i>	<i>carinatus</i>	matouishimotsu	マトウイシモチ	D	<i>Opegaster</i>	<i>apogonichthydis</i>		Kochi	?	Pt.21	61	
Perciformes	Apogonidae	<i>Apogonichthys</i>	<i>carinatus</i>	matouishimotsu	マトウイシモチ	D	<i>Plagioporus</i>	<i>apogonichthydis</i>		Kochi	?	Pt.21	15	
Perciformes	Apogonidae	<i>Apogonichthys</i>	<i>carinatus</i>	matouishimotsu	マトウイシモチ	N	<i>Contraecum</i>	<i>sp. larva - I</i>	larva	Kochi	Tosa Bay	Pt.33	370	
Perciformes	Branchiostegidae	<i>Branchiostegus</i>	<i>japonicus</i>	akaamadai	アカアマダイ	C	<i>Bothriocephalus</i>	<i>branchiostegi</i>		Kochi	Tosa	Pt.49	5	
Perciformes	Branchiostegidae	<i>Branchiostegus</i>	<i>japonicus</i>	akaamadai	アカアマダイ	D	<i>Glomericirrus</i>	<i>amadai</i>		Tokushima	?	Pt.17	12	
Perciformes	Branchiostegidae	<i>Branchiostegus</i>	<i>japonicus</i>	akaamadai	アカアマダイ	D	<i>Glomericirrus</i>	<i>amadai</i>		Tokushima	?	Pt.21	130	
Perciformes	Branchiostegidae	<i>Branchiostegus</i>	<i>japonicus</i>	akaamadai	アカアマダイ	D	<i>Lepocreadioides</i>	<i>branchiostegi</i>		Fukui	Obama	Pt.17	10	
Perciformes	Branchiostegidae	<i>Branchiostegus</i>	<i>japonicus</i>	akaamadai	アカアマダイ	D	<i>Opisthognoporus</i>	<i>amadai</i>		Fukui; Tokushima	Obama; ?	Pt.17	6	
Perciformes	Branchiostegidae	<i>Branchiostegus</i>	<i>japonicus</i>	akaamadai	アカアマダイ	D	<i>Plagioporus</i>	<i>branchiostegi</i>		Fukui	Obama	Pt.17	9	
Perciformes	Branchiostegidae	<i>Branchiostegus</i>	<i>japonicus</i>	akaamadai	アカアマダイ	D	<i>Sphincterostoma</i>	<i>branchiostegi</i>		Fukui	Obama	Pt.17	3	
Perciformes	Branchiostegidae	<i>Branchiostegus</i>	<i>japonicus</i>	akaamadai	アカアマダイ	D	<i>Trigonotrema</i>	<i>alatum</i>		Fukui	Obama	Pt.17	14	
Perciformes	Branchiostegidae	<i>Branchiostegus</i>	<i>japonicus</i>	akaamadai	アカアマダイ	M	<i>Microcotyle</i>	<i>branchiostegi</i>		Fukui	Obama	Pt.17	1	
Perciformes	Branchiostegidae	<i>Branchiostegus</i>	<i>japonicus</i>	akaamadai	アカアマダイ	N	<i>Contraecum</i>	<i>sp. larva - V</i>	larva	?	Sea of Japan	Pt.9	348	
Perciformes	Branchiostegidae	<i>Branchiostegus</i>	<i>japonicus</i>	akaamadai	アカアマダイ	N	<i>Cucullanellus</i>	<i>branchiostegi</i>		Fukui	Obama	Pt.33	387	
Perciformes	Branchiostegidae	<i>Branchiostegus</i>	<i>japonicus</i>	akaamadai	アカアマダイ	N	<i>Cucullanus</i>	<i>amadai</i>		Fukui	Obama	Pt.33	384	
Perciformes	Caesionidae	<i>Caesio</i>	<i>chrysozonus</i>	takasago	タカサゴ	D	<i>Lecithochirium</i>	<i>caesionis</i>		Okinawa	Naha	Pt.39	382	
Perciformes	Caesionidae	<i>Caesio</i>	<i>chrysozonus</i>	takasago	タカサゴ	D	<i>Pseudocreadium</i>	<i>ovale</i>		Okinawa	Naha	Pt.39	354	
Perciformes	Caesionidae	<i>Caesio</i>	<i>kning</i>	yumeumeiro	ユメウメイロ	D	<i>Aphanurus</i>	<i>caesionis</i>		Overseas	Celebes	Cs.1	182	
Perciformes	Caesionidae	<i>Caesio</i>	<i>kning</i>	yumeumeiro	ユメウメイロ	M	<i>Haliotrema</i>	<i>caesionis</i>		Overseas	Celebes	Cs.2	212	
Perciformes	Caesionidae	<i>Pterocaesio</i>	<i>tile</i>	kumasasahana muro	クマササハナムロ	D	<i>Pseudocreadium</i>	<i>ovale</i>		Okinawa	Naha	Pt.39	354	
Perciformes	Callionymidae	<i>Callionymus</i>	<i>altivelis</i>	beniteguri	ベニテグリ	A	<i>Hypoechinorhynchus</i>	<i>alaeopis</i>	immature	Shizuoka	Maisaka	Pt.29	325	
Perciformes	Callionymidae	<i>Callionymus</i>	<i>altivelis</i>	beniteguri	ベニテグリ	D	<i>Dolichoenterum</i>	<i>longissimum</i>	metacercaria	Kochi	?	Pt.20	493	
Perciformes	Callionymidae	<i>Callionymus</i>	<i>lunatus</i>	nezuppo	ネズッポ	D	<i>Aponurus</i>	<i>callionymi</i>		Shizuoka	Maisaka	Pt.21	124	

Host order	Host family	Host Genus	Host Species	Host Japanese Name	宿主名	Parasite	Genus (subg.)	species	Stage	Prefecture	Locality	Ref.No.	Page	Remarks
Perciformes	Callionymidae	<i>Callionymus</i>	<i>lunatus</i>	nezuppo	ネズッポ	D	<i>Decemtestis</i>	<i>callionymi</i>		Aichi or Mie	Ise Bay	Pt.2	319	
Perciformes	Callionymidae	<i>Callionymus</i>	<i>valenciennesi</i>	nezumigochi	ネズミゴチ	C	<i>Scolex</i>	<i>polymorphus -I</i>		?	Inland Sea	Pt.4	81	
Perciformes	Callionymidae	<i>Callionymus</i>	<i>valenciennesi</i>	nezumigochi	ネズミゴチ	C	<i>Scolex</i>	<i>polymorphus -V</i>		?	Inland Sea	Pt.4	81	
Perciformes	Callionymidae	<i>Callionymus</i>	<i>valenciennesi</i>	nezumigochi	ネズミゴチ	D	<i>Decemtestis</i>	<i>callionymi</i>		Toyama	Toyama Bay	Pt.2	319	
Perciformes	Callionymidae	<i>Callionymus</i>	<i>valenciennesi</i>	nezumigochi	ネズミゴチ	D	<i>Decemtestis</i>	<i>callionymi</i>		Mie	Hamajima	Pt.31	67	
Perciformes	Callionymidae	<i>Callionymus</i>	<i>valenciennesi</i>	nezumigochi	ネズミゴチ	D	<i>Hypohepaticola</i>	<i>callionymi</i>		?	Inland Sea	Pt.2	447	
Perciformes	Callionymidae	<i>Callionymus</i>	<i>valenciennesi</i>	nezumigochi	ネズミゴチ	D	<i>Hypohepaticola</i>	<i>callionymi</i>		Hyogo	Tarumi	Pt.39	386	
Perciformes	Callionymidae	<i>Callionymus</i>	<i>valenciennesi</i>	nezumigochi	ネズミゴチ	D	<i>Prosorhynchus (Skrjabiniella)</i>	<i>uniporus</i>	metace	Hyogo	Tarumi	Pt.38	147	
Perciformes	Callionymidae	<i>Callionymus</i>	<i>valenciennesi</i>	nezumigochi	ネズミゴチ	D	<i>Torticaecum</i>	<i>nipponicum</i>	larva	?	Inland Sea	Pt.38	157	
Perciformes	Callionymidae	<i>Callionymus</i>	<i>valenciennesi</i>	nezumigochi	ネズミゴチ	N	<i>Contraecum</i>	<i>sp. larva -I</i>	larva	Fukui	Wakasa Bay	Pt.33	370	
Perciformes	Carangidae	<i>Caranx</i>	<i>equula</i>	kaiwari	カイワリ	D	<i>Alcicornis</i>	<i>baylisi</i>		Okinawa	Naha	Pt.39	331	
Perciformes	Carangidae	<i>Caranx</i>	<i>equula</i>	kaiwari	カイワリ	D	<i>Bucephalus</i>	<i>varicus</i>		Okinawa	Naha	Pt.39	330	
Perciformes	Carangidae	<i>Caranx</i>	<i>equula</i>	kaiwari	カイワリ	D	<i>Echinostephanus</i>	<i>pacificus</i>		Wakayama	Taiji	Pt.44	266	
Perciformes	Carangidae	<i>Caranx</i>	<i>equula</i>	kaiwari	カイワリ	D	<i>Lecithochirium</i>	<i>carangis</i>		Okinawa	Naha	Pt.39	383	
Perciformes	Carangidae	<i>Caranx</i>	<i>equula</i>	kaiwari	カイワリ	D	<i>Notoporus</i>	<i>carangis</i>		Wakayama	Taiji	Pt.44	263	
Perciformes	Carangidae	<i>Caranx</i>	<i>equula</i>	kaiwari	カイワリ	D	<i>Opecoelus</i>	<i>nipponicus</i>		Mie	Hamajima	Pt.44	259	
Perciformes	Carangidae	<i>Caranx</i>	<i>equula</i>	kaiwari	カイワリ	D	<i>Phyllodistomum</i>	<i>pacificum</i>		Mie	Hamajima	Pt.44	278	
Perciformes	Carangidae	<i>Caranx</i>	<i>equula</i>	kaiwari	カイワリ	D	<i>Pseudopecoeloides</i>	<i>carangis</i>		Mie	Hamajima	Pt.44	263	syn.: <i>Cymbephallus carangi</i> Yam., 1938
Perciformes	Carangidae	<i>Caranx</i>	<i>equula</i>	kaiwari	カイワリ	D	<i>Stephanochasmus</i>	<i>carangis</i>		Mie	Hamajima	Pt.44	265	
Perciformes	Carangidae	<i>Caranx</i>	<i>equula</i>	kaiwari	カイワリ	D	<i>Tergestia</i>	<i>laticollis</i>		Mie	Hamajima	Pt.44	271	
Perciformes	Carangidae	<i>Caranx</i>	<i>equula</i>	kaiwari	カイワリ	N	<i>Anisakis</i>	<i>sp.</i>	larva	?	East China Sea	Pt.33	346	
Perciformes	Carangidae	<i>Caranx</i>	<i>equula</i>	kaiwari	カイワリ	N	<i>Contraecum</i>	<i>sp. larva -I</i>	larva	Kochi	Tosa Bay	Pt.33	369	
Perciformes	Carangidae	<i>Caranx</i>	<i>mertensi</i>	shimaaji	シマアジ	A	<i>Rhadinorhynchus</i>	<i>carangis</i>		?	Inland Sea	Pt.29	341	
Perciformes	Carangidae	<i>Caranx</i>	<i>mertensi</i>	shimaaji	シマアジ	D	<i>Cymbephallus</i>	<i>carangi</i>		Hyogo	Tarumi	Pt.21	49	syn.: <i>Pseudopecoeloides carangi</i> (Yam., 1938)
Perciformes	Carangidae	<i>Caranx</i>	<i>mertensi</i>	shimaaji	シマアジ	D	<i>Pseudopecoeloides</i>	<i>carangis</i>		Mie	Hamajima	Pt.31	77	syn.: <i>Cymbephallus carangi</i> Yam., 1938
Perciformes	Carangidae	<i>Caranx</i>	<i>mertensi</i>	shimaaji	シマアジ	D	<i>Pseudopecoeloides</i>	<i>carangis</i>		Hyogo	Tarumi	Pt.44	263	syn.: <i>Cymbephallus carangi</i> Yam., 1938
Perciformes	Carangidae	<i>Caranx</i>	<i>sp.</i>	shimaaji-ru	シマアジの類	A	<i>Rhadinorhynchus</i>	<i>celebesensis</i>		Overseas	Celebes	Cs.8	407	
Perciformes	Carangidae	<i>Caranx</i>	<i>sp.</i>	shimaaji-ru	シマアジの類	D	<i>Aponurus</i>	<i>carangis</i>		Overseas	Celebes	Cs.1	183	
Perciformes	Carangidae	<i>Caranx</i>	<i>sp.</i>	shimaaji-ru	シマアジの類	D	<i>Bucephalus</i>	<i>retractilis</i>		Overseas	Celebes	Cs.1	148	
Perciformes	Carangidae	<i>Caranx</i>	<i>sp.</i>	shimaaji-ru	シマアジの類	D	<i>Lecithochirium</i>	<i>lobatum</i>		Overseas	Celebes	Cs.1	184	
Perciformes	Carangidae	<i>Caranx</i>	<i>sp.</i>	shimaaji-ru	シマアジの類	D	<i>Opisthomonorchis</i>	<i>caragnis</i>		Overseas	Celebes	Cs.1	170	
Perciformes	Carangidae	<i>Caranx</i>	<i>sp.</i>	shimaaji-ru	シマアジの類	D	<i>Unitubulotestis</i>	<i>carangis</i>		Overseas	Celebes	Cs.3	291	
Perciformes	Carangidae	<i>Caranx</i>	<i>sp.</i>	shimaaji-ru	シマアジの類	M	<i>Hetamicrocotyla</i>	<i>carangis</i>		Overseas	Celebes	Cs.2	250	
Perciformes	Carangidae	<i>Caranx</i>	<i>sp.</i>	shimaaji-ru	シマアジの類	M	<i>Protomicrocotyle</i>	<i>celebesensis</i>		Overseas	Celebes	Cs.2	245	
Perciformes	Carangidae	<i>Chorinemus</i>	<i>moadetta</i>	ikegatsuo-ru	イケガツオの類	D	<i>Prosorhynchus</i>	<i>chorinemi</i>		Overseas	Celebes	Cs.1	150	
Perciformes	Carangidae	<i>Chorinemus</i>	<i>moadetta</i>	ikegatsuo-ru	イシガツオの類	M	<i>Allodiscocotyla</i>	<i>chorinemi</i>		Overseas	Celebes	Cs.2	240	

Host order	Host family	Host Genus	Host Species	Host Japanese Name	宿主名	Para site	Genus (subg.)	species	Stage	Prefecture	Locality	Ref.No.	Page	Remarks
Perciformes	Carangidae	<i>Chorinemus</i>	<i>moadetta</i>	ikegatsuo-rui	イシガツオの類	M	<i>Vallisia</i>	<i>chorinemi</i>		Overseas	Celebes	Cs.2	243	
Perciformes	Carangidae	<i>Chorinemus</i>	<i>moadetta</i>	ikegatsuo-rui	イケガツオの類	N	<i>Contraecaecum</i>	<i>sp.</i>	larva	Overseas	Celebes	Cs.9	132	
Perciformes	Carangidae	<i>Chorinemus</i>	<i>moadetta</i>	ikegatsuo-rui	イケガツオの類	N	<i>Porrocaecum</i>	<i>sp.</i>	larva	Overseas	Celebes	Cs.9	132	
Perciformes	Carangidae	<i>Decapterus</i>	<i>maruadsi</i>	maruaji	マルアジ	N	<i>Raphidascaaris or Raphidascaaroides</i>	<i>sp. B</i>	larva	Kochi	Tosa Bay	Pt.33	357	
Perciformes	Carangidae	<i>Decapterus</i>	<i>muroadsi</i>	muroaji	ムロアジ	D	<i>Syncoelium</i>	<i>katuwo</i>		Wakayama	Taiji	Pt.48	329	
Perciformes	Carangidae	<i>Decapterus</i>	<i>russelli</i>	oakamuro	オアカムロ	N	<i>Rahidascaaris</i>	<i>sp.</i>	larva	Overseas	Celebes	Cs.9	132	
Perciformes	Carangidae	<i>Elagatis</i>	<i>sp.</i>	tsumuburi-rui	ツムブリの類	M	<i>Gotocotyla</i>	<i>meservei</i>		Overseas	Celebes	Cs.2	252	
Perciformes	Carangidae	<i>Megalaspis</i>	<i>sp.</i>	oniaji-rui	オニアジの類	D	<i>Aponurus</i>	<i>laguncula</i>		Overseas	Celebes	Cs.3	274	
Perciformes	Carangidae	<i>Megalaspis</i>	<i>sp.</i>	oniaji-rui	オニアジの類	D	<i>Lecithochirium</i>	<i>megalaspis</i>		Overseas	Celebes	Cs.3	280	
Perciformes	Carangidae	<i>Seriola</i>	<i>aureovittata</i>	hiramasa	ヒラマサ	D	<i>Bucephalopsis</i>	<i>elongatus</i>		?	Inland Sea	Pt.2	275	
Perciformes	Carangidae	<i>Seriola</i>	<i>aureovittata</i>	hiramasa	ヒラマサ	D	<i>Dinurus</i>	<i>coryphaenae</i>		Toyama	Toyama Bay	Pt.2	450	
Perciformes	Carangidae	<i>Seriola</i>	<i>aureovittata</i>	hiramasa	ヒラマサ	D	<i>Ectenurus</i>	<i>hamati</i>		?	Inland Sea	Pt.2	462	
Perciformes	Carangidae	<i>Seriola</i>	<i>aureovittata</i>	hiramasa	ヒラマサ	D	<i>Ectenurus</i>	<i>hamati</i>		?	?	Pt.26	226	
Perciformes	Carangidae	<i>Seriola</i>	<i>aureovittata</i>	hiramasa	ヒラマサ	D	<i>Tormopsolus</i>	<i>orientalis</i>		?, Wakayama; Toyama	Inland Sea; Pacific coast; Toyama Bay	Pt.2	380	
Perciformes	Carangidae	<i>Seriola</i>	<i>aureovittata</i>	hiramasa	ヒラマサ	M	<i>Epibdella</i>	<i>seriolae</i>		?	Inland Sea	Pt.2	259	
Perciformes	Carangidae	<i>Seriola</i>	<i>aureovittata</i>	hiramasa	ヒラマサ	M	<i>Microcotyle</i>	<i>seriolae</i>		Hyogo	Tarumi	Pt.31	51	
Perciformes	Carangidae	<i>Seriola</i>	<i>purpurascena</i>	kanpachi	カンパチ	C	<i>Callotetrarhynchus</i>	<i>speciosus</i>		?	Inland Sea; or Pacific coast; or East China Sea	Pt.49	64	syn.: <i>Lintoniella speciosa</i> (Linton, 1897)
Perciformes	Carangidae	<i>Seriola</i>	<i>quinqeradiata</i>	huri	ブリ	C	<i>Callotetrarhynchus</i>	<i>speciosus</i>	cystice rcoid	?	Inland Sea	Pt.6	232	syn.: <i>Lintoniella speciosa</i> (Linton, 1897)
Perciformes	Carangidae	<i>Seriola</i>	<i>quinqeradiata</i>	huri	ブリ	C	<i>Lintoniella</i>	<i>speciosa</i>	cystice rcoid	?	Inland Sea	Pt.4	109	syn.: <i>Rhynchobothrius speciosum</i> Linton, 1897; <i>Callotetrarhynchus speciosus</i> (Linton, 1897)
Perciformes	Carangidae	<i>Seriola</i>	<i>quinqeradiata</i>	huri	ブリ	D	<i>Bivesicula</i>	<i>claviformis</i>		Hyogo	Tarumi	Pt.2	390	
Perciformes	Carangidae	<i>Seriola</i>	<i>quinqeradiata</i>	huri	ブリ	D	<i>Echinostephanus</i>	<i>hispidus</i>		?	Pacific coast	Pt.2	374	
Perciformes	Carangidae	<i>Seriola</i>	<i>quinqeradiata</i>	huri	ブリ	D	<i>Ectenurus</i>	<i>hamati</i>		?	Inland Sea	Pt.2	462	
Perciformes	Carangidae	<i>Seriola</i>	<i>quinqeradiata</i>	huri	ブリ	D	<i>Gotonius</i>	<i>facilis</i>		?	Inland Sea	Pt.2	278	
Perciformes	Carangidae	<i>Seriola</i>	<i>quinqeradiata</i>	huri	ブリ	D	<i>Parahemius</i>	<i>seriolae</i>		Wakayama; Toyama; ?	Pacific coast; Toyama Bay; Inland Sea	Pt.2	437	
Perciformes	Carangidae	<i>Seriola</i>	<i>quinqeradiata</i>	huri	ブリ	D	<i>Tormopsolus</i>	<i>orientalis</i>		?, Aomori	Inland Sea; Mutsu Bay	Pt.2	380	
Perciformes	Carangidae	<i>Seriola</i>	<i>quinqeradiata</i>	huri	ブリ	D	<i>Tormopsolus</i>	<i>orientalis</i>		?	Inland Sea	Pt.26	219	
Perciformes	Carangidae	<i>Seriola</i>	<i>quinqeradiata</i>	huri	ブリ	M	<i>Axine</i>	<i>heterocerca</i>		Hyogo	Tarumi	Pt.2	273	
Perciformes	Carangidae	<i>Seriola</i>	<i>quinqeradiata</i>	huri	ブリ	M	<i>Axine (Heteraxine)</i>	<i>heterocerca</i>		Hyogo	Tarumi	Pt.24	37	
Perciformes	Carangidae	<i>Seriola</i>	<i>quinqeradiata</i>	huri	ブリ	M	<i>Axine (Heteraxine)</i>	<i>heterocerca</i>		Hyogo	Tarumi	Pt.37	127	
Perciformes	Carangidae	<i>Seriola</i>	<i>quinqeradiata</i>	huri	ブリ	N	<i>Anisakis</i>	<i>sp.</i>	larva	?	Inland Sea	Pt.9	338	syn.: <i>Anisakis salaris</i> (Gmelin, 1790)
Perciformes	Carangidae	<i>Seriola</i>	<i>quinqeradiata</i>	huri	ブリ	N	<i>Contraecaecum</i>	<i>seriolae</i>		Fukui	Obama	Pt.33	359	
Perciformes	Carangidae	<i>Seriola</i>	<i>quinqeradiata</i>	huri	ブリ	N	<i>Contraecaecum</i>	<i>sp. larva-I</i>	larva	?	Inland Sea	Pt.9	348	
Perciformes	Carangidae	<i>Seriola</i>	<i>quinqeradiata</i>	huri	ブリ	N	<i>Contraecaecum</i>	<i>sp. larva-III</i>	larva	?	Inland Sea	Pt.9	348	

Host order	Host family	Host Genus	Host Species	Host Japanese Name	宿主名	Parasite	Genus (subg.)	species	Stage	Prefecture	Locality	Ref.No.	Page	Remarks	
Perciformes	Carangidae	<i>Trachurus</i>	<i>japonicus</i>	maaji	マアジ	D	<i>Magnacetabulum</i>	<i>trachuri</i>		?	Inland Sea	Pt.2	459	Host syn.: <i>Trachurus trachurus</i>	
Perciformes	Carangidae	<i>Trachurus</i>	<i>trachurus</i>	maaji	マアジ	A	<i>Longicollum</i>	<i>pagrosomi</i>	immature	? or Toyama	Toyama Bay or Inland Sea	Pt.8	257		
Perciformes	Carangidae	<i>Trachurus</i>	<i>trachurus</i>	maaji	マアジ	C	<i>Callotetrarhynchus</i>	<i>speciosus</i>	cysticercoid	?	Inland Sea	Pt.6	232	syn.: <i>Lintoniella speciosa</i> (Linton, 1897)	
Perciformes	Carangidae	<i>Trachurus</i>	<i>trachurus</i>	maaji	マアジ	C	<i>Callotetrarhynchus</i>	<i>speciosus</i>	cysticercoid	?	Inland Sea	Pt.6	232	syn.: <i>Lintoniella speciosa</i> (Linton, 1897)	
Perciformes	Carangidae	<i>Trachurus</i>	<i>trachurus</i>	maaji	マアジ	C	<i>Echeneibothrium</i>	<i>bifidum</i>			Shizuoka	Maisaka	Pt.49	32	
Perciformes	Carangidae	<i>Trachurus</i>	<i>trachurus</i>	maaji	マアジ	C	<i>Lintoniella</i>	<i>speciosa</i>	cysticercoid	?	Inland Sea	Pt.4	109	syn.: <i>Rhynchobothrium speciosum</i> Linton, 1897; <i>Callotetrarhynchus speciosus</i> (Linton, 1897)	
Perciformes	Carangidae	<i>Trachurus</i>	<i>trachurus</i>	maaji	マアジ	C	<i>Scolex</i>	<i>polymorphus -III</i>			Toyama	Toyama Bay	Pt.4	81	
Perciformes	Carangidae	<i>Trachurus</i>	<i>trachurus</i>	maaji	マアジ	D	<i>Cymbephallus</i>	<i>japonicus</i>	metacercaria		Shizuoka	Suruga Bay	Pt.21	48	
Perciformes	Carangidae	<i>Trachurus</i>	<i>trachurus</i>	maaji	マアジ	D	<i>Lecithaster</i>	<i>salmonis</i>			Mie	Hamajima	Pt.31	97	
Perciformes	Carangidae	<i>Trachurus</i>	<i>trachurus</i>	maaji	マアジ	D	<i>Notoporus</i>	<i>trachuri</i>			Shizuoka	Maisaka	Pt.21	53	
Perciformes	Carangidae	<i>Trachurus</i>	<i>trachurus</i>	maaji	マアジ	D	<i>Notoporus</i>	<i>trachuri</i>			?	Inland Sea	Pt.26	219	
Perciformes	Carangidae	<i>Trachurus</i>	<i>trachurus</i>	maaji	マアジ	D	<i>Tergestia</i>	<i>laticollis</i>			Shizuoka	?	Pt.21	96	
Perciformes	Carangidae	<i>Trachurus</i>	<i>trachurus</i>	maaji	マアジ	M	<i>Gastrocotyle</i>	<i>trachuri</i>			Shizuoka	Maisaka	Pt.24	40	
Perciformes	Carangidae	<i>Trachurus</i>	<i>trachurus</i>	maaji	マアジ	M	<i>Gastrocotyle</i>	<i>trachuri</i>			Hyogo	Tarumi	Pt.37	127	
Perciformes	Carangidae	<i>Trachurus</i>	<i>trachurus</i>	maaji	マアジ	M	<i>Pseudaxine</i>	<i>trachuri</i>			Hyogo	Tarumi	Pt.24	39	
Perciformes	Carangidae	<i>Trachurus</i>	<i>trachurus</i>	maaji	マアジ	M	<i>Pseudaxine</i>	<i>trachuri</i>			Hyogo	Tarumi	Pt.37	127	
Perciformes	Carangidae	<i>Trachurus</i>	<i>trachurus</i>	maaji	マアジ	N	<i>Anisakis</i>	<i>sp.</i>	larva	?	East China Sea		Pt.33	346	
Perciformes	Carangidae	<i>Trachurus</i>	<i>trachurus</i>	maaji	マアジ	N	<i>Anisakis</i>	<i>sp.</i>	larva		Toyama	Toyama Bay	Pt.9	338	syn.: <i>Anisakis salaris</i> (Gmelin, 1790)
Perciformes	Carangidae	<i>Trachurus</i>	<i>trachurus</i>	maaji	マアジ	N	<i>Contracaecum</i>	<i>sp. larva-I</i>	larva		Shizuoka	Maisaka	Pt.33	370	
Perciformes	Carangidae	<i>Trachurus</i>	<i>trachurus</i>	maaji	マアジ	N	<i>Contracaecum</i>	<i>sp. larva-I</i>	larva		?	Inland Sea	Pt.9	348	
Perciformes	Carangidae	<i>Trachurus</i>	<i>trachurus</i>	maaji	マアジ	N	<i>Contracaecum</i>	<i>sp. larva-II</i>	larva		Toyama	Toyama Bay	Pt.9	348	
Perciformes	Carangidae	<i>Trachurus</i>	<i>trachurus</i>	maaji	マアジ	N	<i>Raphidascaris</i>	<i>sp.</i>	larva		?	Inland Sea	Pt.9	341	
Perciformes	Centrolophidae	<i>Psenopsis</i>	<i>anomala</i>	ibodai	イボダイ	C	<i>Echinophallus</i>	<i>japonicus</i>			?	Inland Sea	Pt.4	37	
Perciformes	Centrolophidae	<i>Psenopsis</i>	<i>anomala</i>	ibodai	イボダイ	C	<i>Glossobothrium</i>	<i>nipponicum</i>			Wakayama	Taiji	Pt.49	9	
Perciformes	Centrolophidae	<i>Psenopsis</i>	<i>anomala</i>	ibodai	イボダイ	C	<i>Parabothriocephaloides</i>	<i>segmentatus</i>			?	Inland Sea	Pt.4	31	
Perciformes	Centrolophidae	<i>Psenopsis</i>	<i>anomala</i>	ibodai	イボダイ	C	<i>Parabothriocephalus</i>	<i>gracilis</i>			?	Inland Sea	Pt.4	29	
Perciformes	Centrolophidae	<i>Psenopsis</i>	<i>anomala</i>	ibodai	イボダイ	D	<i>Lecithocladium</i>	<i>magnacetabulum</i>			?	Inland Sea	Pt.2	479	
Perciformes	Centrolophidae	<i>Psenopsis</i>	<i>anomala</i>	ibodai	イボダイ	D	<i>Lecithocladium</i>	<i>psenopsis</i>			Toyama	Toyama Bay	Pt.2	477	
Perciformes	Centrolophidae	<i>Psenopsis</i>	<i>anomala</i>	ibodai	イボダイ	D	<i>Prosorchis</i>	<i>psenopsis</i>			?	Inland Sea	Pt.2	505	
Perciformes	Centropomidae	<i>Lakes</i>	<i>calcarifer</i>	nokogirihata	ノコギリハタ	D	<i>Pseudometadena</i>	<i>celebesensis</i>			Overseas	Celebes	Cs.1	176	

Host order	Host family	Host Genus	Host Species	Host Japanese Name	宿主名	Para site	Genus (subg.)	species	Stage	Prefecture	Locality	Ref.No.	Page	Remarks
Perciformes	Centropomidae	<i>Lates</i>	<i>calcarifer</i>	nokogirihata	ノコギリハタ	D	<i>Opegaster</i>	<i>piriformis</i>		Overseas	Celebes	Cs.1	164	
Perciformes	Centropomidae	<i>Lates</i>	<i>calcarifer</i>	nokogirihata	ノコギリハタ	N	<i>Cucullanus</i>	<i>exiguus</i>		Overseas	Celebes	Cs.9	125	
Perciformes	Cepolidae	<i>Acanthocephala</i>	<i>limbata</i>	itten-akatachi	イッテンアカタチ	D	<i>Trifoliovarium</i>	<i>acanthocephalae</i>		Shizuoka	Maisaka	Pt.31	97	
Perciformes	Cepolidae	<i>Acanthocephala</i>	<i>limbata</i>	itten-akatachi	イッテンアカタチ	N	<i>Contraeaecum</i>	<i>sp. larva-1</i>	larva	Kochi	Tosa Bay	Pt.33	369	
Perciformes	Cepolidae	<i>Cepola</i>	<i>schlegeli</i>	sumitsukiakatachi	スミツキアカタチ	C	<i>Oncomegas</i>	<i>wagneri</i>	larva	?	Sea of Japan	Pt.49	62	
Perciformes	Cepolidae	<i>Cepola</i>	<i>schlegeli</i>	sumitsukiakatachi	スミツキアカタチ	D	<i>Dolichoenterum</i>	<i>longissimum</i>	larva	?	Sea of Japan	Pt.21	11	
Perciformes	Cepolidae	<i>Cepola</i>	<i>schlegeli</i>	sumitsukiakatachi	スミツキアカタチ	D	<i>Glomicirrus</i>	<i>amadai</i>		Shizuoka or Fukui or Kochi	Maisaka or Obama or Kochi	Pt.21	130	
Perciformes	Cepolidae	<i>Cepola</i>	<i>schlegeli</i>	sumitsukiakatachi	スミツキアカタチ	M	<i>Microcotyle</i>	<i>cepolae</i>		Fukui	Obama	Pt.19	23	
Perciformes	Cepolidae	<i>Pseudocephala</i>	<i>taeniosoma</i>	akatachimodoki	アカタチモドキ	N	<i>Contraeaecum</i>	<i>sp. larva-1</i>	larva	Shizuoka	Maisaka	Pt.33	370	
Perciformes	Chaetodontidae	<i>Chaetodon</i>	<i>auriga</i>	togechouchou-uo	トゲチョウチョウウオ	D	<i>Diplolasiotocus</i>	<i>chaetodontis</i>		Overseas	Celebes	Cs.1	168	
Perciformes	Chaetodontidae	<i>Chaetodon</i>	<i>collaris</i>	chouchou-uo	チョウチョウウオ	D	<i>Paradiscogaster</i>	<i>chaetodontis</i>		Kochi	Kochi	Pt.21	100	
Perciformes	Chaetodontidae	<i>Chaetodon</i>	<i>collaris</i>	chouchou-uo	チョウチョウウオ	D	<i>Symmetrovessicula</i>	<i>chaetodontis</i>		?	Pacific	Pt.21	105	
Perciformes	Chaetodontidae	<i>Chaetodon</i>	<i>sp.</i>	chouchou-uo-ruui	チョウチョウウオの類	D	<i>Paragyliauchen</i>	<i>chaetodontis</i>		Kyushu	west coast	Pt.2	530	
Perciformes	Chaetodontidae	<i>Chaetodon</i>	<i>sp.</i>	chouchou-uo-ruui	チョウチョウウオの類	D	<i>Parantorhis</i>	<i>chaetodontis</i>		Kyushu	west coast	Pt.2	412	
Perciformes	Chaetodontidae	<i>Chaetodon</i>	<i>sp.</i>	chouchou-uo-ruui	チョウチョウウオの類	D	<i>Symmetrovessicula</i>	<i>chaetodontis</i>		Overseas	Celebes	Cs.3	265	
Perciformes	Chaetodontidae	<i>Chaetodon</i>	<i>strigangulus</i>	yarikatagi	ヤリカタギ	D	<i>Paradiscogaster</i>	<i>chaetodontis</i>		Okinawa	?	Pt.39	369	Host syn.: <i>Chaetodon strigangulus</i>
Perciformes	Chaetodontidae	<i>Chaetodon</i>	<i>trifasciatus</i>	misujichouchou	ミスジチョウチョウウオ	D	<i>Paradiscogaster</i>	<i>chaetodontis</i>		Okinawa	?	Pt.39	369	
Perciformes	Channidae	<i>Ophiocephalus</i>	<i>striatus</i>	kamuruchii-ruui	カムルチーの類	A	<i>Pallisentis</i>	<i>gaboes</i>		Overseas	Celebes	Cs.8	409	
Perciformes	Cheilodactylidae	<i>Goniistius</i>	<i>magister</i>	takanohadai-ruui	タカノハダイの類	C	<i>Nybelinia</i>	<i>surmenicola</i>	plerocercoid	?	?	Pt.4	106	
Perciformes	Cheilodactylidae	<i>Goniistius</i>	<i>zonatus</i>	takanohadai	タカノハダイ	D	<i>Aponurus</i>	<i>brevicaudatus</i>		Wakayama	Pacific coast	Pt.2	491	
Perciformes	Cheilodactylidae	<i>Goniistius</i>	<i>zonatus</i>	takanohadai	タカノハダイ	D	<i>Decemtestis</i>	<i>goniistii</i>		Wakayama	Pacific coast	Pt.21	29	
Perciformes	Cheilodactylidae	<i>Goniistius</i>	<i>zonatus</i>	takanohadai	タカノハダイ	D	<i>Decemtestis</i>	<i>megacotyla</i>		Shizuoka	Suruga Bay	Pt.21	30	
Perciformes	Cheilodactylidae	<i>Goniistius</i>	<i>zonatus</i>	takanohadai	タカノハダイ	D	<i>Decemtestis</i>	<i>takanoha</i>		Mie	Hamajima	Pt.44	256	
Perciformes	Cheilodactylidae	<i>Goniistius</i>	<i>zonatus</i>	takanohadai	タカノハダイ	D	<i>Deretrema</i>	<i>sp.</i>		Mie	Hamajima	Pt.44	269	
Perciformes	Cheilodactylidae	<i>Goniistius</i>	<i>zonatus</i>	takanohadai	タカノハダイ	D	<i>Hamacreadium</i>	<i>epinepheli</i>		Mie	Hamajima	Pt.31	58	
Perciformes	Cheilodactylidae	<i>Goniistius</i>	<i>zonatus</i>	takanohadai	タカノハダイ	D	<i>Opegaster</i>	<i>goniistii</i>		Shizuoka	Suruga Bay	Pt.21	58	

Host order	Host family	Host Genus	Host Species	Host Japanese Name	宿主名	Para site	Genus (subg.)	species	Stage	Prefecture	Locality	Ref.No.	Page	Remarks
Perciformes	Cheilodactyli dae	<i>Goniistius</i>	<i>zonatus</i>	takanohadai	タカノハダイ	D	<i>Pedunculacetabulum</i>	<i>opisthorchis</i>		?	Inland Sea	Pt.2	336	
Perciformes	Cheilodactyli dae	<i>Goniistius</i>	<i>zonatus</i>	takanohadai	タカノハダイ	M	<i>Trochopus</i>	<i>goniistii</i>		?	Pacific	Pt.31	47	
Perciformes	Coryphaenidae	<i>Coryphaena</i>	<i>hippurus</i>	shiira	シイラ	C	<i>Scolex</i>	<i>polymorphus -II</i>		Toyama	Toyama Bay	Pt.4	81	
Perciformes	Coryphaenidae	<i>Coryphaena</i>	<i>hippurus</i>	shiira	シイラ	D	<i>Bathycotyle</i>	<i>coryphaenae</i>		?	?	Pt.24	43	
Perciformes	Coryphaenidae	<i>Coryphaena</i>	<i>hippurus</i>	shiira	シイラ	D	<i>Dinurus</i>	<i>coryphaenae</i>		Mie; Toyama	Pacific coast; Toyama Bay	Pt.2	450	
Perciformes	Coryphaenidae	<i>Coryphaena</i>	<i>hippurus</i>	shiira	シイラ	D	<i>Tetrochetus</i>	<i>coryphaenae</i>		Toyama; ?	Toyama Bay; Pacific	Pt.2	511	
Perciformes	Coryphaenidae	<i>Coryphaena</i>	<i>hippurus</i>	shiira	シイラ	M	<i>Thoracocotyle</i>	<i>coryphaenae</i>		?	Pacific	Pt.24	33	
Perciformes	Coryphaenidae	<i>Coryphaena</i>	<i>hippurus</i>	shiira	シイラ	N	<i>Anisakis</i>	<i>sp.</i>	larva	?	Pacific	Pt.9	338	syn.: <i>Anisakis salaris</i> (Gmelin, 1790)
Perciformes	Cynoglossidae	<i>Areliscus</i>	<i>joyneri</i>	akashitabirame	アカシタビラメ	D	<i>Aponurus</i>	<i>rhinoplagusiae</i>		?	Pacific	Pt.21	127	
Perciformes	Cynoglossidae	<i>Areliscus</i>	<i>joyneri</i>	akashitabirame	アカシタビラメ	M	<i>Megaloncus</i>	<i>arelisci</i>		?	Inland Sea	Pt.53	72	
Perciformes	Cynoglossidae	<i>Areliscus</i>	<i>purpureomaculatus</i>	murakitabirame	ムラサキシタビラメ	D	<i>Hemiurus</i>	<i>arelisci</i>		Fukuoka	Okinohata	Pt.21	107	
Perciformes	Drepaneidae	<i>Drepane</i>	<i>punctata</i>	yuudachisudare	ユウダチスダレ	M	<i>Ancyrocephalus</i>	<i>bilobatus</i>		Overseas	Celebes	Cs.2	205	
Perciformes	Drepaneidae	<i>Drepane</i>	<i>punctata</i>	yuudachisudare	ユウダチスダレ	M	<i>Ancyrocephalus</i>	<i>spinicirrus</i>		Overseas	Celebes	Cs.2	207	
Perciformes	Echeneidae	<i>Echeneis</i>	<i>naucrates</i>	kobanzame	コバンザメ	N	<i>Anisakis</i>	<i>sp.</i>	larva	?	Pacific	Pt.9	338	syn.: <i>Anisakis salaris</i> (Gmelin, 1790)
Perciformes	Embiotocidae	<i>Ditrema</i>	<i>temmincki</i>	umitanago	ウミタナゴ	A	<i>Rhadinorhynchus</i>	<i>ditrematis</i>		?	Inland Sea	Pt.29	342	
Perciformes	Embiotocidae	<i>Ditrema</i>	<i>temmincki</i>	umitanago	ウミタナゴ	D	<i>Coitocaecum</i>	<i>latum</i>		?	Inland Sea	Pt.2	356	
Perciformes	Embiotocidae	<i>Ditrema</i>	<i>temmincki</i>	umitanago	ウミタナゴ	D	<i>Coitocaecum</i>	<i>latum</i>		Hyogo	Tarumi	Pt.21	64	
Perciformes	Embiotocidae	<i>Ditrema</i>	<i>temmincki</i>	umitanago	ウミタナゴ	D	<i>Decemtestis</i>	<i>ditrematis</i>		Aomori	Mutsu Bay	Pt.2	321	
Perciformes	Embiotocidae	<i>Ditrema</i>	<i>temmincki</i>	umitanago	ウミタナゴ	D	<i>Echinostephanus</i>	<i>ditrematis</i>		?	Inland Sea	Pt.26	220	
Perciformes	Embiotocidae	<i>Ditrema</i>	<i>temmincki</i>	umitanago	ウミタナゴ	D	<i>Opegaster</i>	<i>ditrematis</i>		?	Inland Sea	Pt.39	346	
Perciformes	Embiotocidae	<i>Ditrema</i>	<i>temmincki</i>	umitanago	ウミタナゴ	D	<i>Srephanostomum</i>	<i>pagrosomi</i>	adoles caria	?	Inland Sea	Pt.52	377	
Perciformes	Embiotocidae	<i>Ditrema</i>	<i>temmincki</i>	umitanago	ウミタナゴ	M	<i>Microcotyle</i>	<i>ditrematis</i>		Mie	Hamajima	Pt.31	48	
Perciformes	Embiotocidae	<i>Ditrema</i>	<i>temmincki</i>	umitanago	ウミタナゴ	M	<i>Microcotyle</i>	<i>tanago</i>		Hyogo	Tarumi	Pt.31	49	
Perciformes	Embiotocidae	<i>Ditrema</i>	<i>temmincki</i>	umitanago	ウミタナゴ	M	<i>Microcotyle</i>	<i>tanago</i>		?	Inland Sea	Pt.53	82	
Perciformes	Embiotocidae	<i>Ditrema</i>	<i>temmincki</i>	umitanago	ウミタナゴ	M	<i>Murraytrematoides</i>	<i>ditrematis</i>		?	Inland Sea	Pt.53	67	
Perciformes	Embiotocidae	<i>Ditrema</i>	<i>temmincki</i>	umitanago	ウミタナゴ	N	<i>Contraecum</i>	<i>sp. larva-IV</i>	larva	Aichi or Mie	Ise Bay	Pt.9	348	

Host order	Host family	Host Genus	Host Species	Host Japanese Name	宿主名	Para site	Genus (subg.)	species	Stage	Prefecture	Locality	Ref.No.	Page	Remarks
Perciformes	Epigonidae	<i>Hynnodus</i>	<i>altherinoides</i>	hageyasemutsu	ハゲヤセムツ	D	<i>Opechona</i>	<i>hynnodi</i>		Shizuoka	Maisaka	Pt.21	46	
Perciformes	Epigonidae	<i>Hynnodus</i>	<i>atherinoides</i>	hageyasemutsu	ハゲヤセムツ	D	<i>Dinosoma</i>	<i>hynnodi</i>		Shizuoka	Maisaka	Pt.21	115	Host syn.: <i>Epigonus atherinoides</i>
Perciformes	Gerreidae	<i>Gerres</i>	<i>punctatus</i>	itohikisagi	イトヒキサギ	D	<i>Marsupioacetabulum</i>	<i>marinum</i>		Overseas	Celebes	Cs.1	165	
Perciformes	Gerreidae	<i>Gerres</i>	<i>punctatus</i>	itohikisagi	イトヒキサギ	M	<i>Ancyrocephalus</i>	<i>macrogaster</i>		Overseas	Celebes	Cs.2	204	
Perciformes	Girellidae	<i>Girella</i>	<i>punctata</i>	mejina	メジナ	D	<i>Hysterolecitha</i>	<i>microrchis</i>		Toyama	Toyama Bay	Pt.2	493	
Perciformes	Girellidae	<i>Girella</i>	<i>punctata</i>	mejina	メジナ	D	<i>Hysterolecitha</i>	<i>xesuri</i>		?	?	Pt.31	95	
Perciformes	Girellidae	<i>Girella</i>	<i>punctata</i>	mejina	メジナ	D	<i>Opechona</i>	<i>girellae</i>		Mie	Hamajima	Pt.31	65	
Perciformes	Girellidae	<i>Girella</i>	<i>punctata</i>	mejina	メジナ	D	<i>Opechonoides</i>	<i>gure</i>		Mie	Hamajima	Pt.31	80	
Perciformes	Girellidae	<i>Girella</i>	<i>punctata</i>	mejina	メジナ	D	<i>Opecoelus</i>	<i>sphaericus</i>	immature	Toyama	Toyama Bay	Pt.2	344	
Perciformes	Girellidae	<i>Girella</i>	<i>punctata</i>	mejina	メジナ	N	<i>Cucullanus</i>	<i>girellae</i>		Mie	Pacific coast	Pt.33	384	
Perciformes	Girellidae	<i>Girella</i>	<i>punctata</i>	mejina	メジナ	N	<i>Rhabdochona</i>	<i>girellae</i>		Wakayama; Mie	Pacific coast	Pt.9	372	
Perciformes	Gobiidae	"gobiid (kimihaze)"		kimihaze?	キミハゼ?	D	<i>Sterrhurus</i>	<i>musculus</i>	metace-rcaria			Pt.2	444	
Perciformes	Gobiidae	"gobiid"		haze- rui	ハゼの類	C	<i>Echeneibothrium</i>	<i>sp. larva- VI</i>	larva	?, Aichi or Mie; Toyama	Inland Sea; Ise Bay; Toyama Bay	Pt.4	81	
Perciformes	Gobiidae	"gobiid"		haze- rui	ハゼの類	N	<i>Anisakis</i>	<i>sp.</i>	larva	Toyama	Toyama Bay	Pt.9	338	syn.: <i>Anisakis salaris</i> (Gmelin, 1790)
Perciformes	Gobiidae	<i>Acanthogobius</i>	<i>flavimanus</i>	mahaze	マハゼ	D	<i>Coitocaecum</i>	<i>orthorchis</i>		Shizuoka	Lake Hamana	Pt.21	63	
Perciformes	Gobiidae	<i>Acanthogobius</i>	<i>flavimanus</i>	mahaze	マハゼ	D	<i>Cryptogonimus</i>	<i>sp.</i>	metace-rcaria	Shizuoka	Lake Hamana	Pt.21	73	
Perciformes	Gobiidae	<i>Acanthogobius</i>	<i>flavimanus</i>	mahaze	マハゼ	D	<i>Gotonius</i>	<i>platycephali?</i>	metace-rcaria	Shizuoka?	Bentanjima	Pt.20	492	
Perciformes	Gobiidae	<i>Acanthogobius</i>	<i>flavimanus</i>	mahaze	マハゼ	D	<i>Lecithaster</i>	<i>stellatus</i>	immature	?	?	Pt.31	97	
Perciformes	Gobiidae	<i>Acanthogobius</i>	<i>flavimanus</i>	mahaze	マハゼ	D	<i>Prosorhynchus (Skrjabiniella)</i>	<i>uniporus</i>	metace-rcaria	Shizuoka	Lake Hamana	Pt.20	492	
Perciformes	Gobiidae	<i>Acanthogobius</i>	<i>flavimanus</i>	mahaze	マハゼ	D	<i>Pseudogalactosoma</i>	<i>macrostoma</i>	metace-rcaria	Shizuoka; Mie	Lake Hamana; Ago Bay	Pt.38	142	
Perciformes	Gobiidae	<i>Acanthogobius</i>	<i>flavimanus</i>	mahaze	マハゼ	D	<i>Tergestia</i>	<i>acanthogobii</i>		Shizuoka	Lake Hamana	Pt.21	97	
Perciformes	Gobiidae	<i>Acanthogobius</i>	<i>flavimanus</i>	mahaze	マハゼ	D	<i>Zoogonoides</i>	<i>acanthogobii</i>		Shizuoka	Lake Hamana	Pt.21	89	
Perciformes	Gobiidae	<i>Acanthogobius</i>	<i>flavimanus</i>	mahaze	マハゼ	M	<i>Microcotyle</i>	<i>acanthogobii</i>		Mie	Ago Bay	Pt.31	53	
Perciformes	Gobiidae	<i>Acanthogobius</i>	<i>hasta</i>	hazekuchi	ハゼクチ	D	<i>Plagioporus</i>	<i>acanthogobii</i>		Aichi	Miya (Mikawa Province)	Pt.44	249	
Perciformes	Gobiidae	<i>Acanthogobius</i>	<i>hasta</i>	hazekuchi	ハゼクチ	D	<i>Stephanochasmus</i>	<i>bicoronatus</i>	metace-rcaria	Fukuoka	Okinohata by Sea of Ariake	Pt.20	495	
Perciformes	Gobiidae	<i>Acanthogobius</i>	<i>hasta</i>	hazekuchi	ハゼクチ	D	<i>Stephanochasmus</i>	<i>bicoronatus</i>	metace-rcaria	Aichi	Miya	Pt.38	146	
Perciformes	Gobiidae	<i>Acanthogobius</i>	<i>hasta</i>	hazekuchi	ハゼクチ	N	<i>Contraecum</i>	<i>sp. larva- I</i>	larva	Kyushu	Sea of Ariake	Pt.33	370	
Perciformes	Gobiidae	<i>Chaenogobius</i>	<i>annularis urotaenia</i>	ukigori	ウキゴリ	C	<i>Nippotaenia</i>	<i>chaenogobii</i>		Nagano	Lake Suwa	Pt.28	285	
Perciformes	Gobiidae	<i>Chaenogobius</i>	<i>annularis urotaenia</i>	ukigori	ウキゴリ	D	<i>Crepidostomum</i>	<i>chaenogobii</i>		Hokkaido	Sapporo	Mis.71	117	
Perciformes	Gobiidae	<i>Chaenogobius</i>	<i>annularis urotaenia</i>	ukigori	ウキゴリ	D	<i>Genarchopsis</i>	<i>anguillae</i>		Ibaraki	Tsuchiura	Pt.39	388	
Perciformes	Gobiidae	<i>Chaenogobius</i>	<i>annularis urotaenia</i>	ukigori	ウキゴリ	D	<i>Genarchopsis</i>	<i>goppo</i>		Nagano	Lake Suwa	Pt.21	133	
Perciformes	Gobiidae	<i>Chaenogobius</i>	<i>annularis urotaenia</i>	ukigori(isaza)	ウキゴリ(イサザ)	D	<i>Genarchopsis</i>	<i>goppo</i>		Shiga	Lake Biwa	Pt.39	389	
Perciformes	Gobiidae	<i>Chaenogobius</i>	<i>annularis urotaenia</i>	ukigori	ウキゴリ	M	<i>Haliotrema</i>	<i>mogurndae</i>		Kyoto	Kyoto	Pt.31	41	
Perciformes	Gobiidae	<i>Chaenogobius</i>	<i>macrognathos</i>	edohaze	エドハゼ	D	<i>Isoparorchis</i>	<i>trisimilitubis</i>	larva	Nagano	Lake Suwa	Pt.21	137	
Perciformes	Gobiidae	<i>Chaenogobius</i>	<i>macrognathos</i>	edohaze	エドハゼ	N	<i>Camallanus</i>	<i>cotti</i>		?	?	Pt.9	377	

Host order	Host family	Host Genus	Host Species	Host Japanese Name	宿主名	Para site	Genus (subg.)	species	Stage	Prefecture	Locality	Ref.No.	Page	Remarks
Perciformes	Gobiidae	<i>Chaenogobius</i>	<i>macrognathos?</i>	edohaze?	エドハゼ?	D	<i>Asymphyiodora</i>	<i>macrostoma</i>	metace rcaria	?	?	Pt.2	394	
Perciformes	Gobiidae	<i>Chaenogobius</i>	<i>urotaenia</i>	ukigori	ウキゴリ	A	<i>Acanthocephalus</i>	<i>gotoi</i>		Nagano; Shiga	Lake Suwa; Lake Biwa	Pt.29	321	
Perciformes	Gobiidae	<i>Chaenogobius</i>	<i>urotaenia</i>	ukigori	ウキゴリ	A	<i>Acanthocephalus</i>	<i>opsariichthydis</i>		Nagano	Lake Suwa	Pt.29	320	
Perciformes	Gobiidae	<i>Chaenogobius</i>	<i>urotaenia</i>	ukigori	ウキゴリ	A	<i>Coitocaecum</i>	<i>plagiorchis</i>		Shiga	Lake Biwa	Pt.26	218	
Perciformes	Gobiidae	<i>Chaeturichthys</i>	<i>hexanemus</i>	akahaze	アカハゼ	C	<i>Pterobothrium</i>	<i>chaeturichthydis</i>	larva	Shizuoka	Maisaka	Pt.49	62	
Perciformes	Gobiidae	<i>Chaeturichthys</i>	<i>hexanemus</i>	akahaze	アカハゼ	D	<i>Torticaecum</i>	<i>nipponicum</i>	larva	Aichi or Mie	Ise Bay	Pt.38	157	
Perciformes	Gobiidae	<i>Chloea</i>	<i>sarchynnus</i>	nikuhaze	ニクハゼ	D	<i>Lecithaster</i>	<i>salmonis</i>		Aichi	Tokoname	Pt.48	317	
Perciformes	Gobiidae	<i>Chloea</i>	<i>castanea</i>	biringo	ピリンゴ	N	<i>Raphidascaris</i>	<i>gigi</i>	larva	?	?	Pt.9	339	Host syn.: <i>Chaenogobius castanea</i>
Perciformes	Gobiidae	<i>Cryptocentrus</i>	<i>filifer</i>	itohikihaze	イトヒキハゼ	D	<i>Opegaster</i>	<i>cryptocentri</i>		?	Inland Sea	Pt.52	375	
Perciformes	Gobiidae	<i>Cryptocentrus</i>	<i>filifer</i>	itohikihaze	イトヒキハゼ	N	<i>Philometra</i>	<i>cryptocentri</i>		?	Inland Sea	Pt.57	226	
Perciformes	Gobiidae	<i>Gobius</i>	<i>similis</i>	yoshinobori	ヨシノボリ	C	<i>Nippotaenia</i>	<i>chaenogobii</i>		Nagano	Lake Suwa	Pt.28	285	
Perciformes	Gobiidae	<i>Gobius</i>	<i>similis</i>	yoshinobori	ヨシノボリ	D	" <i>Echinostomatid</i> "	<i>sp. (22 collar spines)</i>	metace rcaria	Kyoto	Katsura	Pt.38	133	
Perciformes	Gobiidae	<i>Gobius</i>	<i>similis</i>	yoshinobori	ヨシノボリ	D	" <i>Echinostomatid</i> "	<i>sp. (24 collar spines)</i>	metace rcaria	Kyoto	Katsura	Pt.38	133	
Perciformes	Gobiidae	<i>Gobius</i>	<i>similis</i>	yoshinobori	ヨシノボリ	D	<i>Coitocaecum</i>	<i>plagiorchis</i>		Kyoto	Shirakawa	Pt.39	351	
Perciformes	Gobiidae	<i>Gobius</i>	<i>similis</i>	yoshinobori	ヨシノボリ	D	<i>Genarchopsis</i>	<i>goppo</i>		Kyoto	Katsura	Pt.39	388	
Perciformes	Gobiidae	<i>Gobius</i>	<i>sp.</i>	haze- rui	ハゼの類	D	<i>Opegaster</i>	<i>gobii</i>		Overseas	Celebes	Cs.1	161	
Perciformes	Gobiidae	<i>Gobius</i>	<i>sp.</i>	haze- rui	ハゼの類	D	<i>Opegaster</i>	<i>longivesicula</i>		Overseas	Celebes	Cs.1	162	
Perciformes	Gobiidae	<i>Pterogobius</i>	<i>elapoides</i>	kinubari	キヌバリ	D	<i>Prosorhynchus (Skrjabiniella)</i>	<i>sp.</i>	metace rcaria	Tokushima	Tokushima	Pt.38	147	
Perciformes	Gobiidae	<i>Rhinogobius</i>	<i>similis</i>	yoshinobori	ヨシノボリ	N	<i>Camallanus</i>	<i>cotti</i>		?	?	Pt.33	377	
Perciformes	Gobiidae	<i>Rhinogobius</i>	<i>similis</i>	yoshinobori	ヨシノボリ	N	<i>Eustrongylides</i>	<i>sp.</i>	larva	?	?	Pt.33	345	
Perciformes	Gobiidae	<i>Rhinogobius</i>	<i>sp.</i>	haze- rui	ハゼの類	A	<i>Southwellina</i>	<i>hispidata</i>	larva	Aichi	Namerikawa	Pt.8	269	
Perciformes	Gobiidae	<i>Rhinogobius</i>	<i>sp.</i>	haze- rui	ハゼの類	D	<i>Prosorhynchus</i>	<i>aculeatus</i>	metace rcaria	Aichi or Mie	Ise Bay	Pt.2	277	
Perciformes	Gobiidae	<i>Taenioides</i>	<i>lacepedi</i>	haze- rui	ハゼの類	D	<i>Stephanochasmus</i>	<i>bicoronatus</i>	metace rcaria	Shizuoka	Maisaka	Pt.20	496	
Perciformes	Gobiidae	<i>Tridentiger</i>	<i>obscurus</i>	chichibu	チチブ	C	<i>Scolex</i>	<i>polymorphus -I</i>		Toyama	Toyama Bay	Pt.4	81	
Perciformes	Gobiidae	<i>Tridentiger</i>	<i>obscurus obscurus</i>	chichibu	チチブ	N	<i>Rhabdochona</i>	<i>tridentigeris</i>		Fukui	Obama	Pt.33	374	
Perciformes	Haemulidae	<i>Diagramma</i>	<i>sp.</i>	koshoudai- rui	コショウダイの類	C	<i>Gyrometra</i>	<i>albotaenia</i>		Overseas	Celebes	Cs.6	367	Host syn.: <i>Plectorhynchus sp.</i>
Perciformes	Haemulidae	<i>Diagramma</i>	<i>sp.</i>	koshoudai- rui	コショウダイの類	D	<i>Podocotyle</i>	<i>gracilis</i>		Overseas	Celebes	Cs.1	156	
Perciformes	Haemulidae	<i>Diagramma</i>	<i>sp.</i>	koshoudai- rui	コショウダイの類	D	<i>Lasiotocus</i>	<i>lethrini</i>		Overseas	Celebes	Cs.3	266	
Perciformes	Haemulidae	<i>Hapalogenys</i>	<i>mucronatus</i>	setodai	セトダイ	D	<i>Opegaster</i>	<i>tamori</i>		?	East China Sea	Pt.21	62	
Perciformes	Haemulidae	<i>Hapalogenys</i>	<i>nitens</i>	higesoridai	ヒゲソリヒゲダイ	M	<i>Axine</i>	<i>chinensis</i>		?	East China Sea	Pt.19	25	
Perciformes	Haemulidae	<i>Hapalogenys</i>	<i>sp.</i>	higedai- rui	ヒゲダイの類	D	<i>Pseudosiphoderoides</i>	<i>hapalogenyos</i>		?	Inland Sea	Pt.52	381	
Perciformes	Haemulidae	<i>Hapalogenys</i>	<i>sp.</i>	higedai- rui	ヒゲダイの類	N	<i>Contraecum</i>	<i>hapalogenyos</i>		?	Inland Sea	Pt.57	222	
Perciformes	Haemulidae	<i>Hapalogenys</i>	<i>sp.</i>	higedai- rui	ヒゲダイの類	N	<i>Contraecum</i>	<i>rectum</i>		?	Inland Sea	Pt.57	219	
Perciformes	Haemulidae	<i>Parapristipoma</i>	<i>trilineatum</i>	isaki	イサキ	A	<i>Longicollum</i>	<i>pagrosomi</i>	immature	? or Toyama	Toyama Bay or Inland Sea	Pt.8	257	
Perciformes	Haemulidae	<i>Parapristipoma</i>	<i>trilineatum</i>	isaki	イサキ	D	<i>Aephndiogenes</i>	<i>barbarus</i>		?	Inland Sea	Pt.2	341	
Perciformes	Haemulidae	<i>Parapristipoma</i>	<i>trilineatum</i>	isaki	イサキ	D	<i>Aephndiogenes</i>	<i>barbarus</i>		?	Inland Sea	Pt.26	217	

Host order	Host family	Host Genus	Host Species	Host Japanese Name	宿主名	Para site	Genus (subg.)	species	Stage	Prefecture	Locality	Ref.No.	Page	Remarks
Perciformes	Haemulidae	<i>Parapristipoma</i>	<i>trilineatum</i>	isaki	イサキ	D	<i>Aephnidiogenes</i>	<i>isagi</i>		?	Inland Sea	Pt.26	217	
Perciformes	Haemulidae	<i>Parapristipoma</i>	<i>trilineatum</i>	isaki	イサキ	D	<i>Bivesicula</i>	<i>claviformis</i>		Hyogo	Tarumi	Pt.2	390	
Perciformes	Haemulidae	<i>Parapristipoma</i>	<i>trilineatum</i>	isaki	イサキ	D	<i>Opecoelus</i>	<i>lobatus</i>		?	Inland Sea	Pt.2	345	
Perciformes	Haemulidae	<i>Parapristipoma</i>	<i>trilineatum</i>	isaki	イサキ	D	<i>Opegaster</i>	<i>parapristipomatis</i>		?	Inland Sea	Pt.2	353	
Perciformes	Haemulidae	<i>Parapristipoma</i>	<i>trilineatum</i>	isaki	イサキ	D	<i>Plagioporus (Paraplagioporus)</i>	<i>isagi</i>		?	Inland Sea	Pt.26	215	
Perciformes	Haemulidae	<i>Parapristipoma</i>	<i>trilineatum</i>	isaki	イサキ	N	<i>Anisakis</i>	<i>sp.</i>	larva	?	Pacific	Pt.9	338	syn.: <i>Anisakis salaris</i> (Gmelin, 1790)
Perciformes	Haemulidae	<i>Parapristipoma</i>	<i>trilineatum</i>	isaki	イサキ	N	<i>Contracaecum</i>	<i>sp. larva-I</i>	larva	?	Inland Sea	Pt.9	347	
Perciformes	Haemulidae	<i>Parapristipoma</i>	<i>trilineatum</i>	isaki	イサキ	N	<i>Sanguinifilaria</i>	<i>lateolabracis</i>		?	Pacific or Inland Sea	Pt.9	358	
Perciformes	Haemulidae	<i>Plectorhynchus</i>	<i>cinctus</i>	koshoudai	コショウダイ	C	<i>Scolex</i>	<i>polymorphus -III</i>		Toyama	Toyama Bay	Pt.4	81	
Perciformes	Haemulidae	<i>Plectorhynchus</i>	<i>cinctus</i>	koshoudai	コショウダイ	D	<i>Proctotrema</i>	<i>macroorchis</i>		Toyama	Toyama Bay	Pt.2	385	
Perciformes	Haemulidae	<i>Plectorhynchus</i>	<i>pictus</i>	korodai	コロダイ	D	<i>Aephnidiogenes</i>	<i>major</i>		Hyogo	Tarumi	Pt.2	342	
Perciformes	Haemulidae	<i>Plectorhynchus</i>	<i>pictus</i>	korodai	コロダイ	D	<i>Choanostoma</i>	<i>plectorhynchi</i>		?	Inland Sea	Pt.2	314	
Perciformes	Haemulidae	<i>Plectorhynchus</i>	<i>pictus</i>	korodai	コロダイ	D	<i>Helicometroides</i>	<i>longicollis</i>		Hyogo	Tarumi	Pt.2	302	
Perciformes	Haemulidae	<i>Plectorhynchus</i>	<i>pictus</i>	korodai	コロダイ	D	<i>Podocotyloides</i>	<i>petalophallus</i>		Hyogo	Tarumi	Pt.2	295	
Perciformes	Haemulidae	<i>Plectorhynchus</i>	<i>pictus</i>	korodai	コロダイ	D	<i>Praproctotrema</i>	<i>fusiforme</i>		Hyogo	Tarumi	Pt.2	387	
Perciformes	Haemulidae	<i>Plectorhynchus</i>	<i>pictus</i>	korodai	コロダイ	D	<i>Proctotrema</i>	<i>plectorhynchi</i>		?	Inland Sea	Pt.2	383	
Perciformes	Haemulidae	<i>Plectorhynchus</i>	<i>pictus</i>	korodai	コロダイ	M	<i>Encotyllabe</i>	<i>spari</i>		?	Inland Sea	Pt.2	265	
Perciformes	Haemulidae	<i>Pristipoma</i>	<i>trilineatum</i>	isaki	イサキ	D	<i>Nematobothrium</i>	<i>pristipomatis</i>		?	Inland Sea	Pt.2	521	syn.: <i>Gonapodasmius pristipomatis</i> (Yam., 1934)
Perciformes	Istiophoridae	<i>Histiophorus</i>	<i>orientalis</i>	bashokajiki	バショウカジキ	C	<i>Bothriocephalus</i>	<i>manubriformis</i>		Toyama	Toyama Bay	Pt.4	12	Host syn.: <i>Istiophorus orientalis</i>
Perciformes	Istiophoridae	<i>Histiophorus</i>	<i>orientalis</i>	bashokajiki	バショウカジキ	C	<i>Echeneibothrium</i>	<i>sp. larva-VI</i>	larva	Toyama	Toyama Bay	Pt.4	81	
Perciformes	Istiophoridae	<i>Histiophorus</i>	<i>orientalis</i>	bashokajiki	バショウカジキ	N	<i>Contracaecum</i>	<i>histiophori</i>		Toyama	Toyama Bay	Pt.9	342	
Perciformes	Istiophoridae	<i>Istiophorus</i>	<i>orientalis</i>	bashokajiki	バショウカジキ	D	<i>Parahemius</i>	<i>sardiniae</i>		Toyama	Toyama Bay	Pt.2	434	Host syn.: <i>Histiophorus orientalis</i>
Perciformes	Istiophoridae	<i>Tetrapturus</i>	<i>mitsukurii</i>	makajiki	マカジキ	D	<i>Glomeritrema</i>	<i>subcuticola</i>		Okinawa	Naha	Pt.39	394	Host syn.: <i>Makaira mitsukurii</i>
Perciformes	Labridae	<i>Cheilinus</i>	<i>unifasciatus</i>	hitosujimochin ouo	ヒトスジモチノウオ	D	<i>Opegaster</i>	<i>plotosi</i>		Okinawa	Naha	Pt.39	345	Host syn.: <i>Cheilinus rhodochrous</i>
Perciformes	Labridae	<i>Choerodon</i>	<i>azurio</i>	ira	イラ	D	<i>Lebouria</i>	<i>choerodonis</i>		Hyogo	Tarumi	Pt.2	284	syn.: <i>Plagioporus chorondonis</i> (Yam, 1934)
Perciformes	Labridae	<i>Choerodon</i>	<i>azurio</i>	ira	イラ	D	<i>Plagioporus</i>	<i>choerodontis</i>		Mie	Hamajima	Pt.31	61	syn.: <i>Lebouria chorondonis</i> Yam, 1934
Perciformes	Labridae	<i>Choerodon</i>	<i>azurio</i>	ira	イラ	D	<i>Plagioporus</i>	<i>ira</i>		Mie	Hamajima	Pt.31	60	
Perciformes	Labridae	<i>Choerodon</i>	<i>azurio</i>	ira	イラ	D	<i>Plagioporus (Caudotestis)</i>	<i>azurionis</i>		Mie	Hamajima	Pt.44	252	
Perciformes	Labridae	<i>Duymaeria</i>	<i>flagellifera</i>	ohagurobera	オハグロベラ	D	<i>Lecithaster</i>	<i>stellatus</i>		?	?	Pt.31	97	
Perciformes	Labridae	<i>Duymaeria</i>	<i>flagellifera</i>	ohagurobera	オハグロベラ	D	<i>Proctoeces</i>	<i>maculatus</i>		Mie	Hamajima	Pt.31	87	
Perciformes	Labridae	<i>Halichoeres</i>	<i>poecilopterus</i>	kyusen	キュウセン	A	<i>Longicollum</i>	<i>pagrosomi</i>	immature	? or Toyama	Inland Sea or Toyama Bay	Pt.8	257	
Perciformes	Labridae	<i>Halichoeres</i>	<i>poecilopterus</i>	kyusen	キュウセン	C	<i>Scolex</i>	<i>polymorphus -I</i>		?	Inland Sea	Pt.4	80	
Perciformes	Labridae	<i>Halichoeres</i>	<i>poecilopterus</i>	kyusen	キュウセン	D	<i>Decemtestis</i>	<i>bera</i>		?	Inland Sea	Pt.21	26	
Perciformes	Labridae	<i>Halichoeres</i>	<i>poecilopterus</i>	kyusen	キュウセン	D	<i>Lecithaster</i>	<i>stellatus</i>		?	Inland Sea	Pt.2	484	
Perciformes	Labridae	<i>Halichoeres</i>	<i>poecilopterus</i>	kyusen	キュウセン	D	<i>Plagioporus</i>	<i>ira</i>		Mie	Hamajima	Pt.31	60	
Perciformes	Labridae	<i>Halichognathus</i>	<i>fasciata</i>	kyusen	キュウセン	D	<i>Plagioporus (Plagioporus)</i>	<i>kyusen</i>		Aichi	Shinmaiko Aquarium	Pt.54	248	
Perciformes	Labridae	<i>Iniistius</i>	<i>dea</i>	tensu	テンス	M	<i>Cyclobothrium</i>	<i>iniistii</i>		?	Inland Sea	Pt.19	18	

Host order	Host family	Host Genus	Host Species	Host Japanese Name	宿主名	Para site	Genus (subg.)	species	Stage	Prefecture	Locality	Ref.No.	Page	Remarks
Perciformes	Labridae	<i>Pseudolabrus</i>	<i>japonicus</i>	sasanohabera	ササノハベラ	D	<i>Opegaster</i>	<i>plotosi</i>		Okinawa	Naha	Pt.39	345	
Perciformes	Labridae	<i>Semicossyphus</i>	<i>reticulatus</i>	kobudai	コブダイ	D	<i>Labriifer</i>	<i>semicossyphi</i>		?	Inland Sea	Pt.16	3	
Perciformes	Labridae	<i>Semicossyphus</i>	<i>reticulatus</i>	kobudai	コブダイ	D	<i>Proctoeces</i>	<i>maculatus</i>		Hyogo	Tarumi	Pt.21	102	
Perciformes	Labridae	<i>Semicossyphus</i>	<i>reticulatus</i>	kobudai	コブダイ	M	<i>Cyclobothrium</i>	<i>semicossyphi</i>		?	Inland Sea	Pt.24	28	
Perciformes	Labridae	<i>Semicossyphus</i>	<i>reticulatus</i>	kobudai	コブダイ	M	<i>Cyclobothrium</i>	<i>semicossyphi</i>		?	Inland Sea	Pt.53	78	
Perciformes	Labridae	<i>Semicossyphus</i>	<i>reticulatus</i>	kobudai	コブダイ	M	<i>Cyclobothrium</i>	<i>sessilis</i>		Hyogo	Tarumi	Pt.24	28	
Perciformes	Labridae	<i>Thalassoma</i>	<i>hardwickei</i>	senasujibera	セナスジベラ	D	<i>Deretrema</i>	<i>nahaense</i>		Okinawa	Naha	Pt.39	366	
Perciformes	Labridae	<i>Thalassoma</i>	<i>purpureum</i>	bera-ru	ベラの類	D	<i>Caudotestis</i>	<i>thalassomatis</i>		Okinawa	Naha	Pt.39	334	
Perciformes	Labridae	<i>Thalassoma</i>	<i>purpureum</i>	bera-ru	ベラの類	D	<i>Helicometra</i>	<i>epinepheli</i>		Okinawa	Naha	Pt.39	338	
Perciformes	Leiognathidae	<i>Leiognathus</i>	<i>argentea</i>	seitakahiiragi	セイトカヒイラギ	D	<i>Lecithaster</i>	<i>salmonis</i>		Mie	Hamajima	Pt.31	97	Host syn.: <i>Leiognathus equulus</i>
Perciformes	Leiognathidae	<i>Leiognathus</i>	<i>argentea</i>	seitakahiiragi	セイトカヒイラギ	D	<i>Lecithaster</i>	<i>salmonis</i>		Aichi	Tokoname	Pt.48	317	Host syn.: <i>Leiognathus equulus</i>
Perciformes	Leiognathidae	<i>Leiognathus</i>	<i>argentea</i>	seitakahiiragi	セイトカヒイラギ	D	<i>Notoporus</i>	<i>leiognathi</i>		Shizuoka; Kochi	Lake Hamana; Muroto Bay	Pt.21	52	Host syn.: <i>Leiognathus equulus</i>
Perciformes	Leiognathidae	<i>Leiognathus</i>	<i>argentea</i>	seitakahiiragi	セイトカヒイラギ	D	<i>Torticaecum</i>	<i>nipponicum</i>	larva	Shizuoka	Lake Hamana	Pt.38	157	Host syn.: <i>Leiognathus equulus</i>
Perciformes	Leiognathidae	<i>Leiognathus</i>	<i>dussumieri</i>	hiiragi-ru	ヒイラギの類	D	<i>Magnacetabulum</i>	<i>leiognathi</i>		Overseas	Celebes	Cs.3	285	
Perciformes	Leiognathidae	<i>Leiognathus</i>	<i>dussumieri</i>	hiiragi-ru	ヒイラギの類	N	<i>Anisakis</i>	<i>sp.</i>		Overseas	Celebes	Cs.9	130	
Perciformes	Leiognathidae	<i>Leiognathus</i>	<i>rivulate</i>	okihiragi	オキヒイラギ	D	<i>Tormopsolus</i>	<i>sp.</i>	metace-rcaria	Kochi	Kochi	Pt.20	498	
Perciformes	Lethrinidae	<i>Gymnocranius</i>	<i>griseus</i>	meichidai	メイチダイ	A	<i>Longicollum</i>	<i>pagrosomi</i>	immature	? or Toyama	Inland Sea or Toyama Bay	Pt.8	257	
Perciformes	Lethrinidae	<i>Gymnocranius</i>	<i>griseus</i>	meichidai	メイチダイ	N	<i>Rhabdochona</i>	<i>gymnocranii</i>		?	Inland Sea	Pt.9	373	
Perciformes	Lethrinidae	<i>Lethrinus</i>	<i>haematopterus</i>	fuefukidai	フエフキダイ	D	<i>Diphtherostomum</i>	<i>brusinae</i>		?	Inland Sea	Pt.2	400	
Perciformes	Lethrinidae	<i>Lethrinus</i>	<i>haematopterus</i>	fuefukidai	フエフキダイ	D	<i>Eurycreadium</i>	<i>lethrini</i>		Okinawa	Naha	Pt.39	343	syn.: <i>Rhodotrema lethrini</i> Yam., 1938
Perciformes	Lethrinidae	<i>Lethrinus</i>	<i>haematopterus</i>	fuefukidai	フエフキダイ	D	<i>Gotonius</i>	<i>facilis</i>		?	Inland Sea	Pt.2	278	
Perciformes	Lethrinidae	<i>Lethrinus</i>	<i>haematopterus</i>	fuefukidai	フエフキダイ	D	<i>Hamacreadium</i>	<i>epinepheli</i>		Wakayama	Pacific coast	Pt.2	305	
Perciformes	Lethrinidae	<i>Lethrinus</i>	<i>haematopterus</i>	fuefukidai	フエフキダイ	D	<i>Hamacreadium</i>	<i>lethrini</i>		Wakayama	Pacific coast	Pt.2	308	
Perciformes	Lethrinidae	<i>Lethrinus</i>	<i>haematopterus</i>	fuefukidai	フエフキダイ	D	<i>Pedunculacetabulum</i>	<i>opisthorchis</i>		?	Pacific coast	Pt.2	336	
Perciformes	Lethrinidae	<i>Lethrinus</i>	<i>haematopterus</i>	fuefukidai	フエフキダイ	D	<i>Plagioporus</i>	<i>japonicus</i>		Okinawa	Naha	Pt.39	335	
Perciformes	Lethrinidae	<i>Lethrinus</i>	<i>haematopterus</i>	fuefukidai	フエフキダイ	D	<i>Podocotyle</i>	<i>lethrini</i>		Hyogo	Tarumi	Pt.39	341	
Perciformes	Lethrinidae	<i>Lethrinus</i>	<i>haematopterus</i>	fuefukidai	フエフキダイ	D	<i>Podocotyle</i>	<i>tamame</i>		Okinawa	Naha	Pt.39	340	
Perciformes	Lethrinidae	<i>Lethrinus</i>	<i>haematopterus</i>	fuefukidai	フエフキダイ	D	<i>Pseudoplagioporus</i>	<i>lethrini</i>		Wakayama	Pacific coast	Pt.21	25	
Perciformes	Lethrinidae	<i>Lethrinus</i>	<i>haematopterus</i>	fuefukidai	フエフキダイ	D	<i>Pseudoplagioporus</i>	<i>lethrini</i>		Okinawa	Naha	Pt.39	337	
Perciformes	Lethrinidae	<i>Lethrinus</i>	<i>haematopterus</i>	fuefukidai	フエフキダイ	D	<i>Pseudoplagioporus</i>	<i>microrchis</i>		Okinawa	Naha	Pt.39	336	
Perciformes	Lethrinidae	<i>Lethrinus</i>	<i>haematopterus</i>	fuefukidai	フエフキダイ	D	<i>Rhodotrema</i>	<i>lethrini</i>		Hyogo	Tarumi	Pt.21	98	syn.: <i>Eurycreadium lethrini</i> (Yam., 1938)
Perciformes	Lethrinidae	<i>Lethrinus</i>	<i>haematopterus</i>	fuefukidai	フエフキダイ	M	<i>Ancyrocephalus</i>	<i>lethrini</i>		Hyogo	Tarumi	Pt.19	3	
Perciformes	Lethrinidae	<i>Lethrinus</i>	<i>sp.</i>	fuefukidai-ru	フエフキダイの類	D	<i>Lasiotocus</i>	<i>lethrini</i>		Overseas	Celebes	Cs.3	266	
Perciformes	Lethrinidae	<i>Lethrinus</i>	<i>sp.</i>	fuefukidai-ru	フエフキダイの類	D	<i>Plagioporus (P.)</i>	<i>longivesicula</i>		Overseas	Celebes	Cs.1	153	
Perciformes	Lethrinidae	<i>Lethrinus</i>	<i>sp.</i>	fuefukidai-ru	フエフキダイの類	D	<i>Plagioporus (P.)</i>	<i>macassarensis</i>		Overseas	Celebes	Cs.1	152	
Perciformes	Lethrinidae	<i>Lethrinus</i>	<i>sp.</i>	fuefukidai-ru	フエフキダイの類	D	<i>Podocotyle</i>	<i>gracilis</i>		Overseas	Celebes	Cs.1	156	
Perciformes	Lethrinidae	<i>Lethrinus</i>	<i>sp.</i>	fuefukidai-ru	フエフキダイの類	D	<i>Pseudolepidapedon</i>	<i>lethrini</i>		Overseas	Celebes	Cs.1	160	

Host order	Host family	Host Genus	Host Species	Host Japanese Name	宿主名	Para site	Genus (subg.)	species	Stage	Prefecture	Locality	Ref.No.	Page	Remarks
Perciformes	Lethrinidae	<i>Lethrinus</i>	sp.	fuefukidai - rui	フエフキダイの類	M	<i>Lamellodiscus</i>	<i>difficilis</i>		Overseas	Celebes	Cs.2	233	
Perciformes	Lethrinidae	<i>Lethrinus</i>	sp.	fuefukidai - rui	フエフキダイの類	M	<i>Lamellodiscus</i>	<i>duplicostatus</i>		Overseas	Celebes	Cs.2	234	
Perciformes	Lethrinidae	<i>Lethrinus</i>	sp.	fuefukidai - rui	フエフキダイの類	N	<i>Porrocaecum</i>	<i>sp.</i>	larva	Overseas	Celebes	Cs.9	132	
Perciformes	Lobotidae	<i>Lobotes</i>	<i>sp.</i>	matsudai	マツダイの類	D	<i>Hysterolecitha</i>	<i>nahaensis</i>		Overseas	Celebes	Cs.3	286	
Perciformes	Lobotidae	<i>Lobotes</i>	<i>sp.</i>	matsudai	マツダイの類	D	<i>Lecithaster</i>	<i>stellatus</i>		Overseas	Celebes	Cs.3	288	
Perciformes	Lutjanidae	<i>Aphareus</i>	<i>furcatus</i>	ishifuedai	イシフエダイ	D	<i>Siphoderina</i>	<i>apharei</i>		Okinawa	Naha	Pt.39	374	
Perciformes	Lutjanidae	<i>Aphareus</i>	<i>furcatus</i>	ishifuedai	イシフエダイ	N	<i>Neocucullanelus</i>	<i>apharei</i>		Okinawa	Naha	Pt.33	389	
Perciformes	Lutjanidae	<i>Lutianus</i>	sp.	fuedai - rui	フエダイの類	D	<i>Paracryptogonimus</i>	<i>acanthostomus</i>		Overseas	Celebes	Cs.3	268	
Perciformes	Lutjanidae	<i>Lutianus</i>	sp.	fuedai - rui	フエダイの類	M	<i>Haliotrema</i>	<i>lutiani</i>		Overseas	Celebes	Cs.2	211	
Perciformes	Lutjanidae	<i>Lutianus</i>	sp.	fuedai - rui	フエダイの類	N	<i>Porrocaecum</i>	<i>sp.</i>	larva	Overseas	Celebes	Cs.9	132	
Perciformes	Lutjanidae	<i>Lutianus</i>	<i>vaigiensis</i>	okifuedai	オキフエダイ	D	<i>Siphoderina</i>	<i>lutiani</i>		Okinawa	Naha	Pt.39	375	
Perciformes	Lutjanidae	<i>Lutianus</i>	<i>vitta</i>	yokosujifuedai	ヨコスジフエダイ	D	<i>Paracryptogonimus</i>	<i>acanthostomus</i>		Wakayama	Pacific coast	Pt.2	363	
Perciformes	Moronidae	<i>Lateolabrax</i>	<i>japonicus</i>	suzuki	スズキ	A	<i>Metarhadinorhynchus</i>	<i>lateolabracis</i>		?	Inland Sea	Pt.55	322	
Perciformes	Moronidae	<i>Lateolabrax</i>	<i>japonicus</i>	suzuki	スズキ	C	<i>Bothriocephalus</i>	<i>lateolabracis</i>		Mie	?	Pt.49	4	
Perciformes	Moronidae	<i>Lateolabrax</i>	<i>japonicus</i>	suzuki	スズキ	D	<i>Biovarium</i>	<i>cryptocotyle</i>		Aichi	Tokoname	Pt.2	361	
Perciformes	Moronidae	<i>Lateolabrax</i>	<i>japonicus</i>	suzuki	スズキ	D	<i>Biovarium</i>	<i>lateolabracis</i>		?	Inland Sea	Pt.52	376	
Perciformes	Moronidae	<i>Lateolabrax</i>	<i>japonicus</i>	suzuki	スズキ	D	<i>Diplopharyngotrema</i>	<i>lateolabracis</i>		?	Inland Sea	Pt.52	379	
Perciformes	Moronidae	<i>Lateolabrax</i>	<i>japonicus</i>	suzuki	スズキ	D	<i>Opecoelus</i>	<i>lateolabracis</i>		?	Inland Sea	Pt.52	372	
Perciformes	Moronidae	<i>Lateolabrax</i>	<i>japonicus</i>	suzuki	スズキ	M	<i>Dactylogyrus</i>	<i>inversus</i>		Hyogo	Tarumi	Pt.24	16	
Perciformes	Moronidae	<i>Lateolabrax</i>	<i>japonicus</i>	suzuki	スズキ	M	<i>Genitocoenteron</i>	<i>lateolabracis</i>		?	Inland Sea	Pt.53	66	
Perciformes	Moronidae	<i>Lateolabrax</i>	<i>japonicus</i>	suzuki	スズキ	M	<i>Microncotrema</i>	<i>lateolabracis</i>		?	Inland Sea	Pt.53	62	
Perciformes	Moronidae	<i>Lateolabrax</i>	<i>japonicus</i>	suzuki	スズキ	N	<i>Anisakis</i>	<i>sp.</i>	larva	?	Inland Sea	Pt.9	338	syn.: <i>Anisakis salaris</i> (Gmelin, 1790)
Perciformes	Moronidae	<i>Lateolabrax</i>	<i>japonicus</i>	suzuki	スズキ	N	<i>Sanguinifilaria</i>	<i>lateolabracis</i>		?	Pacific or Inland Sea	Pt.9	358	
Perciformes	Mullidae	<i>Parupeneus</i>	<i>chryserydros</i>	ougonhimeji	オウゴンヒメジ	D	<i>Opecoeloides</i>	<i>furcatus</i>		Okinawa	Naha	Pt.39	348	
Perciformes	Mullidae	<i>Parupeneus</i>	<i>chryserydros</i>	ougonhimeji	オウゴンヒメジ	D	<i>Pseudoproctotrema</i>	<i>parupenei</i>		Okinawa	Naha	Pt.39	371	
Perciformes	Mullidae	<i>Parupeneus</i>	<i>chryserydros</i>	ougonhimeji	オウゴンヒメジ	M	<i>Haliotrema</i>	<i>alatum</i>		Okinawa	Naha	Pt.37	115	
Perciformes	Mullidae	<i>Parupeneus</i>	<i>chryserydros</i>	ougonhimeji	オウゴンヒメジ	M	<i>Haliotrema</i>	<i>recurvatum</i>		Okinawa	Naha	Pt.37	119	
Perciformes	Mullidae	<i>Parupeneus</i>	<i>multifasciatus</i>	umihigo - rui	ウミヒゴイの類	D	<i>Bucephalopsis</i>	<i>sp.</i>	metace-rcaria	Okinawa	Naha	Pt.38	148	
Perciformes	Mullidae	<i>Parupeneus</i>	<i>multifasciatus</i>	umihigo - rui	ウミヒゴイの類	D	<i>Echinostephanus</i>	<i>sp. (50 circumoral spines)</i>	metace-rcaria	Okinawa	Naha	Pt.38	146	
Perciformes	Mullidae	<i>Parupeneus</i>	<i>multifasciatus</i>	umihigo - rui	ウミヒゴイの類	D	<i>Novemtestis</i>	<i>aramatus</i>	metace-rcaria	Okinawa	Naha	Pt.38	139	
Perciformes	Mullidae	<i>Parupeneus</i>	<i>multifasciatus</i>	umihigo - rui	ウミヒゴイの類	D	<i>Scaphanocephalus</i>	<i>sp.</i>	metace-rcaria	Okinawa	Naha	Pt.38	135	
Perciformes	Mullidae	<i>Parupeneus</i>	<i>multifasciatus</i>	umihigo - rui	ウミヒゴイの類	M	<i>Haliotrema</i>	<i>alatum</i>		Okinawa	Naha	Pt.37	115	
Perciformes	Mullidae	<i>Pseudupeneus</i>	<i>chrysopleuron</i>	umihigo?	ウミヒゴイ?	M	<i>Haliotrema</i>	<i>japonense</i>		?	Inland Sea	Pt.2	254	Host syn.: <i>Parupeneus chrysopleuron</i>
Perciformes	Mullidae	<i>Upeneoides</i>	<i>bensasi</i>	himeji	ヒメジ	C	<i>Scolex</i>	<i>polymorphus -1</i>		Toyama	Toyama Bay	Pt.4	80	Host syn.: <i>Upeneus bensasi</i>
Perciformes	Mullidae	<i>Upeneoides</i>	<i>bensasi</i>	himeji	ヒメジ	D	<i>Lasiotocus</i>	<i>himezi</i>		Wakayama	Taiji	Pt.44	274	Host syn.: <i>Upeneus bensasi</i>
Perciformes	Mullidae	<i>Upeneoides</i>	<i>bensasi</i>	himeji	ヒメジ	D	<i>Opecoelus</i>	<i>elongatus</i>		?	Inland Sea	Pt.2	345	Host syn.: <i>Upeneus bensasi</i>
Perciformes	Mullidae	<i>Upeneoides</i>	<i>bensasi</i>	himeji	ヒメジ	D	<i>Opecoelus</i>	<i>himezi</i>		Wakayama	Taiji	Pt.44	261	Host syn.: <i>Upeneus bensasi</i>

Host order	Host family	Host Genus	Host Species	Host Japanese Name	宿主名	Para site	Genus (subg.)	species	Stage	Prefecture	Locality	Ref.No.	Page	Remarks
Perciformes	Mullidae	<i>Upeneoides</i>	<i>bensasi</i>	himeji	ヒメジ	D	<i>Parahemiurus</i>	<i>sp.</i>	larva	?	?	Pt.2	439	Host syn.: <i>Upeneus bensasi</i>
Perciformes	Mullidae	<i>Upeneoides</i>	<i>bensasi</i>	himeji	ヒメジ	M	<i>Haliotrema</i>	<i>spirophallus</i>		Nagasaki	Nagasaki	Pt.19	10	Host syn.: <i>Upeneus bensasi</i>
Perciformes	Mullidae	<i>Upeneoides</i>	<i>bensasi</i>	himeji	ヒメジ	N	<i>Cucullanus</i>	<i>himezi</i>		Okinawa	Naha	Pt.33	381	Host syn.: <i>Upeneus bensasi</i>
Perciformes	Mullidae	<i>Upeneus</i>	<i>chrysopleuron</i>	umihigo	ウミヒゴイ	N	<i>Contraecum</i>	<i>sp. larva-III</i>	larva	?	?	Pt.33	370	
Perciformes	Mullidae	<i>Upeneus</i>	<i>sp.</i>	himeji-rui	ヒメジの類	M	<i>Haliotrema</i>	<i>upenei</i>		Overseas	Celebes	Cs.2	214	
Perciformes	Nemipteridae	<i>Synagris</i>	<i>sp.</i>	itoyori-rui	イトヨリの類	A	<i>Rhadnorhynchus</i>	<i>celebesensis</i>		Overseas	Celebes	Cs.8	408	Host syn.: <i>Nemipterus sp.</i>
Perciformes	Nemipteridae	<i>Synagris</i>	<i>sp.</i>	itoyori-rui	イトヨリの類	D	<i>Plagioporus (Caudotestis)</i>	<i>synagris</i>		Overseas	Celebes	Cs.1	155	Host syn.: <i>Nemipterus sp.</i>
Perciformes	Nemipteridae	<i>Synagris</i>	<i>sp.</i>	itoyori-rui	イトヨリの類	M	<i>Benedenia</i>	<i>synagris</i>		Overseas	Celebes	Cs.2	237	Host syn.: <i>Nemipterus sp.</i>
Perciformes	Nemipteridae	<i>Synagris</i>	<i>taeniopterus</i>	nijiitoyori	ニジイトヨリ	D	<i>Apocreadium</i>	<i>synagris</i>		Overseas	Celebes	Cs.3	263	Host syn.: <i>Nemipterus taeniopterus</i>
Perciformes	Nemipteridae	<i>Synagris</i>	<i>taeniopterus</i>	nijiitoyori	ニジイトヨリ	D	<i>Aponurus</i>	<i>synagris</i>		Overseas	Celebes	Cs.3	274	Host syn.: <i>Nemipterus taeniopterus</i>
Perciformes	Nemipteridae	<i>Synagris</i>	<i>taeniopterus</i>	nijiitoyori	ニジイトヨリ	M	<i>Lamellodiscus</i>	<i>flexuosus</i>		Overseas	Celebes	Cs.2	230	Host syn.: <i>Nemipterus taeniopterus</i>
Perciformes	Nemipteridae	<i>Synagris</i>	<i>taeniopterus</i>	nijiitoyori	ニジイトヨリ	M	<i>Lamellodiscus</i>	<i>convolutus</i>		Overseas	Celebes	Cs.2	231	Host syn.: <i>Nemipterus taeniopterus</i>
Perciformes	Nemipteridae	<i>Synagris</i>	<i>taeniopterus</i>	nijiitoyori	ニジイトヨリ	N	<i>Contraecum</i>	<i>sp.</i>	larva	Overseas	Celebes	Cs.9	131	Host syn.: <i>Nemipterus taeniopterus</i>
Perciformes	Odontobutid ae	<i>Mogurnda</i>	<i>obscura</i>	dojou	ドンコ	A	<i>Acanthocephalus</i>	<i>gotoi</i>		Kyoto	Lake Ogura	Pt.8	252	
Perciformes	Odontobutid ae	<i>Mogurnda</i>	<i>obscura</i>	dojou	ドンコ	A	<i>Acanthocephalus</i>	<i>minor</i>		Fukui	Obama	Pt.29	322	
Perciformes	Odontobutid ae	<i>Mogurnda</i>	<i>obscura</i>	dojou	ドンコ	A	<i>Southwellina</i>	<i>hispida</i>	immature	Fukui	Obama	Pt.29	336	
Perciformes	Odontobutid ae	<i>Mogurnda</i>	<i>obscura</i>	dojou	ドンコ	C	<i>Nippotaenia</i>	<i>chaenogobii</i>		Nagano	Lake Suwa	Pt.28	285	
Perciformes	Odontobutid ae	<i>Mogurnda</i>	<i>obscura</i>	dojou	ドンコ	C	<i>Nippotaenia</i>	<i>mogurndae</i>		Hyogo	Nishinomiya	Mis.63	213	
Perciformes	Odontobutid ae	<i>Mogurnda</i>	<i>obscura</i>	dojou	ドンコ	C	<i>Proteocephalus</i>	<i>parasiluri</i>	plerocercoid	Kyoto	Lake Ogura	Pt.4	44	
Perciformes	Odontobutid ae	<i>Mogurnda</i>	<i>obscura</i>	dojou	ドンコ	D	<i>Apatemon</i>	<i>pellucidus</i>	Tetracotyle	?	?	Pt.1	12	
Perciformes	Odontobutid ae	<i>Mogurnda</i>	<i>obscura</i>	dojou	ドンコ	D	<i>Asymphylogora</i>	<i>macrostoma</i>		Kyoto	Lake Ogura	Pt.2	393	
Perciformes	Odontobutid ae	<i>Mogurnda</i>	<i>obscura</i>	dojou	ドンコ	D	<i>Coitocaecum</i>	<i>plagiporchis</i>		Kyoto	Lake Ogura	Pt.2	359	
Perciformes	Odontobutid ae	<i>Mogurnda</i>	<i>obscura</i>	dojou	ドンコ	D	<i>Genarchopsis</i>	<i>goppo</i>		Kyoto	Lake Ogura	Pt.2	500	
Perciformes	Odontobutid ae	<i>Mogurnda</i>	<i>obscura</i>	dojou	ドンコ	D	<i>Phyllodistomum</i>	<i>mogurndae</i>		Kyoto	Lake Ogura	Pt.2	425	
Perciformes	Odontobutid ae	<i>Mogurnda</i>	<i>obscura</i>	dojou	ドンコ	D	<i>Pseudexorchis</i>	<i>major</i>	metacercaria			Pt.21	67	
Perciformes	Odontobutid ae	<i>Mogurnda</i>	<i>obscura</i>	dojou	ドンコ	M	<i>Haliotrema</i>	<i>mogurndae</i>		Kyoto	Kyoto	Pt.31	41	
Perciformes	Odontobutid ae	<i>Mogurnda</i>	<i>obscura</i>	dojou	ドンコ	N	<i>Camallanus</i>	<i>cotti</i>		?	?	Pt.9	377	

Host order	Host family	Host Genus	Host Species	Host Japanese Name	宿主名	Para site	Genus (subg.)	species	Stage	Prefecture	Locality	Ref.No.	Page	Remarks
Perciformes	Odontobutid ae	<i>Mogurnda</i>	<i>obscura</i>	dojou	ドンコ	N	<i>Capillaria</i>	<i>mogurndae</i>		Kyoto	Lake Ogura	Pt.33	344	
Perciformes	Odontobutid ae	<i>Mogurnda</i>	<i>obscura</i>	dojou	ドンコ	N	<i>Hedruris</i>	<i>bryttosi</i>		Fukui	Obama	Pt.33	376	
Perciformes	Odontobutid ae	<i>Mogurnda</i>	<i>obscura</i>	dojou	ドンコ	N	<i>Philometra</i>	<i>parasiluri</i>		Kyoto	Lake Ogura	Pt.9	352	
Perciformes	Odontobutid ae	<i>Mogurnda</i>	<i>obscura</i>	dojou	ドンコ	N	<i>Rhabdochona</i>	<i>amago</i>		Fukui	Obama	Pt.33	373	
Perciformes	Odontobutid ae	<i>Mogurnda</i>	<i>obscura</i>	dojou	ドンコ	N	<i>Spinitectus</i>	<i>mogurndae</i>		Kyoto	Lake Ogura	Pt.9	376	
Perciformes	Oplegnathidae	<i>Hoplognathus</i>	<i>fasciata</i>	ishidai	インダイ	A	<i>Longicollum</i>	<i>pagrosomi</i>	immature	? or Toyama	Inland Sea or Toyama Bay	Pt.8	257	Host syn.: <i>Oplegnathus fasciatus</i>
Perciformes	Oplegnathidae	<i>Hoplognathus</i>	<i>fasciata</i>	ishidai	インダイ	D	<i>Pedunculacetabulum</i>	<i>opisthorchis</i>		Kanagawa	Sagami Bay	Pt.54	247	Host syn.: <i>Oplegnathus fasciatus</i>
Perciformes	Oplegnathidae	<i>Hoplognathus</i>	<i>fasciata</i>	ishidai	インダイ	M	<i>Metabenedeniella</i>	<i>hoplognathi</i>		Hyogo	Suma Aquarium	Pt.53	56	Host syn.: <i>Oplegnathus fasciatus</i>
Perciformes	Oplegnathidae	<i>Hoplognathus</i>	<i>fasciatus</i>	ishidai	インダイ	D	<i>Benthotrema</i>	<i>hoplognathi</i>		Nagasaki	Nagasaki	Pt.21	101	Host syn.: <i>Oplegnathus fasciatus</i>
Perciformes	Oplegnathidae	<i>Hoplognathus</i>	<i>fasciatus</i>	ishidai	インダイ	D	<i>Deretrema</i>	<i>hoplognathi</i>		Mie	Hamajima	Pt.31	86	Host syn.: <i>Oplegnathus fasciatus</i>
Perciformes	Oplegnathidae	<i>Hoplognathus</i>	<i>fasciatus</i>	ishidai	インダイ	D	<i>Lepidapedon</i>	<i>hoplognathi</i>		Mie	Hamajima	Pt.31	68	Host syn.: <i>Oplegnathus fasciatus</i>
Perciformes	Oplegnathidae	<i>Hoplognathus</i>	<i>fasciatus</i>	ishidai	インダイ	D	<i>Pedunculacetabulum</i>	<i>opisthorchis</i>		Mie	Hamajima	Pt.31	71	Host syn.: <i>Oplegnathus fasciatus</i>
Perciformes	Oplegnathidae	<i>Hoplognathus</i>	<i>punctatus</i>	ishigakidai	インガキダイ	D	<i>Lepidapedon</i>	<i>hoplognathi</i>		Shizuoka	Suruga Bay	Pt.21	41	Host syn.: <i>Oplegnathus punctatus</i>
Perciformes	Oplegnathidae	<i>Hoplognathus</i>	<i>punctatus</i>	ishigakidai	インガキダイ	D	<i>Pseudosteringopholus</i>	<i>hoplognathi</i>		Mie	Hamajima	Pt.31	88	Host syn.: <i>Oplegnathus punctatus</i>
Perciformes	Oplegnathidae	<i>Hoplognathus</i>	<i>punctatus</i>	ishigakidai	インガキダイ	M	<i>Epibdella (Benedenia)</i>	<i>hoplognathi</i>		Tokushima	Tokushima	Pt.37	121	Host syn.: <i>Oplegnathus punctatus</i>
Perciformes	Oplegnathidae	<i>Hoplognathus</i>	<i>punctatus</i>	ishigakidai	インガキダイ	N	<i>Contraecum</i>	<i>sp. larva-II</i>	larva	Tokushima	Tokushima	Pt.33	370	Host syn.: <i>Oplegnathus punctatus</i>
Perciformes	Pempheridae	<i>Parapriacanthus</i>	<i>beryciformes</i>	kinmemodoki	キンメモドキ	D	<i>Deretrema</i>	<i>parapriacanthi</i>		Kanagawa	Sagami Bay	Pt.54	252	
Perciformes	Pentacerotid ae	<i>Quinquarius</i>	<i>japonicus</i>	tsubodai	ツボダイ	C	<i>Amphicotyle</i>	<i>quinquarii</i>		Kochi	Tosa Bay	Pt.49	10	
Perciformes	Percichthyid ae	<i>Acropoma</i>	<i>japonicum</i>	hotarujako	ホタルジャコ	D	<i>Aponurus</i>	<i>acropomatis</i>		Shizuoka	Maisaka	Pt.21	125	
Perciformes	Percichthyid ae	<i>Acropoma</i>	<i>japonicum</i>	hotarujako	ホタルジャコ	D	<i>Brachyenteron</i>	<i>acropomatis</i>		Kochi	Tosa Bay	Pt.21	94	
Perciformes	Percichthyid ae	<i>Acropoma</i>	<i>japonicum</i>	hotarujako	ホタルジャコ	N	<i>Raphidascaris or Raphidascaroides</i>	<i>sp. B</i>	larva	Kochi	Tosa Bay	Pt.33	357	
Perciformes	Percophidae	<i>Chironema</i>	<i>chryseres</i>	ibaratoragisu	イバラトラギス	D	<i>Dolichoenterum</i>	<i>longissimum</i>	metacercaria	Kochi	?	Pt.20	493	
Perciformes	Pholidae	<i>Enedrias</i>	<i>nebulosus</i>	ginbo	ギンボ	D	<i>Lecithaster</i>	<i>salmonis</i>		Aichi	Tokoname	Pt.48	317	
Perciformes	Pholidae	<i>Enedrias</i>	<i>nebulosus</i>	ginbo	ギンボ	M	<i>Microcotyle</i>	<i>gimpo</i>		?	Inland Sea	Pt.53	79	
Perciformes	Pinguipedidae	<i>Neopercis</i>	<i>aurantiaca</i>	akatoragisu	アカトラギス	D	<i>Caudotestis</i>	<i>neopercis</i>		Kochi	Kochi	Pt.21	18	Host syn.: <i>Parapercis aurantiaca</i>
Perciformes	Pinguipedidae	<i>Neopercis</i>	<i>aurantiaca</i>	akatoragisu	アカトラギス	D	<i>Plagioporus</i>	<i>japonicus</i>		?	Sea of Japan	Pt.21	13	Host syn.: <i>Parapercis aurantiaca</i>
Perciformes	Pinguipedidae	<i>Neopercis</i>	<i>aurantiaca</i>	akatoragisu	アカトラギス	D	<i>Plagioporus</i>	<i>pacificus</i>		?	Pacific	Pt.21	14	Host syn.: <i>Parapercis aurantiaca</i>
Perciformes	Pinguipedidae	<i>Neopercis</i>	<i>multifasciata</i>	okitoragisu	オキトラギス	D	<i>Caudotestis</i>	<i>neopercis</i>		Kochi	Kochi	Pt.21	18	Host syn.: <i>Parapercis multifasciata</i>

Host order	Host family	Host Genus	Host Species	Host Japanese Name	宿主名	Parasite	Genus (subg.)	species	Stage	Prefecture	Locality	Ref.No.	Page	Remarks
Perciformes	Pinguipedidae	<i>Neopercis</i>	<i>multifasciata</i>	okitomagisu	オキトラギス	D	<i>Opegaster</i>	<i>macrorchis</i>		Nagasaki	Nagasaki	Pt.21	59	Host syn.: <i>Parapercis multifasciata</i>
Perciformes	Pinguipedidae	<i>Neopercis</i>	<i>multifasciata</i>	okitomagisu	オキトラギス	D	<i>Plagioporus</i>	<i>japonicus</i>		?	Sea of Japan	Pt.21	13	Host syn.: <i>Parapercis multifasciata</i>
Perciformes	Pinguipedidae	<i>Neopercis</i>	<i>multifasciata</i>	okitomagisu	オキトラギス	D	<i>Plagioporus</i>	<i>pacificus</i>		?	Pacific	Pt.21	14	Host syn.: <i>Parapercis multifasciata</i>
Perciformes	Pinguipedidae	<i>Neopercis</i>	<i>muronis</i>	murotomagisu	ムロトラギス	D	<i>Caudotestis</i>	<i>neopercis</i>		Kochi	Kochi	Pt.21	18	Host syn.: <i>Parapercis muronis</i>
Perciformes	Pinguipedidae	<i>Neopercis</i>	<i>muronis</i>	murotomagisu	ムロトラギス	D	<i>Plagioporus</i>	<i>japonicus</i>		?	Sea of Japan	Pt.21	13	Host syn.: <i>Parapercis muronis</i>
Perciformes	Pinguipedidae	<i>Neopercis</i>	<i>muronis</i>	murotomagisu	ムロトラギス	D	<i>Plagioporus</i>	<i>pacificus</i>		?	Pacific	Pt.21	14	Host syn.: <i>Parapercis muronis</i>
Perciformes	Pinguipedidae	<i>Neopercis</i>	<i>sexfasciatus</i>	kurakaketomagisu	クラカケトラギス	D	<i>Decemtestis</i>	<i>neopercis</i>		?	Sea of Japan	Pt.21	28	Host syn.: <i>Parapercis sexfasciatus</i>
Perciformes	Pinguipedidae	<i>Neopercis</i>	<i>sexfasciatus</i>	kurakaketomagisu	クラカケトラギス	D	<i>Echinostephanus</i>	<i>hispidus</i>	metace	Shizuoka	Maisaka	Pt.20	496	Host syn.: <i>Parapercis sexfasciatus</i>
Perciformes	Pinguipedidae	<i>Neopercis</i>	<i>sexfasciatus</i>	kurakaketomagisu	クラカケトラギス	D	<i>Plagioporus</i>	<i>japonicus</i>		?	Sea of Japan	Pt.21	13	Host syn.: <i>Parapercis sexfasciatus</i>
Perciformes	Pinguipedidae	<i>Neopercis</i>	<i>sexfasciatus</i>	kurakaketomagisu	クラカケトラギス	N	<i>Contraecum</i>	<i>sp. larva-1</i>	larva	Shizuoka	Maisaka	Pt.33	370	Host syn.: <i>Parapercis sexfasciatus</i>
Perciformes	Pinguipedidae	<i>Neopercis</i>	<i>sp.</i>	tomagisu - rui	トラギスの類	D	<i>Lecithophyllum</i>	<i>fuscum</i>		Shizuoka; Nagasaki	Maisaka; Nagasaki	Pt.21	118	Host syn.: <i>Parapercis sp.</i>
Perciformes	Pinguipedidae	<i>Parapercis</i>	<i>ommatura</i>	matotomagisu	マトトラギス	D	<i>Opegaster</i>	<i>macrorchis</i>		?	Inland Sea	Pt.54	250	
Perciformes	Pinguipedidae	<i>Parapercis</i>	<i>pulchella</i>	tomagisu	トラギス	C	<i>Scolex</i>	<i>polymorphus -1</i>		Toyama	Toyama Bay	Pt.4	80	
Perciformes	Pinguipedidae	<i>Parapercis</i>	<i>pulchella</i>	tomagisu	トラギス	C	<i>Scolex</i>	<i>polymorphus -V</i>		?	Inland Sea	Pt.4	81	
Perciformes	Pinguipedidae	<i>Parapercis</i>	<i>pulchella</i>	tomagisu	トラギス	D	<i>Decemtestis</i>	<i>parapercis</i>		Aichi or Mie	Ise Bay (Aquarium)	Pt.54	245	
Perciformes	Pinguipedidae	<i>Parapercis</i>	<i>pulchella</i>	tomagisu	トラギス	D	<i>Opegaster</i>	<i>ovatus</i>		?	Inland Sea	Pt.2	352	
Perciformes	Pinguipedidae	<i>Parapercis</i>	<i>pulchella</i>	tomagisu	トラギス	D	<i>Plagioporus (Caudotestis)</i>	<i>parapercis</i>		Aichi	Shinmaiko	Pt.54	248	
Perciformes	Pinguipedidae	<i>Parapercis</i>	<i>pulchella</i>	tomagisu	トラギス	M	<i>Osphyobothrus</i>	<i>parapercis</i>		Aichi	Shinmaiko	Pt.53	75	
Perciformes	Pinguipedidae	<i>Parapercis</i>	<i>pulchella</i>	tomagisu	トラギス	N	<i>Contraecum</i>	<i>sp. larva-1</i>	larva	?	Inland Sea	Pt.9	348	
Perciformes	Polyprionidae	<i>Stereolepis</i>	<i>ischinagi</i>	ishinagi	イシナギ	A	<i>Echinorhynchus</i>	<i>gadi</i>		?	Sea of Japan	Pt.8	249	
Perciformes	Polyprionidae	<i>Stereolepis</i>	<i>ischinagi</i>	ishinagi	イシナギ	C	<i>Nybelinia</i>	<i>sp. plerocercoid-1</i>	plerocercoid	Toyama	Toyama Bay	Pt.4	105	
Perciformes	Polyprionidae	<i>Stereolepis</i>	<i>ischinagi</i>	ishinagi	イシナギ	N	<i>Anisakis</i>	<i>sp.</i>	larva	Toyama	Toyama Bay	Pt.9	338	syn.: <i>Anisakis salaris</i> (Gmelin, 1790)
Perciformes	Pomacentridae	<i>Dascyllus</i>	<i>aruanus</i>	misujiryukyusuzume	ミスジリュウキュウスズメ	D	<i>Hysterolecitha</i>	<i>nahaensis</i>		Okinawa	Naha	Pt.39	386	Host syn.: <i>Tetradrachmum aruanus</i>
Perciformes	Pomacentridae	<i>Pomacentrus</i>	<i>perspicillatus</i>	sorasuzumeda	ソラスズメダイ	D	<i>Hysterolecitha</i>	<i>nahaensis</i>		Okinawa	Naha	Pt.39	386	
Perciformes	Priacanthidae	<i>Priacanthus</i>	<i>hamrur</i>	housekikintoki	ハウセキキントキ	D	<i>Lecithochirium</i>	<i>priacanthi</i>		Overseas	Celebes	Cs.3	276	
Perciformes	Priacanthidae	<i>Priacanthus</i>	<i>hamrur</i>	housekikintoki	ハウセキキントキ	D	<i>Pseupeucoeloides</i>	<i>tenuis</i>		Overseas	Celebes	Cs.3	262	

Host order	Host family	Host Genus	Host Species	Host Japanese Name	宿主名	Para site	Genus (subg.)	species	Stage	Prefecture	Locality	Ref.No.	Page	Remarks
Perciformes	Priacanthidae	<i>Pseudopriacanthus</i>	<i>nipponicus</i>	kurumadai	クルマダイ	D	<i>Pseudopecoeloides</i>	<i>tenuis</i>		Mie	Hamajima	Pt.31	75	
Perciformes	Priacanthidae	<i>Pseudopriacanthus</i>	<i>nipponicus</i>	kurumadai	クルマダイ	N	<i>Contraeaecum</i>	<i>sp. larva-1</i>	larva	Kochi	Tosa Bay	Pt.33	370	
Perciformes	Pseudochromidae	<i>Dampiera</i>	<i>hellmuthi</i>	megisu-ruie	メギスの類?	D	<i>Hypocreadium</i>	<i>dampieriae</i>		Okinawa	Naha	Pt.39	355	
Perciformes	Pseudochromidae	<i>Dampiera</i>	<i>hellmuthi</i>	megisu-ruie	メギスの類?	D	<i>Pseudopecoelina</i>	<i>dampieriae</i>		Okinawa	Naha	Pt.39	349	
Perciformes	Scaridae	<i>Callyodon</i>	<i>sp.</i>	budai-ruie	ブダイの類	D	<i>Apharyngogyliauchen</i>	<i>callyodontis</i>		Okinawa	Naha	Pt.39	377	
Perciformes	Scaridae	<i>Callyodon</i>	<i>sp.</i>	budai-ruie	ブダイの類	D	<i>Coitocaecum</i>	<i>callyodontis</i>		Okinawa	Naha	Pt.39	352	
Perciformes	Scaridae	<i>Callyodon</i>	<i>sp.</i>	budai-ruie	ブダイの類	D	<i>Diplobulbus</i>	<i>callyodontis</i>		Okinawa	Naha	Pt.39	344	
Perciformes	Scaridae	<i>Callyodon</i>	<i>sp.</i>	budai-ruie	ブダイの類	D	<i>Hysteroleucitha</i>	<i>nahaensis</i>		Okinawa	Naha	Pt.39	386	
Perciformes	Scaridae	<i>Callyodon</i>	<i>sp.</i>	budai-ruie	ブダイの類	D	<i>Schistorchis</i>	<i>callyodontis</i>		Okinawa	Naha	Pt.39	360	
Perciformes	Scaridae	<i>Calotomus</i>	<i>japonicus</i>	budai	ブダイ	D	<i>Diplobulbus</i>	<i>calotomi</i>		Hyogo	Tarumi	Pt.2	311	
Perciformes	Scaridae	<i>Calotomus</i>	<i>japonicus</i>	budai	ブダイ	D	<i>Lebouria</i>	<i>calotomi</i>		Hyogo	Tarumi	Pt.2	286	
Perciformes	Scaridae	<i>Leptoscarus</i>	<i>japonicus</i>	budai	ブダイ	D	<i>Coitocaecum</i>	<i>leptoscaris</i>		Mie	Hamajima	Pt.31	78	Host syn.: <i>Calotomus japonicus</i>
Perciformes	Scaridae	<i>Leptoscarus</i>	<i>japonicus</i>	budai	ブダイ	D	<i>Plagioporus</i>	<i>calotomi</i>		Mie	Hamajima	Pt.31	62	Host syn.: <i>Calotomus japonicus</i>
Perciformes	Scaridae	<i>Scarus</i>	<i>sp.</i>	budai-ruie	ブダイの類	D	<i>Diplobulbus</i>	<i>scaris</i>		Overseas	Celebes	Cs.1	159	
Perciformes	Scatophagidae	<i>Scatophagus</i>	<i>arsus</i>	kurohoshimanjuudai	クロホシマンジュウダイ	A	<i>Filisoma</i>	<i>indicum</i>		Overseas	Celebes	Cs.8	408	
Perciformes	Scatophagidae	<i>Scatophagus</i>	<i>arsus</i>	kurohoshimanjuudai	クロホシマンジュウダイ	D	<i>Pseudohapladena</i>	<i>scatophagi</i>		Overseas	Celebes	Cs.1	178	
Perciformes	Scatophagidae	<i>Scatophagus</i>	<i>arsus</i>	kurohoshimanjuudai	クロホシマンジュウダイ	M	<i>Metahaliotrema</i>	<i>scatophagi</i>		Overseas	Celebes	Cs.2	215	
Perciformes	Sciaenidae	<i>Johnius</i>	<i>goma</i>	gomanibe	ゴマニベ	A	<i>Neoechinorhynchus</i>	<i>johnii</i>		?	East China Sea	Pt.29	346	Host syn.: <i>Nibea goma</i>
Perciformes	Sciaenidae	<i>Johnius</i>	<i>goma</i>	gomanibe	ゴマニベ	N	<i>Contraeaecum</i>	<i>sp. larva-V</i>	larva	?	East China Sea	Pt.33	371	Host syn.: <i>Nibea goma</i>
Perciformes	Sciaenidae	<i>Johnius</i>	<i>sp.</i>	nibe-ruie	ニベの類	D	<i>Lecithocladium</i>	<i>johnii</i>		?	East China Sea	Pt.21	123	Host syn.: <i>Nibea sp.</i>
Perciformes	Sciaenidae	<i>Johnius</i>	<i>sp.</i>	nibe-ruie	ニベの類	D	<i>Stephanochasmus</i>	<i>bicoronatus</i>		?	East China Sea	Pt.21	74	Host syn.: <i>Nibea sp.</i>
Perciformes	Sciaenidae	<i>Johnius</i>	<i>sp.</i>	nibe-ruie	ニベの類	N	<i>Contraeaecum</i>	<i>sp. larva-V</i>	larva	?	East China Sea	Pt.33	371	Host syn.: <i>Nibea sp.</i>
Perciformes	Sciaenidae	<i>Johnius</i>	<i>sp.</i>	nibe-ruie	ニベの類	N	<i>Raphidascaris</i>	<i>chirocentri</i>		?	East China Sea	Pt.33	353	Host syn.: <i>Nibea sp.</i>
Perciformes	Sciaenidae	<i>Johnius</i>	<i>sp.</i>	nibe-ruie	ニベの類	N	<i>Raphidascaris</i> or <i>Raphidascaroides</i>	<i>sp. B</i>	larva	?	East China Sea	Pt.33	357	Host syn.: <i>Nibea sp.</i>
Perciformes	Sciaenidae	<i>Nibea</i>	<i>schlegeli</i>	shiroguchi (ishimochi)	シログチ (イシモチ)	D	<i>Allolasiotocus</i>	<i>nibeeae</i>		Kanagawa	Sagami Bay	Pt.54	254	Host syn.: <i>Argyrosomus argentatus</i>
Perciformes	Sciaenidae	<i>Nibea</i>	<i>schlegeli</i>	shiroguchi (ishimochi)	シログチ (イシモチ)	M	<i>Microcotyle</i>	<i>sciaenae</i>		Kanagawa	Sagami Bay	Pt.53	80	Host syn.: <i>Argyrosomus argentatus</i>
Perciformes	Sciaenidae	<i>Otolithes</i>	<i>sp.</i>	ishimochi-ruie	イシモチの類	M	<i>Kuhnna</i>	<i>otolithis</i>		Overseas	Celebes	Cs.2	239	
Perciformes	Sciaenidae	<i>Otolithes</i>	<i>sp.</i>	ishimochi-ruie	イシモチの類	N	<i>Contraeaecum</i>	<i>sp.</i>	larva	Overseas	Celebes	Cs.9	132	
Perciformes	Sciaenidae	<i>Sciaena</i>	<i>albiflora</i>	koichi	コイチ	C	<i>Callotetrarhynchus</i>	<i>speciosus</i>	larva	?	Inland Sea; or Pacific coast; or East China Sea	Pt.49	64	syn.: <i>Lintoniella speciosa</i> (Linton, 1897) Host syn.: <i>Nibea albiflora</i>

Host order	Host family	Host Genus	Host Species	Host Japanese Name	宿主名	Para site	Genus (subg.)	species	Stage	Prefecture	Locality	Ref.No.	Page	Remarks	
Perciformes	Sciaenidae	<i>Sciaena</i>	<i>albiflora</i>	koichi	コイチ	D	<i>Pleorchis</i>	<i>sciaenae</i>		?	East China Sea	Pt.21	55	Host syn.: <i>Nibeabe albiflora</i>	
Perciformes	Sciaenidae	<i>Sciaena</i>	<i>albiflora</i>	koichi	コイチ	N	<i>Anisakis</i>	<i>sp.</i>	larva	?	East China Sea	Pt.33	346	Host syn.: <i>Nibeabe albiflora</i>	
Perciformes	Sciaenidae	<i>Sciaena</i>	<i>albiflora</i>	koichi	コイチ	N	<i>Anisakis</i>	<i>sp.</i>	larva	Kyushu	West coast	Pt.9	338	syn.: <i>Anisakis salaris</i> (Gmelin, 1790) Host syn.: <i>Nibeabe albiflora</i>	
Perciformes	Sciaenidae	<i>Sciaena</i>	<i>albiflora</i>	koichi	コイチ	N	<i>Contracaecum</i>	<i>sp. larva - V</i>	larva	?	East China Sea	Pt.33	371	Host syn.: <i>Nibeabe albiflora</i>	
Perciformes	Sciaenidae	<i>Sciaena</i>	<i>schlegeli</i>	shiroguchi (ishimochi)	シログチ (イシモチ)	A	<i>Echinorhynchus</i>	<i>gadi</i>		?	Sea of Japan	Pt.8	249	Host syn.: <i>Argyrosomus argentatus</i>	
Perciformes	Sciaenidae	<i>Sciaena</i>	<i>schlegeli</i>	shiroguchi (ishimochi)	シログチ (イシモチ)	C	<i>Bothriocephalus</i>	<i>sciaenae</i>			Toyama	Toyama Bay	Pt.4	19	Host syn.: <i>Argyrosomus argentatus</i>
Perciformes	Sciaenidae	<i>Sciaena</i>	<i>schlegeli</i>	shiroguchi (ishimochi)	シログチ (イシモチ)	M	<i>Calceostoma</i>	<i>sciaenae</i>			Mie	Hamajima	Pt.31	45	Host syn.: <i>Argyrosomus argentatus</i>
Perciformes	Sciaenidae	<i>Sciaena</i>	<i>schlegeli</i>	shiroguchi (ishimochi)	シログチ (イシモチ)	N	<i>Contracaecum</i>	<i>sp. larva - I</i>	larva	Fukui; Shizuoka	Wakasa Bay; Hamajima	Pt.33	370	Host syn.: <i>Argyrosomus argentatus</i>	
Perciformes	Sciaenidae	<i>Sciaena</i>	<i>schlegeli</i>	shiroguchi (ishimochi)	シログチ (イシモチ)	N	<i>Contracaecum</i>	<i>sp. larva - I</i>	larva	Toyama	Toyama Bay	Pt.9	348	Host syn.: <i>Argyrosomus argentatus</i>	
Perciformes	Sciaenidae	<i>Sciaena</i>	<i>schlegeli</i>	shiroguchi (ishimochi)	シログチ (イシモチ)	N	<i>Contracaecum</i>	<i>sp. larva - IV</i>	larva	Kyushu	Sea of Ariake	Pt.33	371	Host syn.: <i>Argyrosomus argentatus</i>	
Perciformes	Sciaenidae	<i>Sciaena</i>	<i>schlegeli</i>	shiroguchi (ishimochi)	シログチ (イシモチ)	N	<i>Philometra</i>	<i>sciaenae</i>			Mie	Hamajima	Pt.33	391	Host syn.: <i>Argyrosomus argentatus</i>
Perciformes	Sciaenidae	<i>Sciaena</i>	<i>sp.</i>	ishimochi - rui	シログチ (イシモチ)の類	D	<i>Stephanochasmus</i>	<i>bicoronatus</i>	metace rcaria		Shizuoka	Maisaka	Pt.20	496	
Perciformes	Scombridae	<i>Acanthocybium</i>	<i>sara</i>	sawara	サワラ	D	<i>Didymocystis</i>	<i>acanthocybii</i>		?	Pacific	Pt.24	53	Host syn.: <i>Acanthocybium solandri</i>	
Perciformes	Scombridae	<i>Acanthocybium</i>	<i>sara</i>	sawara	サワラ	D	<i>Didymocystis</i>	<i>miliaris</i>		?	Pacific	Pt.24	54	Host syn.: <i>Acanthocybium solandri</i>	
Perciformes	Scombridae	<i>Auxis</i>	<i>thazard</i>	hirasouda	ヒラソウダ	D	<i>Colocynthotrema</i>	<i>auxis</i>			Wakayama	Taiji	Pt.48	321	
Perciformes	Scombridae	<i>Auxis</i>	<i>thazard</i>	hirasouda	ヒラソウダ	D	<i>Didymozoon</i>	<i>auxis</i>			Wakayama	Taiji	Pt.48	320	
Perciformes	Scombridae	<i>Auxis</i>	<i>thazard</i>	hirasouda	ヒラソウダ	D	<i>Opepherotrema</i>	<i>planum</i>			Wakayama	Taiji	Pt.48	327	
Perciformes	Scombridae	<i>Auxis</i>	<i>thazard</i>	hirasouda	ヒラソウダ	D	<i>Phacelotrema</i>	<i>claviforme</i>			Wakayama	Taiji	Pt.48	324	
Perciformes	Scombridae	<i>Euthynnus</i>	<i>pelamys</i>	katsuo	カツオ	A	<i>Rhadiorhynchus</i>	<i>katsuwonis</i>		?	?	Pt.8	271		
Perciformes	Scombridae	<i>Euthynnus</i>	<i>pelamys</i>	katsuo	カツオ	C	<i>Pelichnibothrium</i>	<i>sp. larva - VII</i>	larva		Toyama	Toyama Bay	Pt.4	82	
Perciformes	Scombridae	<i>Euthynnus</i>	<i>pelamys</i>	katsuo	カツオ	C	<i>Tentacularia</i>	<i>coryphaenae</i>	pleroce rcoid		Toyama	Toyama Bay	Pt.4	104	
Perciformes	Scombridae	<i>Euthynnus</i>	<i>pelamys</i>	katsuo	カツオ	D	<i>Didymocylindrus</i>	<i>filiformis</i>		?	?	Pt.24	58		
Perciformes	Scombridae	<i>Euthynnus</i>	<i>pelamys</i>	katsuo	カツオ	D	<i>Didymocystis</i>	<i>abdominalis</i>		?	Pacific	Pt.24	50		
Perciformes	Scombridae	<i>Euthynnus</i>	<i>pelamys</i>	katsuo	カツオ	D	<i>Didymocystis</i>	<i>dissimilis</i>		?	Pacific	Pt.24	52	syn.: <i>Didymocystis reniformis</i> Ariola, 1902	

Host order	Host family	Host Genus	Host Species	Host Japanese Name	宿主名	Para site	Genus (subg.)	species	Stage	Prefecture	Locality	Ref.No.	Page	Remarks
Perciformes	Scombridae	<i>Euthynnus</i>	<i>pelamys</i>	katsuo	カツオ	D	<i>Didymocystis</i>	<i>reniformis</i>		Mie	Pacific coast	Pt.2	514	syn.: <i>Didymocystis dissimilis</i> Yam., 1938
Perciformes	Scombridae	<i>Euthynnus</i>	<i>pelamys</i>	katsuo	カツオ	D	<i>Didymocystis</i>	<i>submentallis</i>		?	Pacific	Pt.24	51	
Perciformes	Scombridae	<i>Euthynnus</i>	<i>pelamys</i>	katsuo	カツオ	D	<i>Didymocystis</i>	<i>wedli</i>		?	Pacific	Pt.2	514	
Perciformes	Scombridae	<i>Euthynnus</i>	<i>pelamys</i>	katsuo	カツオ	D	<i>Didymoproblema</i>	<i>fusiforme</i>		?	Pacific	Pt.24	58	
Perciformes	Scombridae	<i>Euthynnus</i>	<i>pelamys</i>	katsuo	カツオ	D	<i>Didymozoon</i>	<i>longicolle</i>		?	?	Pt.24	44	
Perciformes	Scombridae	<i>Euthynnus</i>	<i>pelamys</i>	katsuo	カツオ	D	<i>Didymozoon</i>	<i>minor</i>		?	Pacific	Pt.2	523	
Perciformes	Scombridae	<i>Euthynnus</i>	<i>pelamys</i>	katsuo	カツオ	D	<i>Dinurus</i>	<i>euthynni</i>		?	Pacific	Pt.2	452	
Perciformes	Scombridae	<i>Euthynnus</i>	<i>pelamys</i>	katsuo	カツオ	D	<i>Diploptrema</i>	<i>pelamydis</i>		?	Pacific	Pt.24	60	syn.: <i>Neodiploptrema pelamydis</i> (Yam., 1938)
Perciformes	Scombridae	<i>Euthynnus</i>	<i>pelamys</i>	katsuo	カツオ	D	<i>Syncoelium</i>	<i>katuwo</i>		?	Pacific	Pt.24	69	
Perciformes	Scombridae	<i>Euthynnus</i>	<i>pelamys</i>	katsuo	カツオ	D	<i>Wedlia</i>	<i>orientalis</i>		Mie; ?	Kuki; Inland Sea	Pt.2	517	
Perciformes	Scombridae	<i>Euthynnus</i>	<i>pelamys</i>	katsuo	カツオ	N	<i>Anisakis</i>	<i>sp.</i>	larva	?	Pacific	Pt.33	347	
Perciformes	Scombridae	<i>Euthynnus</i>	<i>pelamys</i>	katsuo	カツオ	N	<i>Anisakis</i>	<i>sp.</i>	larva	?	Pacific	Pt.9	338	syn.: <i>Anisakis salaris</i> (Gmelin, 1790)
Perciformes	Scombridae	<i>Euthynnus</i>	<i>peramys</i>	katsuo	カツオ	C	<i>Callotetrarhynchus</i>	<i>speciosus</i>		?	Inland Sea; or Pacific coast; or East China Sea	Pt.49	64	syn.: <i>Lintoniella speciosa</i> (Linton, 1897)
Perciformes	Scombridae	<i>Euthynnus?</i>	<i>pelamys?</i>	katsuo?	カツオ?	D	<i>Lobatozoum</i>	<i>multisacculatum</i>		?	?	Pt.24	59	
Perciformes	Scombridae	<i>Germo</i>	<i>macropterus</i>	kihada	キハダ	D	<i>Wedlia</i>	<i>orientalis</i>		Mie	Kuki	Pt.2	517	Host syn.: <i>Neothunnus albacora</i>
Perciformes	Scombridae	<i>Scomber</i>	<i>japonicus</i>	saba	サバ	C	<i>Callotetrarhynchus</i>	<i>speciosus</i>	larva	?	Inland Sea; or Pacific coast; or East China Sea	Pt.49	64	syn.: <i>Lintoniella speciosa</i> (Linton, 1897) Host syn.: <i>Pneumatophorus japonicus</i>
Perciformes	Scombridae	<i>Scomber</i>	<i>japonicus</i>	saba	サバ	C	<i>Tentacularia</i>	<i>coryphaenae</i>	plerocercoid	Toyama	Toyama Bay	Pt.4	104	Host syn.: <i>Pneumatophorus japonicus</i>
Perciformes	Scombridae	<i>Scomber</i>	<i>japonicus</i>	saba	サバ	D	<i>Dinurus</i>	<i>scombri</i>		Toyama	Toyama Bay	Pt.2	454	Host syn.: <i>Pneumatophorus japonicus</i>
Perciformes	Scombridae	<i>Scomber</i>	<i>japonicus</i>	saba	サバ	D	<i>Lecithocladium</i>	<i>excisum</i>		?; Toyama	Pacific; Toyama Bay	Pt.2	475	Host syn.: <i>Pneumatophorus japonicus</i>
Perciformes	Scombridae	<i>Scomber</i>	<i>japonicus</i>	saba	サバ	D	<i>Nematobothrium</i>	<i>filiforme</i>		Toyama	Toyama Bay	Pt.2	519	Host syn.: <i>Pneumatophorus japonicus</i>
Perciformes	Scombridae	<i>Scomber</i>	<i>japonicus</i>	saba	サバ	D	<i>Nematobothrium (N.)</i>	<i>filiforme</i>		Shizuoka	Numazu	Pt.24	62	Host syn.: <i>Pneumatophorus japonicus</i>
Perciformes	Scombridae	<i>Scomber</i>	<i>japonicus</i>	saba	サバ	D	<i>Nematobothrium (N.)</i>	<i>scombri</i>		?	?	Pt.24	62	Host syn.: <i>Pneumatophorus japonicus</i>

Host order	Host family	Host Genus	Host Species	Host Japanese Name	宿主名	Para site	Genus (subg.)	species	Stage	Prefecture	Locality	Ref.No.	Page	Remarks
Perciformes	Scombridae	<i>Scomber</i>	<i>japonicus</i>	saba	サバ	D	<i>Opechona</i>	<i>orientalis</i>		?	Inland Sea	Pt.26	216	syn.: <i>Pharyngora orientalis</i> Layman, 1930 Host syn.: <i>Pneumatophorus japonicus</i> Host
Perciformes	Scombridae	<i>Scomber</i>	<i>japonicus</i>	saba	サバ	D	<i>Opechona</i>	<i>scombri</i>		Hyogo	Tarumi	Pt.21	44	syn.: <i>Pneumatophorus japonicus</i> Host
Perciformes	Scombridae	<i>Scomber</i>	<i>japonicus</i>	saba	サバ	D	<i>Opechona</i>	<i>scombri</i>		?	?	Pt.26	216	Host syn.: <i>Pneumatophorus japonicus</i> Host
Perciformes	Scombridae	<i>Scomber</i>	<i>japonicus</i>	saba	サバ	D	<i>Pharyngora</i>	<i>olssoni</i>		?, ?	Pacific; Inland Sea	Pt.2	328	syn.: <i>Pneumatophorus japonicus</i> Host
Perciformes	Scombridae	<i>Scomber</i>	<i>japonicus</i>	saba	サバ	D	<i>Pharyngora</i>	<i>orientalis</i>		Toyama	Toyama Bay	Pt.2	327	syn.: <i>Opechona orientalis</i> (Layman, 1930) Host syn.: <i>Pneumatophorus japonicus</i> Host
Perciformes	Scombridae	<i>Scomber</i>	<i>japonicus</i>	saba	サバ	D	<i>Tergestia</i>	<i>laticollis</i>		Toyama	Toyama Bay	Pt.2	409	Host syn.: <i>Pneumatophorus japonicus</i> Host
Perciformes	Scombridae	<i>Scomber</i>	<i>japonicus</i>	saba	サバ	N	<i>Anisakis</i>	<i>sp.</i>	larva	Shizuoka	Suruga Bay	Pt.33	347	syn.: <i>Pneumatophorus japonicus</i> Host
Perciformes	Scombridae	<i>Scomber</i>	<i>japonicus</i>	saba	サバ	N	<i>Anisakis</i>	<i>sp.</i>	larva	Toyama	Toyama Bay	Pt.9	338	syn.: <i>Anisakis salaris</i> (Gmelin, 1790) Host syn.: <i>Pneumatophorus japonicus</i> Host
Perciformes	Scombridae	<i>Scomber</i>	<i>japonicus</i>	saba	サバ	N	<i>Contracaecum</i>	<i>saba</i>		?	Inland Sea	Pt.33	367	Host syn.: <i>Pneumatophorus japonicus</i> Host
Perciformes	Scombridae	<i>Scomber</i>	<i>japonicus</i>	saba	サバ	N	<i>Contracaecum</i>	<i>sp.</i>		?	Pacific	Pt.33	369	Host syn.: <i>Pneumatophorus japonicus</i> Host
Perciformes	Scombridae	<i>Scomber</i>	<i>japonicus</i>	saba	サバ	N	<i>Hepaticola</i>	<i>sp.</i>		?	?	Pt.9	386	Host syn.: <i>Pneumatophorus japonicus</i> Host
Perciformes	Scombridae	<i>Scomber</i>	<i>kanagunta</i>	gurukuma	グルクマ	D	<i>Opechona</i>	<i>scombri</i>		Overseas	Celebes	Cs.3	261	
Perciformes	Scombridae	<i>Scomber</i>	<i>kanagunta</i>	gurukuma	グルクマ	D	<i>Lecithochirium</i>	<i>parviovum</i>		Overseas	Celebes	Cs.3	279	
Perciformes	Scombridae	<i>Scomber</i>	<i>kanagunta</i>	gurukuma	グルクマ	D	<i>Lecithochirium</i>	<i>angustiovum</i>		Overseas	Celebes	Cs.3	281	
Perciformes	Scombridae	<i>Scomber</i>	<i>kanagunta</i>	gurukuma	グルクマ	D	<i>Lecithochirium</i>	<i>scombri</i>		Overseas	Celebes	Cs.3	283	
Perciformes	Scombridae	<i>Scomber</i>	<i>kanagunta</i>	gurukuma	グルクマ	M	<i>Kuhnia</i>	<i>scombri</i>		Overseas	Celebes	Cs.2	238	
Perciformes	Scombridae	<i>Scomber</i>	<i>microlepidotus</i>	saba - rui	サバの類	D	<i>Lecithochirium</i>	<i>scombri</i>		Overseas	Celebes	Cs.3	283	
Perciformes	Scombridae	<i>Scomberoides</i>	<i>guttatum</i>	taiwansawara	台湾ンサワラ	C	<i>Callotetrarhynchus</i>	<i>speciosus</i>	larva	?	Inland Sea; or Pacific coast; or East China Sea	Pt.49	64	syn.: <i>Lintoniella speciosa</i> (Linton, 1897)
Perciformes	Scombridae	<i>Scomberoides</i>	<i>guttatum</i>	taiwansawara	台湾ンサワラ	N	<i>Anisakis</i>	<i>sp.</i>	larva	?	East China Sea	Pt.33	346	

Host order	Host family	Host Genus	Host Species	Host Japanese Name	宿主名	Para site	Genus (subg.)	species	Stage	Prefecture	Locality	Ref.No.	Page	Remarks
Perciformes	Scombridae	<i>Scomberomorus</i>	<i>chinensis</i>	ushisawara	ウシサワラ	N	<i>Anisakis</i>	<i>sp.</i>	larva	?	Inland Sea	Pt.9	338	syn.: <i>Anisakis salaris</i> (Gmelin, 1790)
Perciformes	Scombridae	<i>Scomberomorus</i>	<i>chinensis</i>	ushisawara	ウシサワラ	N	<i>Contracaecum</i>	<i>scomberomori</i>		?	Pacific	Pt.33	362	
Perciformes	Scombridae	<i>Scomberomorus</i>	<i>chinensis</i>	ushisawara	ウシサワラ	N	<i>Sanguinifilaria</i>	<i>scomberomori</i>		?	Pacific	Pt.9	360	
Perciformes	Scombridae	<i>Scomberomorus</i>	<i>nipponicus</i>	sawara	サワラ	C	<i>Callotetrarhynchus</i>	<i>speciosus</i>	cysticeroid	?	Inland Sea	Pt.6	232	syn.: <i>Lintoniella speciosa</i> (Linton, 1897)
Perciformes	Scombridae	<i>Scomberomorus</i>	<i>nipponicus</i>	sawara	サワラ	C	<i>Lintoniella</i>	<i>speciosa</i>	cysticeroid	?	Inland Sea	Pt.4	109	syn.: <i>Rhynchobothrius speciosum</i> Linton, 1897; <i>Callotetrarhynchus speciosus</i> (Linton, 1897)
Perciformes	Scombridae	<i>Thynnus</i>	<i>alalonga</i>	bin-naga	ビンナガ	D	<i>Didymocystis</i>	<i>alalongae</i>		?	Pacific	Pt.24	48	
Perciformes	Scombridae	<i>Thynnus</i>	<i>alalonga</i>	bin-naga	ビンナガ	D	<i>Didymocystis</i>	<i>opercularis</i>		?	Pacific	Pt.24	49	
Perciformes	Scombridae	<i>Thynnus</i>	<i>alalonga</i>	bin-naga	ビンナガ	D	<i>Hirudinella</i>	<i>spinulosa</i>		?	Pacific	Pt.24	40	
Perciformes	Scombridae	<i>Thynnus</i>	<i>alalonga</i>	bin-naga	ビンナガ	D	<i>Metanematobothrium</i>	<i>quernei</i>		?	Pacific	Pt.24	63	
Perciformes	Scombridae	<i>Thynnus</i>	<i>alalonga</i>	bin-naga	ビンナガ	D	<i>Platocystis</i>	<i>alalongae</i>		?	Pacific	Pt.24	54	
Perciformes	Scombridae	<i>Thynnus</i>	<i>alalonga</i>	bin-naga	ビンナガ	N	<i>Anisakis</i>	<i>sp.</i>	larva	?	Pacific	Pt.33	347	
Perciformes	Scombridae	<i>Thynnus</i>	<i>alalonga</i>	bin-naga	ビンナガ	N	<i>Contracaecum</i>	<i>legendrei</i>		?	Pacific	Pt.33	361	
Perciformes	Scombridae	<i>Thynnus</i>	<i>thynnus</i>	maguro	マグロ	C	<i>Pelichnibothrium</i>	<i>speciosum</i>	immature	Mie	Hamajima	Pt.49	53	
Perciformes	Scombridae	<i>Thynnus</i>	<i>thynnus</i>	maguro	マグロ	D	<i>Bucephalopsis</i>	<i>sibi</i>		Mie	Hamajima	Pt.31	56	
Perciformes	Scombridae	<i>Thynnus</i>	<i>thynnus</i>	maguro	マグロ	D	<i>Coeliotrema</i>	<i>thynni</i>		Shizuoka	Suruga Bay	Pt.24	56	
Perciformes	Scombridae	<i>Thynnus</i>	<i>thynnus</i>	maguro	マグロ	D	<i>Didymocystis</i>	<i>wedli</i>		Toyama	Toyama Bay	Pt.2	514	
Perciformes	Scombridae	<i>Thynnus</i>	<i>thynnus</i>	maguro	マグロ	D	<i>Rhipidocotyle</i>	<i>pentagonum</i>		?	Pacific	Pt.21	11	
Perciformes	Scombridae	<i>Thynnus</i>	<i>thynnus</i>	maguro	マグロ	D	<i>Wedlia</i>	<i>orientalis</i>		Toyama	Toyama Bay	Pt.2	517	
Perciformes	Scombridae	<i>Thynnus</i>	<i>thynnus</i>	maguro	マグロ	M	<i>Hexacotyle</i>	<i>dissimilis</i>		Shizuoka	Numazu	Pt.19	20	
Perciformes	Scombridae	<i>Thynnus</i>	<i>thynnus</i>	maguro	マグロ	N	<i>Anisakis</i>	<i>sp.</i>	larva	?	Pacific	Pt.33	347	
Perciformes	Scombroidea	<i>Scombrops</i>	<i>boops</i>	mutsu	ムツ	D	<i>Bucephalopsis</i>	<i>scombropsis</i>		Shizuoka	Numazu	Pt.21	4	
Perciformes	Scombroidea	<i>Scombrops</i>	<i>boops</i>	mutsu	ムツ	D	<i>Cymbephallus</i>	<i>elongatus</i>		Shizuoka	Maisaka	Pt.21	50	
Perciformes	Scombroidea	<i>Scombrops</i>	<i>boops</i>	mutsu	ムツ	D	<i>Opecoelus</i>	<i>mutu</i>		Mie	Hamajima	Pt.31	71	
Perciformes	Scombroidea	<i>Scombrops</i>	<i>boops</i>	mutsu	ムツ	D	<i>Opecoelus</i>	<i>mutu</i>		?	?	Pt.44	258	re-exam of original specimens (Pt.31)
Perciformes	Scombroidea	<i>Telescopias</i>	<i>sp.</i>	mutsu-ru	ムツの類	D	<i>Rhipidocotyle</i>	<i>longleyi</i>		Shizuoka	Suruga Bay	Pt.21	9	Host syn.: <i>Scomberops</i> sp.
Perciformes	Serranidae	"epinephelid"		hara-ru	ハタの類	D	<i>Gonapodasmius</i>	<i>pacificus</i>		?	Pacific	Pt.24	66	
Perciformes	Serranidae	<i>Caprodon</i>	<i>schlegeli</i>	akaisaki	アカイサキ	N	<i>Anisakis</i>	<i>sp.</i>	larva	?	Pacific	Pt.9	338	syn.: <i>Anisakis salaris</i> (Gmelin, 1790)
Perciformes	Serranidae	<i>Cephalopholis</i>	<i>urodelus</i>	nijihata	ニジハタ	D	<i>Opecoelus</i>	<i>mexicanus</i>		Okinawa	Naha	Pt.39	347	
Perciformes	Serranidae	<i>Chelidoperca</i>	<i>hirundinacea</i>	himekodai	ヒメコダイ	D	<i>Cymbephallus</i>	<i>japonicus</i>		Shizuoka	Suruga Bay	Pt.21	48	
Perciformes	Serranidae	<i>Epinephelus</i>	<i>akaara</i>	kijihata	キジハタ	A	<i>Longicollum</i>	<i>pagrosomi</i>	immature	? or Toyama	Inland Sea or Toyama Bay	Pt.8	257	
Perciformes	Serranidae	<i>Epinephelus</i>	<i>akaara</i>	kijihata	キジハタ	A	<i>Rhadinorhynchus</i>	<i>epinepheli</i>		?	Inland Sea	Pt.29	343	
Perciformes	Serranidae	<i>Epinephelus</i>	<i>akaara</i>	kijihata	キジハタ	C	<i>Callotetrarhynchus</i>	<i>speciosus</i>	cysticeroid	?	Inland Sea	Pt.6	232	syn.: <i>Lintoniella speciosa</i> (Linton, 1897)

Host order	Host family	Host Genus	Host Species	Host Japanese Name	宿主名	Para site	Genus (subg.)	species	Stage	Prefecture	Locality	Ref.No.	Page	Remarks
Perciformes	Serranidae	<i>Epinephelus</i>	<i>akaara</i>	kijihata	キジハタ	C	<i>Lintoniella</i>	<i>speciosa</i>	cysticeroid	?	Inland Sea	Pt.4	109	syn.: <i>Rhynchobothrius speciosus</i> Linton, 1897; <i>Callotetrarhynchus speciosus</i> (Linton, 1897)
Perciformes	Serranidae	<i>Epinephelus</i>	<i>akaara</i>	kijihata	キジハタ	C	<i>Pintneriella</i>	<i>musculicola</i>		Hyogo	Tarumi	Pt.49	59	
Perciformes	Serranidae	<i>Epinephelus</i>	<i>akaara</i>	kijihata	キジハタ	C	<i>Pintneriella</i>	<i>sp.</i>	plerocercoid	?	?	Pt.4	107	
Perciformes	Serranidae	<i>Epinephelus</i>	<i>akaara</i>	kijihata	キジハタ	D	<i>Bivesicula</i>	<i>epinepheli</i>		?	Inland Sea	Pt.21	77	
Perciformes	Serranidae	<i>Epinephelus</i>	<i>akaara</i>	kijihata	キジハタ	D	<i>Bivesicula</i>	<i>epinepheli</i>		?	Inland Sea	Pt.26	223	
Perciformes	Serranidae	<i>Epinephelus</i>	<i>akaara</i>	kijihata	キジハタ	D	<i>Coitocaecum</i>	<i>glandulosum</i>		Wakayama	Pacific coast	Pt.2	357	
Perciformes	Serranidae	<i>Epinephelus</i>	<i>akaara</i>	kijihata	キジハタ	D	<i>Ectenurus</i>	<i>hamati</i>		?; Wakayama	Inland Sea; Pacific coast	Pt.2	462	
Perciformes	Serranidae	<i>Epinephelus</i>	<i>akaara</i>	kijihata	キジハタ	D	<i>Gonapodasmius</i>	<i>pristipomatis</i>		?	Inland Sea	Pt.24	65	syn.: <i>Nematothrium pristipomatis</i> (Yam., 1934)
Perciformes	Serranidae	<i>Epinephelus</i>	<i>akaara</i>	kijihata	キジハタ	D	<i>Hamacreadium</i>	<i>epinepheli</i>		?	Inland Sea	Pt.2	305	
Perciformes	Serranidae	<i>Epinephelus</i>	<i>akaara</i>	kijihata	キジハタ	D	<i>Hamacreadium</i>	<i>epinepheli</i>		?	?	Pt.26	213	
Perciformes	Serranidae	<i>Epinephelus</i>	<i>akaara</i>	kijihata	キジハタ	D	<i>Helicometra</i>	<i>epinepheli</i>		?	Inland Sea	Pt.2	298	
Perciformes	Serranidae	<i>Epinephelus</i>	<i>akaara</i>	kijihata	キジハタ	D	<i>Helicometra</i>	<i>epinepheli</i>		Okayama	Shibukawa	Pt.52	372	
Perciformes	Serranidae	<i>Epinephelus</i>	<i>akaara</i>	kijihata	キジハタ	D	<i>Hysteroleicithoides</i>	<i>epinepheli</i>		?	Inland Sea	Pt.2	495	
Perciformes	Serranidae	<i>Epinephelus</i>	<i>akaara</i>	kijihata	キジハタ	D	<i>Opecoelus</i>	<i>lobatus</i>		?	Inland Sea	Pt.2	345	
Perciformes	Serranidae	<i>Epinephelus</i>	<i>akaara</i>	kijihata	キジハタ	D	<i>Opecoelus</i>	<i>lobatus</i>		Mie	Hamajima	Pt.31	72	
Perciformes	Serranidae	<i>Epinephelus</i>	<i>akaara</i>	kijihata	キジハタ	D	<i>Proctoeces</i>	<i>maculatus</i>		?	Inland Sea	Pt.2	410	
Perciformes	Serranidae	<i>Epinephelus</i>	<i>akaara</i>	kijihata	キジハタ	D	<i>Prosorhynchus (Skrjabiniella)</i>	<i>epinepheli</i>		?	Inland Sea	Pt.26	212	
Perciformes	Serranidae	<i>Epinephelus</i>	<i>akaara</i>	kijihata	キジハタ	D	<i>Tormopsolus</i>	<i>orientalis</i>		?	Inland Sea	Pt.26	219	
Perciformes	Serranidae	<i>Epinephelus</i>	<i>akaara</i>	kijihata	キジハタ	D	<i>Tubulovesicula</i>	<i>magnacetabulum</i>		?	Inland Sea	Pt.26	225	
Perciformes	Serranidae	<i>Epinephelus</i>	<i>akaara</i>	kijihata	キジハタ	M	<i>Diplectanum</i>	<i>epinepheli</i>		?	Inland Sea	Pt.24	22	
Perciformes	Serranidae	<i>Epinephelus</i>	<i>akaara</i>	kijihata	キジハタ	M	<i>Encotyllabe</i>	<i>spari</i>		?	Inland Sea	Pt.2	265	
Perciformes	Serranidae	<i>Epinephelus</i>	<i>akaara</i>	kijihata	キジハタ	M	<i>Epibdella (Benedenia)</i>	<i>convoluta</i>		?	Inland Sea	Pt.19	16	
Perciformes	Serranidae	<i>Epinephelus</i>	<i>akaara</i>	kijihata	キジハタ	M	<i>Epibdella (Benedenia)</i>	<i>convoluta</i>		?	?	Pt.26	212	
Perciformes	Serranidae	<i>Epinephelus</i>	<i>akaara</i>	kijihata	キジハタ	M	<i>Epibdella (Epibdella)</i>	<i>epinepheli</i>		Hyogo	Tarumi	Pt.19	15	
Perciformes	Serranidae	<i>Epinephelus</i>	<i>akaara</i>	kijihata	キジハタ	M	<i>Epibdella (Epibdella)</i>	<i>epinepheli</i>		?	?	Pt.26	212	
Perciformes	Serranidae	<i>Epinephelus</i>	<i>akaara</i>	kijihata	キジハタ	M	<i>Microcotyle</i>	<i>sebastisci</i>		?	Inland Sea	Pt.53	81	
Perciformes	Serranidae	<i>Epinephelus</i>	<i>akaara</i>	kijihata	キジハタ	M	<i>Pseudorhabdosynchus</i>	<i>epinepheli</i>		?	Inland Sea	Pt.53	64	
Perciformes	Serranidae	<i>Epinephelus</i>	<i>akaara</i>	kijihata	キジハタ	N	<i>Anisakis</i>	<i>sp.</i>	larva	?	East China Sea	Pt.33	347	
Perciformes	Serranidae	<i>Epinephelus</i>	<i>akaara</i>	kijihata	キジハタ	N	<i>Anisakis</i>	<i>sp.</i>	larva	?	Inland Sea	Pt.9	338	syn.: <i>Anisakis salaris</i> (Gmelin, 1790)
Perciformes	Serranidae	<i>Epinephelus</i>	<i>akaara</i>	kijihata	キジハタ	N	<i>Contraecum</i>	<i>epinepheli</i>		?	Inland Sea	Pt.33	358	
Perciformes	Serranidae	<i>Epinephelus</i>	<i>akaara</i>	kijihata	キジハタ	N	<i>Contraecum</i>	<i>sp. larva-I</i>	larva	?	Inland Sea	Pt.9	348	
Perciformes	Serranidae	<i>Epinephelus</i>	<i>akaara</i>	kijihata	キジハタ	N	<i>Contraecum</i>	<i>sp. larva-III</i>	larva	?	Inland Sea	Pt.9	348	
Perciformes	Serranidae	<i>Epinephelus</i>	<i>akaara</i>	kijihata	キジハタ	N	<i>Contraecum</i>	<i>sp. larva-V</i>	larva	?	Inland Sea	Pt.9	349	
Perciformes	Serranidae	<i>Epinephelus</i>	<i>akaara</i>	kijihata	キジハタ	N	<i>Philometra</i>	<i>pinnicola</i>		?	Inland Sea	Pt.33	393	syn.: <i>Sanguinifilaria pinnicola</i> Yam., 1935
Perciformes	Serranidae	<i>Epinephelus</i>	<i>akaara</i>	kijihata	キジハタ	N	<i>Sanguinifilaria</i>	<i>lateolabracis</i>		?	Pacific or Inland Sea	Pt.9	358	
Perciformes	Serranidae	<i>Epinephelus</i>	<i>akaara</i>	kijihata	キジハタ	N	<i>Sanguinifilaria</i>	<i>pinnicola</i>		?	Inland Sea	Pt.9	360	syn.: <i>Philometra pinnicola</i> (Yam., 1935)
Perciformes	Serranidae	<i>Epinephelus</i>	<i>chlorostigma</i>	housekihata	ハウセキハタ	D	<i>Hamacreadium</i>	<i>epinepheli</i>		Okinawa	Naha	Pt.39	337	

Host order	Host family	Host Genus	Host Species	Host Japanese Name	宿主名	Para site	Genus (subg.)	species	Stage	Prefecture	Locality	Ref.No.	Page	Remarks
Perciformes	Serranidae	<i>Epinephelus</i>	<i>chlorostigma</i>	housekihata	ホウセキハタ	D	<i>Podocotyle</i>	<i>epinepheli</i>		Okinawa	Naha	Pt.39	339	
Perciformes	Serranidae	<i>Epinephelus</i>	<i>septenfasciatus</i>	mahata	マハタ	D	<i>Ectenurus</i>	<i>hamati</i>		Mie	Hamajima	Pt.31	92	
Perciformes	Serranidae	<i>Epinephelus</i>	<i>septenfasciatus</i>	mahata	マハタ	M	<i>Metabenedeniella</i>	<i>hoplognathi</i>		Hyogo	Suma Aquarium	Pt.53	56	
Perciformes	Serranidae	<i>Epinephelus</i>	<i>tsirimenara</i>	akahata	アカハタ	D	<i>Helicometra</i>	<i>epinepheli</i>		?	Inland Sea	Pt.2	298	
Perciformes	Serranidae	<i>Sayonara</i>	<i>satsumae</i>	kasumisakurada	カスミサクラダイ	D	<i>Cymbephallus</i>	<i>japonicus</i>		Shizuoka	Maisaka	Pt.21	48	
Perciformes	Serranidae	<i>Serranus</i>	<i>merra</i>	kanmonhata	カンモンハタ	D	<i>Helicometra</i>	<i>epinepheli</i>		Overseas	Celebes	Cs.3	261	
Perciformes	Serranidae	<i>Serranus</i>	<i>sp.</i>	hata-ru	ハタの類	D	<i>Podocotyle</i>	<i>serrani</i>		Overseas	Celebes	Cs.1	157	
Perciformes	Serranidae	<i>Serranus</i>	<i>sp.</i>	hata-ru	ハタの類	M	<i>Diplectanum</i>	<i>serrani</i>		Overseas	Celebes	Cs.2	226	
Perciformes	Siganidae	<i>Lo</i>	<i>unimaculatus</i>	hifukiaigo	ヒフキアイゴ	D	<i>Gyliuchen</i>	<i>nahaensis</i>		Okinawa	Naha	Pt.39	376	Host syn.: <i>Siganus vulpinus</i>
Perciformes	Siganidae	<i>Lo</i>	<i>unimaculatus</i>	hifukiaigo	ヒフキアイゴ	N	<i>Procamallanus</i>	<i>lonis</i>		Okinawa	Naha	Pt.33	378	Host syn.: <i>Siganus vulpinus</i>
Perciformes	Siganidae	<i>Siganus</i>	<i>fuscescens</i>	aigo	アイゴ	A	<i>Longicollum</i>	<i>pagrosomi</i>	immature	? or Toyama	Inland Sea; Toyama Bay	Pt.8	257	
Perciformes	Siganidae	<i>Siganus</i>	<i>fuscescens</i>	aigo	アイゴ	D	<i>Atractotrema</i>	<i>fusum</i>		?	Inland Sea	Pt.26	228	
Perciformes	Siganidae	<i>Siganus</i>	<i>fuscescens</i>	aigo	アイゴ	D	<i>Gyliuchen</i>	<i>papillatus</i>		?, Mie; Wakayama	Inland Sea; Pacific coast; Pacific coast	Pt.2	529	
Perciformes	Siganidae	<i>Siganus</i>	<i>fuscescens</i>	aigo	アイゴ	D	<i>Hexangium</i>	<i>sigani</i>		?	Inland Sea	Pt.2	533	
Perciformes	Siganidae	<i>Siganus</i>	<i>fuscescens</i>	aigo	アイゴ	D	<i>Hysterolecitha</i>	<i>xesuri</i>		?	?	Pt.31	95	
Perciformes	Siganidae	<i>Siganus</i>	<i>fuscescens</i>	aigo	アイゴ	D	<i>Hysterolecithoides</i>	<i>epinepheli</i>		?	Pacific	Pt.2	495	
Perciformes	Siganidae	<i>Siganus</i>	<i>fuscescens</i>	aigo	アイゴ	M	<i>Tetrancistrum</i>	<i>sigani</i>		Hyogo	Tarumi	Pt.24	16	
Perciformes	Siganidae	<i>Siganus</i>	<i>fuscescens</i>	aigo	アイゴ	N	<i>Procamallanus</i>	<i>sigani</i>		?, Mie; Wakayama	Inland Sea; ?; Wakayama	Pt.9	378	
Perciformes	Siganidae	<i>Siganus</i>	<i>puella</i>	majiriaigo	マジリアイゴ	D	<i>Schistorchis</i>	<i>sigani</i>		Okinawa	Naha	Pt.39	362	
Perciformes	Siganidae	<i>Siganus</i>	<i>sp.</i>	aigo-ru	アイゴの類	D	<i>Gyliuchen</i>	<i>papillatus</i>		Overseas	Celebes	Cs.3	270	
Perciformes	Siganidae	<i>Siganus</i>	<i>sp.</i>	aigo-ru	アイゴの類	D	<i>Hexangium</i>	<i>sigani</i>		Overseas	Celebes	Cs.3	288	
Perciformes	Siganidae	<i>Siganus</i>	<i>sp.</i>	aigo-ru	アイゴの類	D	<i>Hysterolecithoides</i>	<i>epinepheli</i>		Overseas	Celebes	Cs.3	287	
Perciformes	Siganidae	<i>Siganus</i>	<i>sp.</i>	aigo-ru	アイゴの類	D	<i>Schistorchis</i>	<i>sigani</i>		Overseas	Celebes	Cs.3	263	
Perciformes	Siganidae	<i>Siganus</i>	<i>sp.</i>	aigo-ru	アイゴの類	M	<i>Pseudohaliotrema (Pseudohaliotrematoides)</i>	<i>fusiforme</i>		Overseas	Celebes	Cs.2	222	
Perciformes	Siganidae	<i>Siganus</i>	<i>sp.</i>	aigo-ru	アイゴの類	M	<i>Pseudohaliotrema (P.)</i>	<i>sigani</i>		Overseas	Celebes	Cs.2	220	
Perciformes	Siganidae	<i>Siganus</i>	<i>sp.</i>	aigo-ru	アイゴの類	M	<i>Pseudohaliotrema (P.)</i>	<i>sphinnncteroporos</i>		Overseas	Celebes	Cs.2	218	
Perciformes	Siganidae	<i>Siganus</i>	<i>sp.</i>	aigo-ru	アイゴの類	N	<i>Cucullanus</i>	<i>sigani</i>		Overseas	Celebes	Cs.9	124	
Perciformes	Siganidae	<i>Siganus</i>	<i>sp.</i>	aigo-ru	アイゴの類	N	<i>Procamallanus</i>	<i>annulatus</i>		Overseas	Celebes	Cs.9	122	
Perciformes	Siganidae	<i>Siganus?</i>	<i>fuscescens?</i>	aigo?	アイゴ?	D	<i>Hexangium</i>	<i>sigani</i>		?	?	Pt.26	228	
Perciformes	Siganidae	<i>Teuthis</i>	<i>sp.</i>	aigo-ru	アイゴの類	D	<i>Gyliuchen</i>	<i>nahaensis</i>		Overseas	Celebes	Cs.3	270	Host syn.: <i>Syganus</i> sp.
Perciformes	Sillaginidae	<i>Sillago</i>	<i>sihama</i>	shirogisu	シロギス	A	<i>Longicollum</i>	<i>pagrosomi</i>	immature	? or Toyama	Inland Sea or Toyama Bay	Pt.8	257	
Perciformes	Sillaginidae	<i>Sillago</i>	<i>sihama</i>	shirogisu	シロギス	C	<i>Scolex</i>	<i>polymorphus -1</i>		?	Inland Sea	Pt.4	80	
Perciformes	Sillaginidae	<i>Sillago</i>	<i>sihama</i>	shirogisu	シロギス	D	<i>Bucephalus</i>	<i>elongatus</i>		?	Inland Sea	Pt.2	275	
Perciformes	Sillaginidae	<i>Sillago</i>	<i>sihama</i>	shirogisu	シロギス	D	<i>Decemtestis</i>	<i>sillagonis</i>		Toyama; ?	Toyama Bay; Inland Sea	Pt.2	317	
Perciformes	Sillaginidae	<i>Sillago</i>	<i>sihama</i>	shirogisu	シロギス	D	<i>Echinostephanus</i>	<i>sp.</i>		Mie	Hamajima	Pt.31	83	
Perciformes	Sillaginidae	<i>Sillago</i>	<i>sihama</i>	shirogisu	シロギス	D	<i>Plagioporus</i>	<i>sillagonis</i>		Shizuoka	Lake Hamana	Pt.21	17	
Perciformes	Sillaginidae	<i>Sillago</i>	<i>sihama</i>	shirogisu	シロギス	D	<i>Steganoderma</i>	<i>fellis</i>		Hyogo	Tarumi	Pt.2	397	
Perciformes	Sillaginidae	<i>Sillago</i>	<i>sihama</i>	shirogisu	シロギス	N	<i>Contraecum</i>	<i>sp. larva-1</i>	larva	?	Inland Sea	Pt.33	370	
Perciformes	Sillaginidae	<i>Sillago</i>	<i>sihama</i>	shirogisu	シロギス	N	<i>Contraecum</i>	<i>sp. larva-1</i>	larva	?	Inland Sea	Pt.9	348	
Perciformes	Sinipercidae	<i>Bryttosus</i>	<i>kawamebari</i>	oyanirami	オヤニラミ	D	<i>Coitocaecum</i>	<i>plagiporchis</i>		Hyogo	Asago River	Pt.2	359	
Perciformes	Sinipercidae	<i>Bryttosus</i>	<i>kawamebari</i>	oyanirami	オヤニラミ	N	<i>Hedruris</i>	<i>bryttosi</i>		Hyogo	Asago River	Pt.9	367	

Host order	Host family	Host Genus	Host Species	Host Japanese Name	宿主名	Para site	Genus (subg.)	species	Stage	Prefecture	Locality	Ref.No.	Page	Remarks
Perciformes	Sparidae	<i>Pagrosomus</i>	<i>auratus</i>	madai	マダイ	D	<i>Proctoeces</i>	<i>maculatus</i>		?	Inland Sea	Pt.2	410	
Perciformes	Sparidae	<i>Pagrosomus</i>	<i>auratus</i>	madai	マダイ	D	<i>Proctoeces</i>	<i>major</i>		Hyogo	Tarumi	Pt.2	410	
Perciformes	Sparidae	<i>Pagrosomus</i>	<i>auratus</i>	madai	マダイ	D	<i>Stephanochasmus</i>	<i>casus</i>		?	Inland Sea	Pt.2	368	
Perciformes	Sparidae	<i>Pagrosomus</i>	<i>major</i>	madai	マダイ	D	<i>Lecithocladium</i>	<i>pagrosomi</i>		?	Inland Sea	Pt.2	482	Host syn.: <i>Chrysophrys major</i>
Perciformes	Sparidae	<i>Pagrosomus</i>	<i>unicolor</i>	madai	マダイ	A	<i>Longicollum</i>	<i>pagrosomi</i>		?	?	Pt.29	327	Host syn.: <i>Chrysophrys major</i>
Perciformes	Sparidae	<i>Pagrosomus</i>	<i>unicolor</i>	madai	マダイ	A	<i>Longicollum</i>	<i>pagrosomi</i>		?	Inland Sea	Pt.8	257	Host syn.: <i>Chrysophrys major</i>
Perciformes	Sparidae	<i>Pagrosomus</i>	<i>unicolor</i>	madai	マダイ	C	<i>Callotetrarhynchus</i>	<i>speciosus</i>	cystice rcoid	?	Inland Sea	Pt.6	232	syn.: <i>Lintoniella speciosa</i> (Linton, 1897) Host syn.: <i>Chrysophrys major</i>
Perciformes	Sparidae	<i>Pagrosomus</i>	<i>unicolor</i>	madai	マダイ	C	<i>Lintoniella</i>	<i>speciosa</i>	cystice rcoid	?	Inland Sea	Pt.4	109	syn.: <i>Rhynchobothrius speciosum</i> Linton, 1897; <i>Callotetrarhynchus speciosus</i> (Linton, 1897) Host syn.: <i>Chrysophrys major</i>
Perciformes	Sparidae	<i>Pagrosomus</i>	<i>unicolor</i>	madai	マダイ	C	<i>Pintneriella</i>	<i>musculicola</i>	pleroce rcoid	Mie	Pacific coast	Pt.4	108	Host syn.: <i>Chrysophrys major</i>
Perciformes	Sparidae	<i>Pagrosomus</i>	<i>unicolor</i>	madai	マダイ	C	<i>Scolex</i>	<i>polymorphus -I</i>		Mie	Kuki	Pt.4	80	Host syn.: <i>Chrysophrys major</i>
Perciformes	Sparidae	<i>Pagrosomus</i>	<i>unicolor</i>	madai	マダイ	C	<i>Scolex</i>	<i>polymorphus -V</i>		?	Inland Sea	Pt.4	81	Host syn.: <i>Chrysophrys major</i>
Perciformes	Sparidae	<i>Pagrosomus</i>	<i>unicolor</i>	madai	マダイ	D	<i>Decemtestis</i>	<i>pagrosomi</i>		?	Inland Sea	Pt.21	32	Host syn.: <i>Chrysophrys major</i>
Perciformes	Sparidae	<i>Pagrosomus</i>	<i>unicolor</i>	madai	マダイ	D	<i>Echinostephanus</i>	<i>pagrosomi</i>		?	Inland Sea	Pt.26	221	Host syn.: <i>Chrysophrys major</i>
Perciformes	Sparidae	<i>Pagrosomus</i>	<i>unicolor</i>	madai	マダイ	D	<i>Metadena</i>	<i>pagrosomi</i>		?	Inland Sea	Pt.21	68	Host syn.: <i>Chrysophrys major</i>
Perciformes	Sparidae	<i>Pagrosomus</i>	<i>unicolor</i>	madai	マダイ	D	<i>Opecoelus</i>	<i>pagrosomi</i>		?	Inland Sea	Pt.52	374	Host syn.: <i>Chrysophrys major</i>
Perciformes	Sparidae	<i>Pagrosomus</i>	<i>unicolor</i>	madai	マダイ	D	<i>Pycnadenoides</i>	<i>pagrosomi</i>		Hyogo	Tarumi	Pt.21	23	Host syn.: <i>Chrysophrys major</i>
Perciformes	Sparidae	<i>Pagrosomus</i>	<i>unicolor</i>	madai	マダイ	D	<i>Steringotrema</i>	<i>nakazawai</i>		?	Inland Sea	Pt.21	95	Host syn.: <i>Chrysophrys major</i>
Perciformes	Sparidae	<i>Pagrosomus</i>	<i>unicolor</i>	madai	マダイ	D	<i>Sterrhurus</i>	<i>pagrosomi</i>		?	Inland Sea	Pt.26	226	Host syn.: <i>Chrysophrys major</i>
Perciformes	Sparidae	<i>Pagrosomus</i>	<i>unicolor</i>	madai	マダイ	D	<i>Tubulovesicula</i>	<i>spari</i>		?	Inland Sea	Pt.26	225	Host syn.: <i>Chrysophrys major</i>
Perciformes	Sparidae	<i>Pagrosomus</i>	<i>unicolor</i>	madai	マダイ	D	<i>Zoogonus</i>	<i>pagrosomi</i>		?	Inland Sea	Pt.26	223	Host syn.: <i>Chrysophrys major</i>
Perciformes	Sparidae	<i>Pagrosomus</i>	<i>unicolor</i>	madai	マダイ	M	<i>Diclidophora</i>	<i>elongata</i>		?	Inland Sea	Pt.24	27	Host syn.: <i>Chrysophrys major</i>
Perciformes	Sparidae	<i>Pagrosomus</i>	<i>unicolor</i>	madai	マダイ	M	<i>Epibdella (Epibdella)</i>	<i>sekii</i>		Hiroshima	Ocho	Pt.19	13	Host syn.: <i>Chrysophrys major</i>
Perciformes	Sparidae	<i>Pagrosomus</i>	<i>unicolor</i>	madai	マダイ	M	<i>Lamellodiscus</i>	<i>pagrosomi</i>		Hyogo	Tarumi	Pt.24	21	Host syn.: <i>Chrysophrys major</i>

Host order	Host family	Host Genus	Host Species	Host Japanese Name	宿主名	Parasite	Genus (subg.)	species	Stage	Prefecture	Locality	Ref.No.	Page	Remarks	
Perciformes	Sparidae	<i>Pagrosomus</i>	<i>unicolor</i>	madai	マダイ	M	<i>Microcotyle</i>	<i>tai</i>		?	Inland Sea	Pt.24	31	Host syn.: <i>Chrysophrys major</i>	
Perciformes	Sparidae	<i>Pagrosomus</i>	<i>unicolor</i>	madai	マダイ	N	<i>Anisakis</i>	<i>sp.</i>	larva	?	Inland Sea	Pt.9	338	syn.: <i>Anisakis salaris</i> (Gmelin, 1790) Host syn.: <i>Chrysophrys major</i>	
Perciformes	Sparidae	<i>Pagrosomus</i>	<i>unicolor</i>	madai	マダイ	N	<i>Contraecum</i>	<i>pagrosomi</i>		?	Inland Sea	Pt.9	345	Host syn.: <i>Chrysophrys major</i>	
Perciformes	Sparidae	<i>Pagrosomus</i>	<i>unicolor</i>	madai	マダイ	N	<i>Cucullanelus</i>	<i>pleuronectidis</i>		?	Inland Sea	Pt.33	386	Host syn.: <i>Chrysophrys major</i>	
Perciformes	Sparidae	<i>Sparus</i>	<i>aries</i>	hedai	ヘダイ	D	<i>Proctoeces</i>	<i>maculatus</i>		?	Inland Sea	Pt.2	410	Host syn.: <i>Rhabdosargus sarba</i> & <i>Sparus sarba</i>	
Perciformes	Sparidae	<i>Sparus</i>	<i>longispinis</i>	kurodai	クロダイ	A	<i>Longicollum</i>	<i>pagrosomi</i>	immature	? or Toyama	Inland Sea; Toyama Bay	Pt.8	257	Host syn.: <i>Mylio macrocephalus</i>	
Perciformes	Sparidae	<i>Sparus</i>	<i>longispinis</i>	kurodai	クロダイ	C	<i>Scolex</i>	<i>polymorphus - V</i>		?	Inland Sea	Pt.4	81	Host syn.: <i>Mylio macrocephalus</i>	
Perciformes	Sparidae	<i>Sparus</i>	<i>longispinis</i>	kurodai	クロダイ	D	<i>Decemtestis</i>	<i>spari</i>			Shizuoka	Lake Hamana	Pt.21	31	Host syn.: <i>Mylio macrocephalus</i>
Perciformes	Sparidae	<i>Sparus</i>	<i>longispinis</i>	kurodai	クロダイ	D	<i>Diphtherostomum</i>	<i>spari</i>			Shizuoka	Lake Hamana	Pt.21	92	Host syn.: <i>Mylio macrocephalus</i>
Perciformes	Sparidae	<i>Sparus</i>	<i>longispinis</i>	kurodai	クロダイ	D	<i>Plagioporus (Caudotestis)</i>	<i>spari</i>			Mie	Hamajima	Pt.44	250	Host syn.: <i>Mylio macrocephalus</i>
Perciformes	Sparidae	<i>Sparus</i>	<i>longispinis</i>	kurodai	クロダイ	M	<i>Microcotyle</i>	<i>spari</i>			Hyogo; Shizuoka	Tarumi; Bentenjima	Pt.19	24	Host syn.: <i>Mylio macrocephalus</i>
Perciformes	Sparidae	<i>Sparus</i>	<i>longispinis</i>	kurodai	クロダイ	M	<i>Microcotyle</i>	<i>spari</i>			Hyogo	Tarumi	Pt.37	125	Host syn.: <i>Mylio macrocephalus</i>
Perciformes	Sparidae	<i>Sparus</i>	<i>longispinis</i>	kurodai	クロダイ	N	<i>Anisakis</i>	<i>sp.</i>	larva		Toyama	Toyama Bay	Pt.9	338	syn.: <i>Anisakis salaris</i> (Gmelin, 1790) Host syn.: <i>Mylio macrocephalus</i>
Perciformes	Sparidae	<i>Sparus</i>	<i>macrocephalus</i>	kurodai	クロダイ	D	<i>Coitocaecum</i>	<i>glandulosum</i>			Toyama	Toyama Bay	Pt.2	357	Host syn.: <i>Mylio macrocephalus</i>
Perciformes	Sparidae	<i>Sparus</i>	<i>macrocephalus</i>	kurodai	クロダイ	D	<i>Proctoeces</i>	<i>maculatus</i>		?	Aichi or Mie	Inland Sea; Ise Bay	Pt.2	410	Host syn.: <i>Mylio macrocephalus</i>
Perciformes	Sparidae	<i>Sparus</i>	<i>macrocephalus</i>	kurodai	クロダイ	D	<i>Steringotrema</i>	<i>nakazawai</i>			Wakayama	Pacific coast	Pt.2	406	Host syn.: <i>Mylio macrocephalus</i>
Perciformes	Sparidae	<i>Sparus</i>	<i>macrocephalus</i>	kurodai	クロダイ	D	<i>Tubulovesicula</i>	<i>spari</i>		?	Inland Sea	Pt.2	468	Host syn.: <i>Mylio macrocephalus</i>	
Perciformes	Sparidae	<i>Sparus</i>	<i>macrocephalus</i>	kurodai	クロダイ	M	<i>Encotyllabe</i>	<i>spari</i>		?	Inland Sea	Pt.2	265	Host syn.: <i>Mylio macrocephalus</i>	
Perciformes	Sparidae	<i>Sparus</i>	<i>macrocephalus</i>	kurodai	クロダイ	M	<i>Pseudomicrobothrium</i>	<i>spari</i>			Kanagawa	Sagami Bay	Pt.53	59	Host syn.: <i>Mylio macrocephalus</i>
Perciformes	Sparidae	<i>Sparus</i>	<i>macrocephalus</i>	kurodai	クロダイ	M	<i>Pseudomurraytrema</i>	<i>spari</i>		?	Inland Sea	Pt.53	69	Host syn.: <i>Mylio macrocephalus</i>	
Perciformes	Sparidae	<i>Sparus</i>	<i>macrocephalus</i>	kurodai	クロダイ	N	<i>Philometra</i>	<i>spari</i>		?	Inland Sea	Pt.57	226	Host syn.: <i>Mylio macrocephalus</i>	
Perciformes	Sphyraenidae	<i>Sphyraena</i>	<i>pinguis</i>	akakamasu	アカカマス	C	<i>Callotetrarhynchus</i>	<i>speciosus</i>	cysticercoid	?	Inland Sea	Pt.6	232	syn.: <i>Lintoniella speciosa</i> (Linton, 1897) Host syn.: <i>Sphyraena schlegelii</i>	

Host order	Host family	Host Genus	Host Species	Host Japanese Name	宿主名	Parasite	Genus (subg.)	species	Stage	Prefecture	Locality	Ref.No.	Page	Remarks
Perciformes	Sphyraenidae	<i>Sphyraena</i>	<i>pinguis</i>	akakamasu	アカカマス	C	<i>Lintoniella</i>	<i>speciosa</i>	cysticercoid	?	Inland Sea	Pt.4	109	syn.: <i>Rhynchobothrius speciosum</i> Linton, 1897; <i>Callotetrarhynchus speciosus</i> (Linton, 1897) Host syn.: <i>Sphyraena schlegeli</i>
Perciformes	Sphyraenidae	<i>Sphyraena</i>	<i>pinguis</i>	akakamasu	アカカマス	D	<i>Allodidymozoon</i>	<i>sphyraenae</i>		Kanagawa	Sagami Bay	Pt.54	258	Host syn.: <i>Sphyraena schlegeli</i>
Perciformes	Sphyraenidae	<i>Sphyraena</i>	<i>pinguis</i>	akakamasu	アカカマス	D	<i>Rhipidocotyle</i>	<i>sphyraenae</i>		Kanagawa	Sagami Bay	Pt.54	243	Host syn.: <i>Sphyraena schlegeli</i>
Perciformes	Sphyraenidae	<i>Sphyraena</i>	<i>sp.</i>	kamasu-rui	カマスの類	D	<i>Bucephalus</i>	<i>sphyraenae</i>		Overseas	Celebes	Cs.1	147	
Perciformes	Sphyraenidae	<i>Sphyraena</i>	<i>sp.</i>	kamasu-rui	カマスの類	D	<i>Lecithochirium</i>	<i>lobatum</i>		Overseas	Celebes	Cs.1	184	
Perciformes	Sphyraenidae	<i>Sphyraena</i>	<i>sp.</i>	kamasu-rui	カマスの類	D	<i>Prosorhynchus</i>	<i>longicollis</i>		Overseas	Celebes	Cs.3	258	
Perciformes	Sphyraenidae	<i>Sphyraena</i>	<i>sp.</i>	kamasu-rui	カマスの類	D	<i>Rhipidocotyle</i>	<i>khalili</i>		Overseas	Celebes	Cs.3	259	
Perciformes	Sphyraenidae	<i>Sphyraena</i>	<i>sp.</i>	kamasu-rui	カマスの類	M	<i>Pseudolamellodiscus</i>	<i>sphyraenae</i>		Overseas	Celebes	Cs.2	227	
Perciformes	Stromateidae	<i>Stromateoides</i>	<i>argenteus</i>	managatsuo	マナガツオ	D	<i>Lecithocladium</i>	<i>excisiforme</i>		?	Inland Sea	Pt.2	476	Host syn.: <i>Pampus argenteus</i>
Perciformes	Stromateidae	<i>Stromateoides</i>	<i>argenteus</i>	managatsuo	マナガツオ	D	<i>Paragonapodasmius</i>	<i>managatuwo</i>		?	Pacific	Pt.24	67	Host syn.: <i>Pampus argenteus</i>
Perciformes	Stromateidae	<i>Stromateoides</i>	<i>argenteus</i>	managatsuo	マナガツオ	N	<i>Contraecum</i>	<i>sp. larva-II</i>	larva	?	Inland Sea	Pt.9	348	Host syn.: <i>Pampus argenteus</i>
Perciformes	Stromateidae	<i>Stromateoides</i>	<i>argenteus</i>	managatsuo	マナガツオ	N	<i>Philometra</i>	<i>managatuwo</i>		Kochi	Tosa	Pt.33	392	Host syn.: <i>Pampus argenteus</i>
Perciformes	Teraponidae	<i>Therapon</i>	<i>oxyrhynchus</i>	shimaisaki	シマイサキ	D	<i>Paracryptozonimus</i>	<i>acanthostomus</i>		?	Inland Sea	Pt.2	363	
Perciformes	Teraponidae	<i>Therapon</i>	<i>oxyrhynchus</i>	shimaisaki	シマイサキ	M	<i>Squamodiscus</i>	<i>longipenis</i>		Hyogo	Tarumi	Pt.2	256	
Perciformes	Trichiuridae	<i>Trichiurus</i>	<i>japonicus</i>	tachiuo	タチウオ	C	<i>Callotetrarhynchus</i>	<i>speciosus</i>		?	Inland Sea; or Pacific coast; or East China Sea	Pt.49	64	syn.: <i>Lintoniella speciosa</i> (Linton, 1897) Host syn.: <i>Trachurus lepturus</i>
Perciformes	Trichiuridae	<i>Trichiurus</i>	<i>japonicus</i>	tachiuo	タチウオ	C	<i>Scolex</i>	<i>polymorphus -I</i>		Kumamoto	Tomioka	Pt.4	80	Host syn.: <i>Trachurus lepturus</i>
Perciformes	Trichiuridae	<i>Trichiurus</i>	<i>japonicus</i>	tachiuo	タチウオ	M	<i>Octoplectanocotyla</i>	<i>trichiuri</i>		?	Inland Sea	Pt.19	22	Host syn.: <i>Trachurus lepturus</i>
Perciformes	Trichiuridae	<i>Trichiurus</i>	<i>japonicus</i>	tachiuo	タチウオ	N	<i>Anisakis</i>	<i>sp.</i>	larva	?	East China Sea; Inland Sea	Pt.33	347	Host syn.: <i>Trachurus lepturus</i>
Perciformes	Trichiuridae	<i>Trichiurus</i>	<i>japonicus</i>	tachiuo	タチウオ	N	<i>Anisakis</i>	<i>sp.</i>	larva	?	Pacific	Pt.9	338	syn.: <i>Anisakis salaris</i> (Gmelin, 1790) Host syn.: <i>Trachurus lepturus</i>
Perciformes	Trichiuridae	<i>Trichiurus</i>	<i>japonicus</i>	tachiuo	タチウオ	N	<i>Contraecum</i>	<i>sp. larva-I</i>	larva	Kyushu	Sea of Ariake	Pt.33	370	Host syn.: <i>Trachurus lepturus</i>
Perciformes	Trichiuridae	<i>Trichiurus</i>	<i>japonicus</i>	tachiuo	タチウオ	N	<i>Contraecum</i>	<i>sp. larva-I</i>	larva	Toyama	Toyama Bay	Pt.9	348	Host syn.: <i>Trachurus lepturus</i>

Host order	Host family	Host Genus	Host Species	Host Japanese Name	宿主名	Parasite	Genus (subg.)	species	Stage	Prefecture	Locality	Ref.No.	Page	Remarks
Perciformes	Trichodontidae	<i>Arctoscopus</i>	<i>japonicus</i>	hatahata	ハタハタ	A	<i>Echinorhynchus</i>	<i>gadi</i>		?	Sea of Japan	Pt.8	249	
Perciformes	Trichodontidae	<i>Arctoscopus</i>	<i>japonicus</i>	hatahata	ハタハタ	C	<i>Nybelinia</i>	<i>sp. plerocercoid-1</i>	plerocercoid	Toyama	Toyama Bay	Pt.4	105	
Perciformes	Trichodontidae	<i>Arctoscopus</i>	<i>japonicus</i>	hatahata	ハタハタ	N	<i>Anisakis</i>	<i>sp.</i>	larva	Toyama	Toyama Bay	Pt.9	338	syn.: <i>Anisakis salaris</i> (Gmelin, 1790)
Perciformes	Uranoscopidae	<i>Uranoscopus</i>	<i>japonicus</i>	mishimaokoze	ミシマオコゼ	C	<i>Echeneibothrium</i>	<i>sp. larva - VI</i>	larva	Toyama	Toyama Bay	Pt.4	82	
Perciformes	Uranoscopidae	<i>Uranoscopus</i>	<i>japonicus</i>	mishimaokoze	ミシマオコゼ	D	<i>Bucephalus</i>	<i>uranoscopi</i>		Toyama	Toyama Bay	Pt.2	274	
Perciformes	Uranoscopidae	<i>Uranoscopus</i>	<i>japonicus</i>	mishimaokoze	ミシマオコゼ	D	<i>Isocoelium</i>	<i>mediolecithale</i>		Toyama; ?	Toyama Bay; Pacific coast	Pt.2	367	
Perciformes	Uranoscopidae	<i>Uranoscopus</i>	<i>japonicus</i>	mishimaokoze	ミシマオコゼ	D	<i>Paraisocoelium</i>	<i>exorchis</i>		Mie?	Kuki?	Pt.2	368	
Perciformes	Uranoscopidae	<i>Uranoscopus</i>	<i>oligolepis</i>	niramiokoze	ニラミオコゼ	C	<i>Symbothriorhynchus</i>	<i>uranoscopi</i>		Kochi	Tosa Bay	Pt.49	65	
Perciformes	Xiphiidae	<i>Xiphias</i>	<i>gladius</i>	mekajiki	メカジキ	C	<i>Fistulicola</i>	<i>plicatus</i>		Mie	Kuki	Pt.4	35	
Perciformes	Xiphiidae	<i>Xiphias</i>	<i>gladius</i>	mekajiki	メカジキ	N	<i>Contraeaecum</i>	<i>incurvum</i>		?	Pacific	Pt.9	342	
Perciformes	Zoarcidae	<i>Bothrocara</i>	<i>zesta</i>	shirogenge	シロゲンゲ	A	<i>Echinorhynchus</i>	<i>gadi</i>		Fukui	?	Pt.29	318	Host syn.: <i>Bothrocara mollis</i> & <i>Lycogramma zesta</i>
Perciformes	Zoarcidae	<i>Bothrocara</i>	<i>zesta</i>	shirogenge	シロゲンゲ	A	<i>Echinorhynchus</i>	<i>gadi</i>		?	Sea of Japan	Pt.8	249	Host syn.: <i>Bothrocara mollis</i> & <i>Lycogramma zesta</i>
Perciformes	Zoarcidae	<i>Bothrocara</i>	<i>zesta</i>	shirogenge	シロゲンゲ	C	<i>Nybelinia</i>	<i>sp. plerocercoid-1</i>	plerocercoid	Toyama	Toyama Bay	Pt.4	105	Host syn.: <i>Bothrocara mollis</i> & <i>Lycogramma zesta</i>
Perciformes	Zoarcidae	<i>Bothrocara</i>	<i>zesta</i>	shirogenge	シロゲンゲ	C	<i>Scolex</i>	<i>polymorphus -IV</i>		Toyama	Toyama Bay	Pt.4	81	Host syn.: <i>Bothrocara mollis</i> & <i>Lycogramma zesta</i>
Perciformes	Zoarcidae	<i>Bothrocara</i>	<i>zesta</i>	shirogenge	シロゲンゲ	C	<i>Scolex</i>	<i>polymorphus -V</i>		Toyama	Toyama Bay	Pt.4	81	Host syn.: <i>Bothrocara mollis</i> & <i>Lycogramma zesta</i>
Perciformes	Zoarcidae	<i>Bothrocara</i>	<i>zesta</i>	shirogenge	シロゲンゲ	D	<i>Lepidapedon</i>	<i>genge</i>		Toyama	Toyama Bay	Pt.21	36	Host syn.: <i>Bothrocara mollis</i> & <i>Lycogramma zesta</i>
Perciformes	Zoarcidae	<i>Bothrocara</i>	<i>zesta</i>	shirogenge	シロゲンゲ	D	<i>Stephanochasmus</i>	<i>sp. (54 cephalic spines)</i>	larva	Toyama	Toyama Bay	Pt.2	372	Host syn.: <i>Bothrocara mollis</i> & <i>Lycogramma zesta</i>
Perciformes	Zoarcidae	<i>Bothrocara</i>	<i>zesta</i>	shirogenge	シロゲンゲ	D	<i>Steringophorus</i>	<i>furciger</i>		Toyama	Toyama Bay	Pt.2	405	Host syn.: <i>Bothrocara mollis</i> & <i>Lycogramma zesta</i>
Perciformes	Zoarcidae	<i>Furcimanus</i>	<i>diaptera</i>	mayugazi- rui	マユガジの類	D	<i>Lepidapedon</i>	<i>genge</i>		Toyama	Toyama Bay	Pt.21	36	Host syn.: <i>Lycodes diaptera</i>
Perciformes	Zoarcidae	<i>Furcimanus</i>	<i>diaptera</i>	mayugazi- rui	マユガジの類	N	<i>Anisakis</i>	<i>sp.</i>	larva	Fukui	Wakasa Bay	Pt.33	347	Host syn.: <i>Lycodes diaptera</i>
Perciformes	Zoarcidae	<i>Furcimanus</i>	<i>nakamurae</i>	kurogenge	クロゲンゲ	C	<i>Scolex</i>	<i>polymorphus -IV</i>		Toyama	Toyama Bay	Pt.4	81	
Perciformes	Zoarcidae	<i>Furcimanus</i>	<i>nakamurae</i>	kurogenge	クロゲンゲ	D	<i>Stephanochasmus</i>	<i>sp. (54 cephalic spines)</i>	larva	Toyama	Toyama Bay	Pt.2	372	
Perciformes	Zoarcidae	<i>Furcimanus</i>	<i>nakamurae</i>	kurogenge	クロゲンゲ	D	<i>Steringophorus</i>	<i>furciger</i>		Toyama	Toyama Bay	Pt.2	405	
Pleuronectiformes	?	"flat- fishes"		hirame/ karei- rui	ヒラメ・カレイの類	N	<i>Cucullanelus</i>	<i>pleuronectidis</i>		?	Inland Sea	Pt.33	386	

Host order	Host family	Host Genus	Host Species	Host Japanese Name	宿主名	Parasite	Genus (subg.)	species	Stage	Prefecture	Locality	Ref.No.	Page	Remarks
Pleuronectiformes	Bothidae	<i>Arnoglossus</i>	<i>violaceus</i>	sumiregarei	スマレガレイ	D	<i>Dolichoenterum</i>	<i>longissimum</i>	metacercaria	Kochi	?	Pt.20	495	
Pleuronectiformes	Bothidae	<i>Arnoglossus</i>	<i>violaceus</i>	sumiregarei	スマレガレイ	N	<i>Contraecum</i>	<i>sp. larva - I</i>	larva	Kochi	Tosa Bay	Pt.33	370	
Pleuronectiformes	Bothidae	<i>Chascanopsetta</i>	<i>raptator</i>	zaragarei	ザラガレイ	D	<i>Dinosoma</i>	<i>tortum</i>		Shizuoka	Maisaka	Pt.21	113	
Pleuronectiformes	Cynoglossidae	<i>Cynoglossus</i>	<i>sp.</i>	inunoshita- rui	イヌノシタの類	A	<i>Neoechinorhynchus</i>	<i>longilemniscus</i>		Overseas	Celebes	Cs.8	412	
Pleuronectiformes	Cynoglossidae	<i>Rhinoplagusia</i>	<i>japonica</i>	kuroushinoshita	クロウシノシタ	A	<i>Acanthocephalus</i>	<i>rhinoplagusiae</i>		?: Toyama	Inland Sea; Toyama Bay	Pt.8	256	
Pleuronectiformes	Cynoglossidae	<i>Rhinoplagusia</i>	<i>japonica</i>	kuroushinoshita	クロウシノシタ	C	<i>Echeneibothrium</i>	<i>sp. larva - VI</i>	larva	Toyama	Toyama Bay	Pt.4	82	
Pleuronectiformes	Cynoglossidae	<i>Rhinoplagusia</i>	<i>japonica</i>	kuroushinoshita	クロウシノシタ	C	<i>Nybelinia</i>	<i>sp. plerocercoid - III</i>	plerocercoid	Hyogo	Tarumi	Pt.4	106	
Pleuronectiformes	Cynoglossidae	<i>Rhinoplagusia</i>	<i>japonica</i>	kuroushinoshita	クロウシノシタ	C	<i>Scolex</i>	<i>polymorphus - I</i>		?	Inland Sea	Pt.4	81	
Pleuronectiformes	Cynoglossidae	<i>Rhinoplagusia</i>	<i>japonica</i>	kuroushinoshita	クロウシノシタ	D	<i>Aponurus</i>	<i>rhinoplagusiae</i>		Toyama	Toyama Bay	Pt.2	489	
Pleuronectiformes	Cynoglossidae	<i>Rhinoplagusia</i>	<i>japonica</i>	kuroushinoshita	クロウシノシタ	D	<i>Torticaecum</i>	<i>sp.</i>	larva	Kyushu	Sea of Ariake	Pt.38	158	
Pleuronectiformes	Cynoglossidae	<i>Rhinoplagusia</i>	<i>japonica</i>	kuroushinoshita	クロウシノシタ	N	<i>Anisakis</i>	<i>sp.</i>	larva	?	East China Sea	Pt.33	346	
Pleuronectiformes	Cynoglossidae	<i>Rhinoplagusia</i>	<i>japonica</i>	kuroushinoshita	クロウシノシタ	N	<i>Contraecum</i>	<i>sp. larva - V</i>	larva	?	East China Sea	Pt.33	371	
Pleuronectiformes	Paralichthyidae	<i>Paralichthys</i>	<i>olivaceus</i>	hirame	ヒラメ	A	<i>Metacanthocephalus</i>	<i>zebrini</i>		?	Inland Sea	Pt.55	320	
Pleuronectiformes	Paralichthyidae	<i>Paralichthys</i>	<i>olivaceus</i>	hirame	ヒラメ	C	<i>Callotetrarhynchus</i>	<i>speciosus</i>	cysticercoid	?	Inland Sea	Pt.6	232	syn.: <i>Lintoniella speciosa</i> (Linton, 1897)
Pleuronectiformes	Paralichthyidae	<i>Paralichthys</i>	<i>olivaceus</i>	hirame	ヒラメ	C	<i>Lintoniella</i>	<i>speciosa</i>	cysticercoid	?	Inland Sea	Pt.4	109	syn.: <i>Rhynchobothrius speciosum</i> Linton, 1897; <i>Callotetrarhynchus speciosus</i> (Linton, 1897)
Pleuronectiformes	Paralichthyidae	<i>Paralichthys</i>	<i>olivaceus</i>	hirame	ヒラメ	C	<i>Nybelinia</i>	<i>pintneri</i>	plerocercoid	Mie	Kuki	Pt.4	93	
Pleuronectiformes	Paralichthyidae	<i>Paralichthys</i>	<i>olivaceus</i>	hirame	ヒラメ	C	<i>Nybelinia</i>	<i>sp. plerocercoid - I</i>	plerocercoid	Toyama	Toyama Bay	Pt.4	105	
Pleuronectiformes	Paralichthyidae	<i>Paralichthys</i>	<i>olivaceus</i>	hirame	ヒラメ	C	<i>Nybelinia</i>	<i>sp. plerocercoid - III</i>	plerocercoid	Toyama	Toyama Bay	Pt.4	106	
Pleuronectiformes	Paralichthyidae	<i>Paralichthys</i>	<i>olivaceus</i>	hirame	ヒラメ	D	<i>Ectenurus</i>	<i>paralichthydis</i>		Shizuoka; Aomori	Lake Hamana; Mutsu Bay	Pt.2	465	
Pleuronectiformes	Paralichthyidae	<i>Paralichthys</i>	<i>olivaceus</i>	hirame	ヒラメ	D	<i>Pseudolepidapedon</i>	<i>paralichthydis</i>		Toyama	Toyama Bay	Pt.21	43	
Pleuronectiformes	Paralichthyidae	<i>Paralichthys</i>	<i>olivaceus</i>	hirame	ヒラメ	D	<i>Torticaecum</i>	<i>nipponicum</i>	larva	Toyama	Toyama Bay	Pt.38	157	
Pleuronectiformes	Paralichthyidae	<i>Paralichthys</i>	<i>olivaceus</i>	hirame	ヒラメ	M	<i>Pseudodamphibdella</i>	<i>paralichthydis</i>		?	Inland Sea	Pt.53	71	
Pleuronectiformes	Paralichthyidae	<i>Paralichthys</i>	<i>olivaceus</i>	hirame	ヒラメ	N	<i>Anisakis</i>	<i>sp.</i>	larva	Fukui	Wakasa Bay	Pt.33	347	
Pleuronectiformes	Paralichthyidae	<i>Paralichthys</i>	<i>olivaceus</i>	hirame	ヒラメ	N	<i>Anisakis</i>	<i>sp.</i>	larva	Aomori	Mutsu Bay	Pt.9	338	syn.: <i>Anisakis salaris</i> (Gmelin, 1790)

Host order	Host family	Host Genus	Host Species	Host Japanese Name	宿主名	Para site	Genus (subg.)	species	Stage	Prefecture	Locality	Ref.No.	Page	Remarks
Pleuronectiformes	Paralichthyidae	<i>Paralichthys</i>	<i>olivaceus</i>	hirame	ヒラメ	N	<i>Contraecaecum</i>	<i>paralichthydis</i>		Fukui	Obama	Pt.33	360	
Pleuronectiformes	Paralichthyidae	<i>Paralichthys</i>	<i>olivaceus</i>	hirame	ヒラメ	N	<i>Cucullanelus</i>	<i>pleuronectidis</i>		Toyama	Toyama Bay	Pt.9	384	
Pleuronectiformes	Paralichthyidae	<i>Pseudorhombus</i>	<i>arsius</i>	tenjikugarei	テンジクガレイ	N	<i>Procamallanus</i>	<i>spiralis</i>		Overseas	Celebes	Cs.9	123	
Pleuronectiformes	Paralichthyidae	<i>Pseudorhombus</i>	<i>cinnamomeus</i>	ganzoubirame	ガンゾウビラメ	D	<i>Lepotrema</i>	<i>clavatum</i>		?	Inland Sea	Pt.2	324	syn.: <i>Lepocreadium clavatum</i> (Ozaki, 1932)
Pleuronectiformes	Paralichthyidae	<i>Pseudorhombus</i>	<i>cinnamomeus</i>	ganzoubirame	ガンゾウビラメ	D	<i>Prosorhynchus</i> (<i>Skrjabiniella</i>)	<i>aculeatus</i>	metace	?	Inland Sea	Pt.20	491	
Pleuronectiformes	Paralichthyidae	<i>Pseudorhombus</i>	<i>cinnamomeus</i>	ganzoubirame	ガンゾウビラメ	N	<i>Contraecaecum</i>	<i>sp. larva-I</i>	larva	Kochi	Tosa Bay	Pt.33	369	
Pleuronectiformes	Paralichthyidae	<i>Pseudorhombus</i>	<i>cinnamomeus</i>	ganzoubirame	ガンゾウビラメ	N	<i>Contraecaecum</i>	<i>sp. larva-I</i>	larva	?	Inland Sea	Pt.9	347	
Pleuronectiformes	Paralichthyidae	<i>Pseudorhombus</i>	<i>cinnamomeus</i>	ganzoubirame	ガンゾウビラメ	N	<i>Cucullanelus</i>	<i>pleuronectidis</i>		? or Aomori	Inland Sea or Mutsu Bay	Pt.9	384	
Pleuronectiformes	Paralichthyidae	<i>Pseudorhombus</i>	<i>pentophthalmus</i>	tamaganzoubirame	タマガンゾウビラメ	C	<i>Nybelinia</i>	<i>nipponica</i>	larva	Kochi or Fukui	Tosa or Obama	Pt.49	68	
Pleuronectiformes	Paralichthyidae	<i>Pseudorhombus</i>	<i>pentophthalmus</i>	tamaganzoubirame	タマガンゾウビラメ	D	<i>Cymbephallus</i>	<i>japonicus</i>		Shizuoka	Suruga Bay	Pt.21	48	
Pleuronectiformes	Paralichthyidae	<i>Pseudorhombus</i>	<i>pentophthalmus</i>	tamaganzoubirame	タマガンゾウビラメ	D	<i>Derogenes</i>	<i>varicus</i>		?	Pacific coast	Pt.21	134	
Pleuronectiformes	Paralichthyidae	<i>Pseudorhombus</i>	<i>pentophthalmus</i>	tamaganzoubirame	タマガンゾウビラメ	D	<i>Echinostephanus</i>	<i>hispidus</i>	metace	Shizuoka	Maisaka	Pt.20	496	
Pleuronectiformes	Paralichthyidae	<i>Pseudorhombus</i>	<i>pentophthalmus</i>	tamaganzoubirame	タマガンゾウビラメ	D	<i>Tubulovesicula</i>	<i>pseudorhombi</i>		Shizuoka; Fukui	Maisaka; Obama	Pt.21	121	
Pleuronectiformes	Paralichthyidae	<i>Pseudorhombus</i>	<i>pentophthalmus</i>	tamaganzoubirame	タマガンゾウビラメ	N	<i>Contraecaecum</i>	<i>sp. larva-I</i>	larva	Kochi	Tosa Bay	Pt.33	369	
Pleuronectiformes	Pleuronectidae	"pleuronectid (hosogarei)"		karei- rui	カレイの類	D	<i>Paradiscogaster</i>	<i>pyriformis</i>		Aichi or Mie	Ise Bay	Pt.2	420	
Pleuronectiformes	Pleuronectidae	<i>Alaeops</i>	<i>plinithus</i>	kawaragarei	カワラガレイ	A	<i>Hypoechinorhynchus</i>	<i>alaeopsis</i>		Shizuoka	Maisaka	Pt.29	325	Host syn.: <i>Poecilopsetta plinithus</i>
Pleuronectiformes	Pleuronectidae	<i>Alaeops</i>	<i>plinithus</i>	kawaragarei	カワラガレイ	D	<i>Diphtherostomum</i>	<i>magnacetabulum</i>		Shizuoka	Maisaka	Pt.21	91	Host syn.: <i>Poecilopsetta plinithus</i>
Pleuronectiformes	Pleuronectidae	<i>Limanda</i>	<i>angustirostris</i>	magarei	マガレイ	A	<i>Echinorhynchus</i>	<i>gadi</i>		?	Sea of Japan	Pt.8	249	Host syn.: <i>Limanda herzensteini</i>
Pleuronectiformes	Pleuronectidae	<i>Limanda</i>	<i>angustirostris</i>	magarei	マガレイ	C	<i>Echeneiobothrium</i>	<i>sp. larva-VI</i>	larva	Toyama	Toyama Bay	Pt.4	82	Host syn.: <i>Limanda herzensteini</i>
Pleuronectiformes	Pleuronectidae	<i>Limanda</i>	<i>angustirostris</i>	magarei	マガレイ	C	<i>Nybelinia</i>	<i>sp. plerocercoid-I</i>	plerocercoid	Toyama	Toyama Bay	Pt.4	105	Host syn.: <i>Limanda herzensteini</i>
Pleuronectiformes	Pleuronectidae	<i>Limanda</i>	<i>angustirostris</i>	magarei	マガレイ	C	<i>Nybelinia</i>	<i>sp. plerocercoid-III</i>	plerocercoid	Toyama	Toyama Bay	Pt.4	106	Host syn.: <i>Limanda herzensteini</i>
Pleuronectiformes	Pleuronectidae	<i>Limanda</i>	<i>angustirostris</i>	magarei	マガレイ	C	<i>Scolex</i>	<i>polymorphus -IV</i>		Toyama	Toyama Bay	Pt.4	81	Host syn.: <i>Limanda herzensteini</i>
Pleuronectiformes	Pleuronectidae	<i>Pleuronichthys</i>	<i>cornutus</i>	meitagarei	メイタガレイ	A	<i>Metacanthocephalus</i>	<i>pleuronichtydis</i>		?	Inland Sea	Pt.55	319	
Pleuronectiformes	Pleuronectidae	<i>Pleuronichthys</i>	<i>cornutus</i>	meitagarei	メイタガレイ	A	<i>Metacanthocephalus</i>	<i>zebrini</i>		?	Inland Sea	Pt.55	320	
Pleuronectiformes	Pleuronectidae	<i>Pleuronichthys</i>	<i>cornutus</i>	meitagarei	メイタガレイ	D	<i>Decemtestis</i>	<i>callionymi</i>		Aichi or Mie	Ise Bay	Pt.44	255	

Host order	Host family	Host Genus	Host Species	Host Japanese Name	宿主名	Para site	Genus (subg.)	species	Stage	Prefecture	Locality	Ref.No.	Page	Remarks
Pleuronectiformes	Pleuronectidae	<i>Pleuronichthys</i>	<i>cornutus</i>	meitagarei	メイタガレイ	D	<i>Pradiscogaster</i>	<i>piriformis</i>		Aichi	Tokoname	Pt.44	273	
Pleuronectiformes	Pleuronectidae	<i>Pleuronichthys</i>	<i>cornutus</i>	meitagarei	メイタガレイ	N	<i>Contraecaecum</i>	<i>sp. larva-1</i>	larva	?	Inland Sea	Pt.9	347	
Pleuronectiformes	Pleuronectidae	<i>Pleuronichthys</i>	<i>cornutus</i>	meitagarei	メイタガレイ	N	<i>Cucullanellus</i>	<i>pleuronectidis</i>		? or Aomori	Inland Sea or Mutsu Bay	Pt.9	384	
Pleuronectiformes	Pleuronectidae	<i>Xystrias</i>	<i>grigorjewi</i>	mushigarei	ムシガレイ	C	<i>Nybelinia</i>	<i>nipponica</i>		Kochi or Fukui	Tosa or Obama	Pt.49	68	
Pleuronectiformes	Pleuronectidae	<i>Xystrias</i>	<i>grigorjewi</i>	mushigarei	ムシガレイ	D	<i>Sterrurus</i>	<i>musigarei</i>		Fukui; Kochi	Obama; Kochi	Pt.21	128	
Pleuronectiformes	Soleidae	<i>Zebrias</i>	<i>zebrinus</i>	tsurumaki (shimaushinos hita?)	ツルマキ(シマウシノシタ?)	A	<i>Metacanthocephalus</i>	<i>zebrini</i>		?	Inland Sea	Pt.55	320	Host syn.: <i>Zebrias xebra</i>
Pleuronectiformes	Soleidae	<i>Zebrias</i>	<i>zebrinus</i>	tsurumaki (shimaushinos hita?)	ツルマキ(シマウシノシタ?)	D	<i>Aponurus</i>	<i>rhinoplagusiae</i>		?	Pacific	Pt.21	127	Host syn.: <i>Zebrias xebra</i>
Pleuronectiformes	Soleidae	<i>Zebrias</i>	<i>zebrinus</i>	tsurumaki (shimaushinos hita?)	ツルマキ(シマウシノシタ?)	D	<i>Lepocreadioides</i>	<i>zebrini</i>		?; ?	East China Sea; Sea of Japan	Pt.16	1	Host syn.: <i>Zebrias xebra</i>
Pleuronectiformes	Soleidae	<i>Zebrias</i>	<i>zebrinus</i>	tsurumaki (shimaushinos hita?)	ツルマキ(シマウシノシタ?)	N	<i>Contraecaecum</i>	<i>sp. larva-1</i>	larva	Kochi	Tosa Bay	Pt.33	370	Host syn.: <i>Zebrias xebra</i>
Pleuronectiformes	Soleidae	<i>Zebrias</i>	<i>zebrinus</i>	tsurumaki (shimaushinos hita?)	ツルマキ(シマウシノシタ?)	N	<i>Philometra</i>	<i>zebrini</i>		?	Inland Sea	Pt.57	227	Host syn.: <i>Zebrias xebra</i>
Pleuronectiformes	Soleidae	<i>Zebrias</i>	<i>zebrinus</i>	tsurumaki (shimaushinos hita?)	ツルマキ(シマウシノシタ?)	N	<i>Raphidascaroides</i>	<i>nipponensis</i>		Kochi	Tosa Bay	Pt.33	353	Host syn.: <i>Zebrias xebra</i>
Polymixiiformes	Polymixiidae	<i>Polymixia</i>	<i>japonica</i>	ginmedai	ギンメダイ	D	<i>Cymbephallus</i>	<i>japonicus</i>		Shizuoka	Suruga Bay	Pt.21	48	
Rajiformes	?	"skate"		ei-rui	エイの類	C	<i>Orymatobothrium</i>	<i>plicatum</i>		Toyama	Toyama Bay	Pt.4	58	
Rajiformes	Dasyatidae	<i>Dasybatus</i>	<i>akajei</i>	aka-ei	アカエイ	C	<i>Acanthobothrium</i>	<i>dasybati</i>		Hyogo	Tarumi	Pt.4	68	Host syn.: <i>Dasyatis akajei</i>
Rajiformes	Dasyatidae	<i>Dasybatus</i>	<i>akajei</i>	aka-ei	アカエイ	C	<i>Acanthobothrium</i>	<i>dasybati</i>		?	Inland Sea	Pt.49	46	Host syn.: <i>Dasyatis akajei</i>
Rajiformes	Dasyatidae	<i>Dasybatus</i>	<i>akajei</i>	aka-ei	アカエイ	C	<i>Acanthobothrium</i>	<i>gradiceps</i>		?	East China Sea	Pt.49	48	Host syn.: <i>Dasyatis akajei</i>
Rajiformes	Dasyatidae	<i>Dasybatus</i>	<i>akajei</i>	aka-ei	アカエイ	C	<i>Acanthobothrium</i>	<i>ijimai</i>		?	East China Sea	Pt.49	46	Host syn.: <i>Dasyatis akajei</i>
Rajiformes	Dasyatidae	<i>Dasybatus</i>	<i>akajei</i>	aka-ei	アカエイ	C	<i>Acanthobothrium</i>	<i>latum</i>		?	Sea of Ariake	Pt.49	44	Host syn.: <i>Dasyatis akajei</i>
Rajiformes	Dasyatidae	<i>Dasybatus</i>	<i>akajei</i>	aka-ei	アカエイ	C	<i>Acanthobothrium</i>	<i>micracantha</i>		?	East China Sea	Pt.49	42	Host syn.: <i>Dasyatis akajei</i>
Rajiformes	Dasyatidae	<i>Dasybatus</i>	<i>akajei</i>	aka-ei	アカエイ	C	<i>Anthobothrium</i>	<i>bifidum</i>		?	East China Sea	Pt.49	25	Host syn.: <i>Dasyatis akajei</i>
Rajiformes	Dasyatidae	<i>Dasybatus</i>	<i>akajei</i>	aka-ei	アカエイ	C	<i>Echeneibothrium</i>	<i>flexile</i>		?	Inland Sea	Pt.4	64	Host syn.: <i>Dasyatis akajei</i>
Rajiformes	Dasyatidae	<i>Dasybatus</i>	<i>akajei</i>	aka-ei	アカエイ	C	<i>Echeneibothrium</i>	<i>shipleyi</i>		?	Inland Sea	Pt.4	62	Host syn.: <i>Dasyatis akajei</i>
Rajiformes	Dasyatidae	<i>Dasybatus</i>	<i>akajei</i>	aka-ei	アカエイ	C	<i>Phyllobothrium</i>	<i>dasybati</i>		?	Pacific	Pt.4	52	Host syn.: <i>Dasyatis akajei</i>
Rajiformes	Dasyatidae	<i>Dasybatus</i>	<i>akajei</i>	aka-ei	アカエイ	C	<i>Pterobothrium</i>	<i>dasybati</i>		Hyogo	Tarumi	Pt.4	101	Host syn.: <i>Dasyatis akajei</i>

Host order	Host family	Host Genus	Host Species	Host Japanese Name	宿主名	Para site	Genus (subg.)	species	Stage	Prefecture	Locality	Ref.No.	Page	Remarks	
Rajiformes	Dasyatidae	<i>Dasybatus</i>	<i>zugei</i>	zuku-ei	ズクエイ	C	<i>Acanthobothrium</i>	<i>gradiceps</i>		?	East China Sea	Pt.49	48	Host syn.: <i>Dasyatis zugei</i>	
Rajiformes	Dasyatidae	<i>Dasybatus</i>	<i>zugei</i>	zuku-ei	ズクエイ	C	<i>Acanthobothrium</i>	<i>micracantha</i>		?	East China Sea	Pt.49	42	Host syn.: <i>Dasyatis zugei</i>	
Rajiformes	Dasyatidae	<i>Dasybatus</i>	<i>zugei</i>	zuku-ei	ズクエイ	C	<i>Anthobothrium</i>	<i>bifidum</i>		?	East China Sea	Pt.49	25	Host syn.: <i>Dasyatis zugei</i>	
Rajiformes	Gymnuridae	<i>Pteroplatea</i>	<i>japonica</i>	tsubakuroei	ツバクロエイ	C	<i>Anthobothrium</i>	<i>pteroplateae</i>		Mie	Hamajima	Pt.49	24	Host syn.: <i>Gymnura japonica</i>	
Rajiformes	Gymnuridae	<i>Pteroplatea</i>	<i>micrura</i>	tsubakuroei-rui	ツバクロエイの類	C	<i>Acanthobothrium</i>	<i>micracantha</i>		?	East China Sea	Pt.49	42		
Rajiformes	Gymnuridae	<i>Pteroplatea</i>	<i>micrura</i>	tsubakuroei-rui	ツバクロエイの類	C	<i>Anthobothrium</i>	<i>bifidum</i>		?	East China Sea	Pt.49	25		
Rajiformes	Myliobatidae	<i>Myliobatis</i>	<i>tobije</i>	tobiei	トビエイ	C	<i>Echeneibothrium</i>	<i>tobije</i>		Toyama	Toyama Bay	Pt.4	60	Host syn.: <i>Holorhinus tobije</i>	
Rajiformes	Myliobatidae	<i>Myliobatis</i>	<i>tobije</i>	tobiei	トビエイ	C	<i>Echeneibothrium</i>	<i>tobije</i>		Mie	Hamajima	Pt.49	33	Host syn.: <i>Holorhinus tobije</i>	
Rajiformes	Rajidae	<i>Raja</i>	<i>kenoje</i>	gangiei	ガンギエイ	C	<i>Acanthobothrium</i>	<i>dasybati</i>		Shizuoka	Maisaka	Pt.49	46		
Rajiformes	Rajidae	<i>Raja</i>	<i>kenoje</i>	gangiei	ガンギエイ	C	<i>Anthobothrium</i>	<i>rajae</i>		Shizuoka	Suruga Bay	Pt.49	23		
Rajiformes	Rajidae	<i>Raja</i>	<i>kenoje</i>	gangiei	ガンギエイ	M	<i>Rajoncocotyle</i>	<i>kenoje</i>		Kochi	Kochi	Pt.24	29		
Rajiformes	Rajidae	<i>Raja</i>	<i>kenoje</i>	gangiei	ガンギエイ	N	<i>Pseudanisakis</i>	<i>rajae</i>		Shizuoka	Maisaka	Pt.33	347		
Rajiformes	Rhinobatidae	<i>Rhinobatus</i>	<i>schlegeli</i>	sakatazame	サカタザメ	C	<i>Acanthobothrium</i>	<i>rhinobati</i>		?	Inland Sea	Pt.56	45		
Rajiformes	Rhinobatidae	<i>Rhinobatus</i>	<i>schlegeli</i>	sakatazame	サカタザメ	C	<i>Echeneibothrium</i>	<i>rhinobati</i>		?	Inland Sea	Pt.56	43		
Rajiformes	Rhinobatidae	<i>Rhinobatus</i>	<i>schlegeli</i>	sakatazame	サカタザメ	C	<i>Phyllobothrium</i>	<i>biacetabulatum</i>		?	Inland Sea	Pt.56	42		
Rajiformes	Rhinobatidae	<i>Rhinobatus</i>	<i>schlegeli</i>	sakatazame	サカタザメ	C	<i>Polycephalus</i>	<i>vesicularis</i>		?	Inland Sea	Pt.56	46		
Rajiformes	Torpedinidae	<i>Narke</i>	<i>japonica</i>	shibire-ei	シビレイ	C	<i>Acanthobothrium</i>	<i>gracile</i>		Tokushima	Tokushima	Pt.49	45		
Rajiformes	Torpedinidae	<i>Narke</i>	<i>japonica</i>	shibire-ei	シビレイ	C	<i>Discobothrium</i>	<i>japonicum</i>		Mie	Kuki	Pt.4	78		
Rajiformes	Torpedinidae	<i>Narke</i>	<i>japonica</i>	shibire-ei	シビレイ	C	<i>Discobothrium</i>	<i>japonicum</i>		Kochi; Shizuoka	Kochi; Maisaka	Pt.49	53		
Rajiformes	Urolophidae	<i>Urolophus</i>	<i>fuscus</i>	hirataei	ヒラタエイ	C	<i>Acanthobothrium</i>	<i>dasybati</i>		Mie	Hamajima	Pt.49	46	Host syn.: <i>Urolophus aurantiacus</i>	
Salmoniformes	Plecoglossidae	<i>Plecoglossus</i>	<i>altivelis</i>	ayu	アユ	A	<i>Acanthocephalus</i>	<i>opsariichthydis</i>		Nagano	Lake Suwa	Pt.29	320		
Salmoniformes	Plecoglossidae	<i>Plecoglossus</i>	<i>altivelis</i>	ayu	アユ	C	<i>Proteocephalus</i>	<i>plecoglossi</i>		Shiga	Lake Biwa	Pt.4	44		
Salmoniformes	Plecoglossidae	<i>Plecoglossus</i>	<i>altivelis</i>	ayu	アユ	D	<i>Metagonimus</i>	<i>yokogawai</i>	metacercaria	?	?	Mis.55	691		
Salmoniformes	Plecoglossidae	<i>Plecoglossus</i>	<i>altivelis</i>	ayu	アユ	D	<i>Podocotyle</i>	<i>ayu</i>		?	?	Pt.2	294		
Salmoniformes	Salangidae	<i>Salangichthys</i>	<i>microdon</i>	shirauo	シラウオ	D	<i>Metagonimus</i>	<i>takahashii</i>	metacercaria		Ibaraki	Kasumigaura	Pt.38	134	Host syn.: <i>Salanx microdon</i>
Salmoniformes	Salmonidae	"salmonid (amago)"		sake-rui(amago)	サケの類(アマゴ)	N	<i>Rhabdochona</i>	<i>amago</i>		Hyogo	Tajima Province	Pt.9	372		
Salmoniformes	Salmonidae	<i>Oncorhynchus</i>	<i>masou</i>	sakuramasu	サクラマス	D	<i>Caudotestis</i>	<i>zacconis</i>		Okinawa	Naha	Pt.39	332		
Salmoniformes	Salmonidae	<i>Oncorhynchus</i>	<i>milktschitsch</i>	sakuramasu	サクラマス	D	<i>Brachyphallus</i>	<i>crenatus</i>		?	?	Pt.2	443		
Salmoniformes	Salmonidae	<i>Salmo</i>	<i>keta</i>	sake	サケ	C	<i>Pelichnibothrium</i>	<i>sp. larva-VII</i>	larva	?	?	Pt.4	82	Host syn.: <i>Oncorhynchus keta</i>	
Salmoniformes	Salmonidae	<i>Salmo</i>	<i>keta</i>	sake	サケ	D	<i>Lecithaster</i>	<i>salmonis</i>		?	?	Pt.2	486	Host syn.: <i>Oncorhynchus keta</i>	

Host order	Host family	Host Genus	Host Species	Host Japanese Name	宿主名	Parasite	Genus (subg.)	species	Stage	Prefecture	Locality	Ref.No.	Page	Remarks
Salmoniformes	Salmonidae	<i>Salmo</i>	<i>keta</i>	sake	サケ	N	<i>Anisakis</i>	<i>sp.</i>	larva	?	Pacific	Pt.9	338	syn.: <i>Anisakis salaris</i> (Gmelin, 1790) Host syn.: <i>Oncorhynchus keta</i>
Salmoniformes	Salmonidae	<i>Salmo</i>	<i>milkschitsch</i>	sakuramasu	サクラマス	C	<i>Pelichnibothrium</i>	<i>sp. larva-VII</i>	larva	Aomori	Mutsu Bay	Pt.4	82	Host syn.: <i>Oncorhynchus masou</i>
Salmoniformes	Salmonidae	<i>Salvelinus</i>	<i>malma</i>	karafutoiwana	カラフトイワナ	N	<i>Cystidicola</i>	<i>salmonicola</i>		Hokkaido	?	Pt.9	375	
Salmoniformes	Salmonidae	<i>Salvelinus</i>	<i>malma</i>	karafutoiwana	カラフトイワナ	N	<i>Cystidicola</i>	<i>salvelini</i>		Shiga	Lake Biwa	Pt.9	374	
Salmoniformes	Salmonidae	<i>Salvelinus</i>	<i>malma</i>	karafutoiwana	カラフトイワナ	N	<i>Rhabdochona</i>	<i>amago</i>		Nagano	Tsumetagawa (Shintaka, Mt. Ontake)	On.1	386	
Salmoniformes	Salmonidae	<i>Salvelinus</i>	<i>malma</i>	karafutoiwana	カラフトイワナ	N	<i>Rhabdochona</i>	<i>amago</i>		Toyama	Ojidaira	Pt.33	372	
Scorpaeniformes	Bembridae	<i>Bembras</i>	<i>japonicus</i>	akagochi	アカゴチ	N	<i>Contracecum</i>	<i>sp. larva-I</i>	larva	Kochi	Tosa Bay	Pt.33	369	
Scorpaeniformes	Cottidae	<i>Artediellus</i>	<i>pacificus</i>	okikajika	オキカジカ	D	<i>Stephanochasmus</i>	<i>japonicus</i>		Toyama	Toyama Bay	Pt.2	369	
Scorpaeniformes	Cottidae	<i>Cottus</i>	<i>pollux</i>	kajika	カジカ	A	<i>Echinorhynchus</i>	<i>cotti</i>		Shiga	Lake Biwa	Pt.29	319	
Scorpaeniformes	Cottidae	<i>Cottus</i>	<i>pollux</i>	kajika	カジカ	A	<i>Echinorhynchus</i>	<i>cotti</i>		Shiga	?	Pt.8	249	
Scorpaeniformes	Cottidae	<i>Cottus</i>	<i>pollux</i>	kajika	カジカ	N	<i>Camallanus</i>	<i>cotti</i>		?	?	Pt.9	377	
Scorpaeniformes	Cottidae	<i>Pseudoblennius</i>	<i>percoides</i>	anahaze	アナハゼ	D	"Hemiurid"	<i>sp.</i>	larva	Tokushima	Tokushima	Pt.38	149	
Scorpaeniformes	Cottidae	<i>Pseudoblennius</i>	<i>percoides</i>	anahaze	アナハゼ	D	<i>Prosorhynchus (Skrjabiniella)</i>	<i>sp.</i>	metacercaria	Tokushima	Tokushima	Pt.38	147	
Scorpaeniformes	Dactylopteridae	<i>Daicocus</i>	<i>peterseni</i>	hoshizemihoubou	ホシセミホウボウ	D	<i>Anisoporus</i>	<i>cobraeformis</i>		Toyama	Toyama Bay	Pt.2	355	
Scorpaeniformes	Dactylopteridae	<i>Daicocus</i>	<i>peterseni</i>	hoshizemihoubou	ホシセミホウボウ	M	<i>Parancylocephaloides</i>	<i>daicoci</i>		Kochi	Kochi	Pt.24	19	
Scorpaeniformes	Hexagrammidae	<i>Hexagrammos</i>	<i>otakii</i>	ainame	アイナメ	A	<i>Echinorhynchus</i>	<i>gadi</i>		?	Sea of Japan	Pt.8	249	
Scorpaeniformes	Hexagrammidae	<i>Hexagrammos</i>	<i>otakii</i>	ainame	アイナメ	C	<i>Nybelinia</i>	<i>sp. plerocercoid-I</i>	plerocercoid	Toyama	Toyama Bay	Pt.4	105	
Scorpaeniformes	Hexagrammidae	<i>Hexagrammos</i>	<i>otakii</i>	ainame	アイナメ	D	<i>Genolinea</i>	<i>aburame</i>		?	Inland Sea	Pt.2	440	
Scorpaeniformes	Hexagrammidae	<i>Hexagrammos</i>	<i>otakii</i>	ainame	アイナメ	D	<i>Opecoelus</i>	<i>nipponicus</i>		Toyama	Toyama Bay	Pt.44	259	
Scorpaeniformes	Hexagrammidae	<i>Hexagrammos</i>	<i>otakii</i>	ainame	アイナメ	D	<i>Opecoelus</i>	<i>sphaericus</i>		Toyama	Toyama Bay	Pt.2	344	
Scorpaeniformes	Hexagrammidae	<i>Hexagrammos</i>	<i>otakii</i>	ainame	アイナメ	D	<i>Opecoelus</i>	<i>sphaericus</i>		?	Inland Sea	Pt.44	260	
Scorpaeniformes	Hexagrammidae	<i>Hexagrammos</i>	<i>otakii</i>	ainame	アイナメ	D	<i>Urinatrema</i>	<i>hispidum</i>		Toyama	Toyama Bay	Pt.2	401	
Scorpaeniformes	Hexagrammidae	<i>Hexagrammos</i>	<i>otakii</i>	ainame	アイナメ	M	<i>Microcotyle</i>	<i>gotoi</i>		Aichi or Mie	Ise Bay	Pt.2	269	
Scorpaeniformes	Hexagrammidae	<i>Hexagrammos</i>	<i>otakii</i>	ainame	アイナメ	M	<i>Prosomicrocotyla</i>	<i>gotoi</i>		Aichi or Mie	Ise Bay	Pt.53	83	

Host order	Host family	Host Genus	Host Species	Host Japanese Name	宿主名	Para site	Genus (subg.)	species	Stage	Prefecture	Locality	Ref.No.	Page	Remarks
Scorpaeniformes	Hexagrammidae	<i>Hexagrammos</i>	<i>otakii</i>	ainame	アイナメ	N	<i>Anisakis</i>	<i>sp.</i>	larva	Toyama	Toyama Bay	Pt.9	338	syn.: <i>Anisakis salaris</i> (Gmelin, 1790)
Scorpaeniformes	Hexagrammidae	<i>Hexagrammos</i>	<i>stakii</i>	ainame	アイナメ	D	<i>Pedunculacetabulum</i>	<i>opisthorchis</i>		?	Inland Sea	Pt.2	336	
Scorpaeniformes	Hoplichthyidae	<i>Hoplichthys</i>	<i>regani</i>	harigochi	ハリゴチ	D	<i>Dolichoenterum</i>	<i>longissimum</i>	metacercaria	Kochi	?	Pt.20	493	
Scorpaeniformes	Liparidae	<i>Crystallias</i>	<i>matsushimae</i>	abachan	アバチャン	C	<i>Spathebothrium</i>	<i>simplex</i>		Toyama	Toyama Bay	Pt.4	4	
Scorpaeniformes	Liparidae	<i>Cyclogaster</i>	<i>owstoni</i>	owston-kusauo	オーストンクサウオ	A	<i>Echinorhynchus</i>	<i>gadi</i>		?	Sea of Japan	Pt.8	249	Host syn.: <i>Liparis owstoni</i>
Scorpaeniformes	Liparidae	<i>Cyclogaster</i>	<i>owstoni</i>	owston-kusauo	オーストンクサウオ	C	<i>Nybelinia</i>	<i>sp. plerocercoid-1</i>	plerocercoid	Toyama	Toyama Bay	Pt.4	105	Host syn.: <i>Liparis owstoni</i>
Scorpaeniformes	Liparidae	<i>Cyclogaster</i>	<i>owstoni</i>	owston-kusauo	オーストンクサウオ	C	<i>Scolex</i>	<i>polymorphus -V</i>		Toyama	Toyama Bay	Pt.4	81	Host syn.: <i>Liparis owstoni</i>
Scorpaeniformes	Peristediidae	<i>Peristedion</i>	<i>sp.</i>	kihoubou-rui	キホウボウの類	N	<i>Anisakis</i>	<i>sp.</i>	larva	Kyushu	West coast	Pt.9	338	syn.: <i>Anisakis salaris</i> (Gmelin, 1790)
Scorpaeniformes	Platycephalidae	<i>Inegocia</i>	<i>meerdervooti</i>	megochi	メゴチ	A	<i>Metacanthocephalus</i>	<i>zebrini</i>		?	Inland Sea	Pt.55	320	
Scorpaeniformes	Platycephalidae	<i>Platycephalus</i>	<i>indicus</i>	magochi	マゴチ	C	<i>Callotetrarhynchus</i>	<i>speciosus</i>	larva	?	Inland Sea; or Pacific coast; or East China Sea	Pt.49	64	syn.: <i>Lintoniella speciosa</i> (Linton, 1897)
Scorpaeniformes	Platycephalidae	<i>Platycephalus</i>	<i>indicus</i>	magochi	マゴチ	D	<i>Bucephalopsis</i>	<i>tenuis</i>		Overseas	Celebes	Cs.1	149	
Scorpaeniformes	Platycephalidae	<i>Platycephalus</i>	<i>indicus</i>	magochi	マゴチ	D	<i>Didymozoon</i>	<i>brevicolle</i>		Overseas	Celebes	Cs.3	290	
Scorpaeniformes	Platycephalidae	<i>Platycephalus</i>	<i>indicus</i>	magochi	マゴチ	D	<i>Didymozoon</i>	<i>spirale</i>		Overseas	Celebes	Cs.3	289	
Scorpaeniformes	Platycephalidae	<i>Platycephalus</i>	<i>indicus</i>	magochi	マゴチ	D	<i>Didymozoon</i>	<i>branchiale</i>		?	Inland Sea	Pt.24	45	
Scorpaeniformes	Platycephalidae	<i>Platycephalus</i>	<i>indicus</i>	magochi	マゴチ	D	<i>Didymozoon</i>	<i>brevicolle</i>		Shizuoka	Lake Hamana	Pt.24	45	
Scorpaeniformes	Platycephalidae	<i>Platycephalus</i>	<i>indicus</i>	magochi	マゴチ	D	<i>Didymozoon</i>	<i>koti</i>		Shizuoka	Lake Hamana	Pt.24	47	
Scorpaeniformes	Platycephalidae	<i>Platycephalus</i>	<i>indicus</i>	magochi	マゴチ	D	<i>Didymozoon</i>	<i>spirale</i>		Kyushu	Sea of Ariake	Pt.24	46	
Scorpaeniformes	Platycephalidae	<i>Platycephalus</i>	<i>indicus</i>	magochi	マゴチ	D	<i>Ectenurus</i>	<i>platycephali</i>		Shizuoka	Lake Hamana	Pt.2	466	
Scorpaeniformes	Platycephalidae	<i>Platycephalus</i>	<i>indicus</i>	magochi	マゴチ	D	<i>Ectenurus</i>	<i>platycephali</i>		Shizuoka	Lake Hamana	Pt.21	123	
Scorpaeniformes	Platycephalidae	<i>Platycephalus</i>	<i>indicus</i>	magochi	マゴチ	D	<i>Gotonius</i>	<i>platycephali</i>		Toyama	Toyama Bay	Pt.2	279	
Scorpaeniformes	Platycephalidae	<i>Platycephalus</i>	<i>indicus</i>	magochi	マゴチ	M	<i>Ancyrocephalus</i>	<i>platycephali</i>		Overseas	Celebes	Cs.2	209	
Scorpaeniformes	Platycephalidae	<i>Platycephalus</i>	<i>punctatus</i>	kochi-rui	コチの類	C	<i>Callotetrarhynchus</i>	<i>speciosus</i>	larva	?	Inland Sea; or Pacific coast; or East China Sea	Pt.49	64	syn.: <i>Lintoniella speciosa</i> (Linton, 1897)
Scorpaeniformes	Platycephalidae	<i>Rogadius</i>	<i>asper</i>	matsubagochi	マツバゴチ	N	<i>Contraecum</i>	<i>sp. larva-1</i>	larva	Kochi	Tosa Bay	Pt.33	370	
Scorpaeniformes	Platycephalidae	<i>Rogadius</i>	<i>asper</i>	matsubagochi	マツバゴチ	N	<i>Raphidascaris</i> or <i>Raphidascaroides</i>	<i>sp. B</i>	larva	Kochi	Tosa Bay	Pt.33	357	

Host order	Host family	Host Genus	Host Species	Host Japanese Name	宿主名	Parasite	Genus (subg.)	species	Stage	Prefecture	Locality	Ref.No.	Page	Remarks
Scorpaeniformes	Platycephalidae	<i>Thysanophrys</i>	<i>japonicus</i>	tokagegochi	トカゲゴチ	M	<i>Ancyrocephalus</i>	<i>thysanophrydis</i>		Hyogo	Tarumi	Pt.19	1	Host syn.: <i>Inegocia japonicus</i>
Scorpaeniformes	Psychrolutidae	<i>Cottunculus</i>	<i>sp.</i>	mizuganko?	ミズガンコ?	D	<i>Aporocotyle</i>	<i>orientalis</i>		Toyama	Toyama Bay	Pt.2	536	
Scorpaeniformes	Psychrolutidae	<i>Cottunculus</i>	<i>sp.</i>	mizuganko?	ミズガンコ?	D	<i>Derogenes</i>	<i>varicus</i>		Toyama	Toyama Bay	Pt.2	498	
Scorpaeniformes	Psychrolutidae	<i>Cottunculus</i>	<i>sp.</i>	mizuganko?	ミズガンコ?	D	<i>Gonocerca</i>	<i>kobayashii</i>		?	?	Pt.2	499	
Scorpaeniformes	Psychrolutidae	<i>Cottunculus</i>	<i>sp.</i>	kajika - rui	カジカの類	D	<i>Stephanochasmus</i>	<i>japonicus</i>	immature	Toyama	Toyama Bay	Pt.2	369	
Scorpaeniformes	Psychrolutidae	<i>Dasycottus</i>	<i>setiger</i>	ganko	ガンコ	C	<i>Grillotia</i>	<i>erinacea</i>	cysticeroid	Toyama	Toyama Bay	Pt.4	110	
Scorpaeniformes	Psychrolutidae	<i>Dasycottus</i>	<i>setiger</i>	ganko	ガンコ	C	<i>Nybelinia</i>	<i>sp. plerocercoid-1</i>	plerocercoid	Toyama	Toyama Bay	Pt.4	105	
Scorpaeniformes	Psychrolutidae	<i>Dasycottus</i>	<i>setiger</i>	ganko	ガンコ	C	<i>Scolex</i>	<i>polymorphus -II</i>		Toyama	Toyama Bay	Pt.4	81	
Scorpaeniformes	Psychrolutidae	<i>Dasycottus</i>	<i>setiger</i>	ganko	ガンコ	C	<i>Scolex</i>	<i>polymorphus -IV</i>		Toyama	Toyama Bay	Pt.4	81	
Scorpaeniformes	Psychrolutidae	<i>Dasycottus</i>	<i>setiger</i>	ganko	ガンコ	D	<i>Derogenes</i>	<i>varicus</i>		Toyama	Toyama Bay	Pt.2	498	
Scorpaeniformes	Psychrolutidae	<i>Dasycottus</i>	<i>setiger</i>	ganko	ガンコ	D	<i>Gonocerca</i>	<i>kobayashii</i>		?	?	Pt.2	499	
Scorpaeniformes	Psychrolutidae	<i>Dasycottus</i>	<i>setiger</i>	ganko	ガンコ	D	<i>Stephanochasmus</i>	<i>japonicus</i>		Toyama	Toyama Bay	Pt.2	369	
Scorpaeniformes	Psychrolutidae	<i>Dasycottus</i>	<i>setiger</i>	ganko	ガンコ	N	<i>Ichthyofilaria</i>	<i>dasycotti</i>		Toyama	Toyama Bay	Pt.9	357	
Scorpaeniformes	Scorpaenidae	<i>Pterois</i>	<i>tanabensis</i>	setominokasago	セトミノカサゴ	N	<i>Contraecum</i>	<i>sp. larva-1</i>	larva	Kochi	Tosa Bay	Pt.33	369	
Scorpaeniformes	Scorpaenidae	<i>Sebastichthys</i>	<i>mitsukurii</i>	mitsukurimebaru	ミツクリメバル	D	<i>Opecoelus</i>	<i>minor</i>		Aomori	Mutsu Bay	Pt.2	346	
Scorpaeniformes	Scorpaenidae	<i>Sebastichthys</i>	<i>oblongus</i>	takenokomebaru	タケノコメバル	A	<i>Pomphorhynchus</i>	<i>sebastichthydis</i>		Nagasaki	Nagasaki	Pt.29	326	
Scorpaeniformes	Scorpaenidae	<i>Sebastichthys</i>	<i>oblongus</i>	takenokomebaru	タケノコメバル	D	<i>Opecoelus</i>	<i>nipponicus</i>		Shizuoka	Miya (Mikawa Province)	Pt.44	259	Host syn.: <i>Sebastes oblongus</i>
Scorpaeniformes	Scorpaenidae	<i>Sebastichthys</i>	<i>pachycephalus</i>	akabuchimura soi	アカブチムライ	D	<i>Bucephalus</i>	<i>sebastichthydis</i>		Kanagawa	Enoshima Aquarium	Pt.54	242	
Scorpaeniformes	Scorpaenidae	<i>Sebastichthys</i>	<i>pachycephalus</i>	akabuchimura soi	アカブチムライ	M	<i>Microcotyle</i>	<i>sebastisci</i>		Kanagawa	Sagami Bay	Pt.53	81	
Scorpaeniformes	Scorpaenidae	<i>Sebastiscus</i>	<i>albofasciatus</i>	ayamekasago	アヤマカサゴ	D	<i>Derogenes</i>	<i>varicus</i>		?	Sea of Japan; East China Sea	Pt.21	134	
Scorpaeniformes	Scorpaenidae	<i>Sebastiscus</i>	<i>albofasciatus</i>	ayamekasago	アヤマカサゴ	D	<i>Lepidapedon</i>	<i>sebastisci</i>		Kanagawa; Nagasaki	Suruga Bay; Nagasaki	Pt.21	38	
Scorpaeniformes	Scorpaenidae	<i>Sebastiscus</i>	<i>albofasciatus</i>	ayamekasago	アヤマカサゴ	D	<i>Plagioporus</i>	<i>isai schikowi</i>		Shizuoka	Suruga Bay	Pt.21	11	
Scorpaeniformes	Scorpaenidae	<i>Sebastiscus</i>	<i>albofasciatus</i>	ayamekasago	アヤマカサゴ	N	<i>Anisakis</i>	<i>sp.</i>	larva	?	East China Sea	Pt.33	347	
Scorpaeniformes	Scorpaenidae	<i>Sebastiscus</i>	<i>marmoratus</i>	kasago	カサゴ	A	<i>Acanthocephalus</i>	<i>neobythitis</i>		Fukui	Obama	Pt.29	323	
Scorpaeniformes	Scorpaenidae	<i>Sebastiscus</i>	<i>marmoratus</i>	kasago	カサゴ	D	<i>Lepidapedon</i>	<i>sebastisci</i>		Mie	Hamajima	Pt.31	67	
Scorpaeniformes	Scorpaenidae	<i>Sebastiscus</i>	<i>marmoratus</i>	kasago	カサゴ	D	<i>Opecoelus</i>	<i>minor</i>		Mie	Hamajima	Pt.31	73	

Host order	Host family	Host Genus	Host Species	Host Japanese Name	宿主名	Parasite	Genus (subg.)	species	Stage	Prefecture	Locality	Ref.No.	Page	Remarks
Scorpaeniformes	Scorpaenidae	<i>Sebastiscus</i>	<i>marmoratus</i>	kasago	カサゴ	D	<i>Opecoelus</i>	<i>sebastisci</i>		?	Inland Sea	Pt.52	373	
Scorpaeniformes	Scorpaenidae	<i>Sebastiscus</i>	<i>marmoratus</i>	kasago	カサゴ	M	<i>Axine (Axinoides)</i>	<i>sebastisci</i>		?	Inland Sea	Pt.53	84	
Scorpaeniformes	Scorpaenidae	<i>Sebastiscus</i>	<i>marmoratus</i>	kasago	カサゴ	M	<i>Microcotyle</i>	<i>sebastisci</i>		?	Inland Sea	Pt.53	81	
Scorpaeniformes	Scorpaenidae	<i>Sebastiscus</i>	<i>marmoratus</i>	kasago	カサゴ	N	<i>Philometra</i>	<i>sebastisci</i>		?, Kyushu	East China Sea; West coast	Pt.33	393	
Scorpaeniformes	Scorpaenidae	<i>Sebastodes</i>	<i>guntheri</i>	mebaru	メバル	D	<i>Opechona</i>	<i>sebastodis</i>		?	Inland Sea	Pt.54	249	syn.: <i>Pharyngora sebastodis</i> Yam., 1934 Host syn.: <i>Sebastes inermis</i>
Scorpaeniformes	Scorpaenidae	<i>Sebastodes</i>	<i>guntheri</i>	mebaru	メバル	D	<i>Opecoelus</i>	<i>minor</i>		Aomori	Mutsu Bay	Pt.2	346	Host syn.: <i>Sebastes inermis</i>
Scorpaeniformes	Scorpaenidae	<i>Sebastodes</i>	<i>guntheri</i>	mebaru	メバル	D	<i>Opecoelus</i>	<i>sebastodis</i>		Toyama	Toyama Bay	Pt.2	348	Host syn.: <i>Sebastes inermis</i>
Scorpaeniformes	Scorpaenidae	<i>Sebastodes</i>	<i>guntheri</i>	mebaru	メバル	D	<i>Pharyngora</i>	<i>sebastodis</i>		?	Inland Sea	Pt.2	331	syn.: <i>Opechona sebastodis</i> (Yam., 1934) Host syn.: <i>Sebastes inermis</i>
Scorpaeniformes	Scorpaenidae	<i>Sebastodes</i>	<i>guntheri</i>	mebaru	メバル	M	<i>Microcotyle</i>	<i>sebastisci</i>		?	Inland Sea	Pt.53	81	Host syn.: <i>Sebastes inermis</i>
Scorpaeniformes	Scorpaenidae	<i>Sebastodes</i>	<i>inermis</i>	mebaru	メバル	D	<i>Helicometra</i>	<i>epinepheli</i>		Mie	Hamajima	Pt.31	58	Host syn.: <i>Sebastes inermis</i>
Scorpaeniformes	Scorpaenidae	<i>Sebastodes</i>	<i>inermis</i>	mebaru	メバル	D	<i>Steganotheca</i>	<i>sebastodis</i>		Hyogo	Tarumi	Pt.2	399	Host syn.: <i>Sebastes inermis</i>
Scorpaeniformes	Scorpaenidae	<i>Sebastodes</i>	<i>inermis</i>	mebaru	メバル	M	<i>Epibdella</i>	<i>sebastodis</i>		Aichi or Mie	Ise Bay	Pt.2	262	Host syn.: <i>Sebastes inermis</i>
Scorpaeniformes	Scorpaenidae	<i>Sebastodes</i>	<i>inermis</i>	mebaru	メバル	M	<i>Microcotyle</i>	<i>caudata</i>		Aichi or Mie	Ise Bay	Pt.2	267	Host syn.: <i>Sebastes inermis</i>
Scorpaeniformes	Scorpaenidae	<i>Sebastodes</i>	<i>inermis</i>	mebaru	メバル	M	<i>Microcotyle</i>	<i>caudata</i>		Hyogo	Tarumi	Pt.24	32	Host syn.: <i>Sebastes inermis</i>
Scorpaeniformes	Scorpaenidae	<i>Sebastodes</i>	<i>itinis</i>	yanagimebaru	ヤナギメバル	D	<i>Fellodistomum</i>	<i>sebastodis</i>		Hokkaido	Otaru	Mis.71	120	Host syn.: <i>Sebastes itinis</i>
Scorpaeniformes	Scorpaenidae	<i>Sebastodes</i>	<i>joyneri</i>	togottomebaru	トゴットメバル	N	<i>Philometra</i>	<i>sebastodis</i>		Shizuoka	Suruga Bay	Pt.33	394	
Scorpaeniformes	Scorpaenidae	<i>Sebastodes</i>	<i>joyneri</i>	togottomebaru	トゴットメバル	N	<i>Raphidascaris or Raphidascaroides</i>	<i>sp. B</i>	larva	Shizuoka	Suruga Bay	Pt.33	357	
Scorpaeniformes	Scorpaenidae	<i>Sebastodes</i>	<i>schlegeli</i>	kurosoi	クロソイ	D	<i>Opechona</i>	<i>sebastodis</i>		Kanagawa	Sagami Bay	Pt.54	249	Host syn.: <i>Sebastes schlegeli</i>
Scorpaeniformes	Scorpaenidae	<i>Sebastodes</i>	<i>schlegeli</i>	kurosoi	クロソイ	M	<i>Microcotyle</i>	<i>sebastus</i>		Aomori	Mutsu Bay	Pt.2	268	Host syn.: <i>Sebastes schlegeli</i>
Scorpaeniformes	Scorpaenidae	<i>Sebastodes</i>	<i>schlegeli</i>	kurosoi	クロソイ	N	<i>Anisakis</i>	<i>sp.</i>	larva	Aomori	Mutsu Bay	Pt.9	338	syn.: <i>Anisakis salaris</i> (Gmelin, 1790) Host syn.: <i>Sebastes schlegeli</i>
Scorpaeniformes	Scorpaenidae	<i>Sebastodes</i>	<i>sp.</i>	mebaru- rui	メバルの類	C	<i>Nybelinia</i>	<i>sp. plerocercoid-II</i>	plerocercoid	Mie	Kuki	Pt.4	106	Host syn.: <i>Sebastes sp.</i>
Scorpaeniformes	Scorpaenidae	<i>Sebastodes</i>	<i>sp.</i>	mebaru- rui	メバルの類	N	<i>Anisakis</i>	<i>sp.</i>	larva	?	Pacific	Pt.9	338	syn.: <i>Anisakis salaris</i> (Gmelin, 1790) Host syn.: <i>Sebastes sp.</i>

Host order	Host family	Host Genus	Host Species	Host Japanese Name	宿主名	Parasite	Genus (subg.)	species	Stage	Prefecture	Locality	Ref.No.	Page	Remarks
Scorpaeniformes	Synanceiidae	<i>Inimicus</i>	<i>japonicus</i>	oniokoze	オニオコゼ	C	<i>Pterobothrium</i>	<i>sp.</i>	cysticeroid	Toyama	Toyama Bay	Pt.4	111	
Scorpaeniformes	Synanceiidae	<i>Inimicus</i>	<i>japonicus</i>	oniokoze	オニオコゼ	D	<i>Derogenes</i>	<i>macrostoma</i>		Fukui	Obama	Pt.21	134	
Scorpaeniformes	Synanceiidae	<i>Inimicus</i>	<i>japonicus</i>	oniokoze	オニオコゼ	D	<i>Gotonius</i>	<i>facilis</i>		Toyama; ?	Toyama Bay; Inland Sea	Pt.2	278	
Scorpaeniformes	Synanceiidae	<i>Inimicus</i>	<i>japonicus</i>	oniokoze	オニオコゼ	D	<i>Opecoelus</i>	<i>inimici</i>		?; Toyama	Inland Sea; Toyama Bay	Pt.2	349	
Scorpaeniformes	Synanceiidae	<i>Inimicus</i>	<i>japonicus</i>	oniokoze	オニオコゼ	D	<i>Opecoelus</i>	<i>inimici</i>		?	Inland Sea	Pt.21	57	
Scorpaeniformes	Synanceiidae	<i>Inimicus</i>	<i>japonicus</i>	oniokoze	オニオコゼ	D	<i>Sterrhurus</i>	<i>inimici</i>		?	Inland Sea	Pt.2	444	
Scorpaeniformes	Synanceiidae	<i>Inimicus</i>	<i>japonicus</i>	oniokoze	オニオコゼ	D	<i>Tubulovesicula</i>	<i>muraenesocis</i>		Mie	Hamajima	Pt.31	92	
Scorpaeniformes	Synanceiidae	<i>Inimicus</i>	<i>japonicus</i>	oniokoze	オニオコゼ	N	<i>Philometra</i>	<i>inimici</i>		Mie	Hamajima	Pt.33	392	
Scorpaeniformes	Tetrarogidae	<i>Hypodytes</i>	<i>rubripinnis</i>	haokoze	ハオコゼ	D	<i>Helicometra</i>	<i>hypodytis</i>		?	Inland Sea	Pt.2	301	
Scorpaeniformes	Tetrarogidae	<i>Hypodytes</i>	<i>rubripinnis</i>	haokoze	ハオコゼ	D	<i>Helicometra</i>	<i>hypodytis</i>		Hyogo	Tarumi	Pt.26	214	
Scorpaeniformes	Triglidae	<i>Chelidonichthys</i>	<i>kumu</i>	houbou	ハウボウ	C	<i>Otobothrium</i>	<i>dipsacum</i>		?	East China Sea	Pt.49	69	
Scorpaeniformes	Triglidae	<i>Chelidonichthys</i>	<i>kumu</i>	houbou	ハウボウ	D	<i>Deretrema</i>	<i>pacificum</i>		Mie	Hamajima	Pt.39	365	
Scorpaeniformes	Triglidae	<i>Chelidonichthys</i>	<i>kumu</i>	houbou	ハウボウ	D	<i>Deretrema</i>	<i>plotosi</i>		Mie	Hamajima	Pt.44	269	
Scorpaeniformes	Triglidae	<i>Chelidonichthys</i>	<i>kumu</i>	houbou	ハウボウ	D	<i>Lebouria</i>	<i>lobata</i>		Toyama	Toyama Bay	Pt.2	283	
Scorpaeniformes	Triglidae	<i>Chelidonichthys</i>	<i>kumu</i>	houbou	ハウボウ	D	<i>Plagioporus</i>	<i>lobatus</i>		Mie	Hamajima	Pt.44	248	
Scorpaeniformes	Triglidae	<i>Chelidonichthys</i>	<i>kumu</i>	houbou	ハウボウ	M	<i>Trochopus</i>	<i>hobo</i>		Mie	Hamajima	Pt.37	122	
Scorpaeniformes	Triglidae	<i>Chelidonichthys</i>	<i>kumu</i>	houbou	ハウボウ	N	<i>Anisakis</i>	<i>sp.</i>	larva	?	East China Sea	Pt.33	346	
Scorpaeniformes	Triglidae	<i>Chelidonichthys</i>	<i>kumu</i>	houbou	ハウボウ	N	<i>Contraecum</i>	<i>sp. larva-I</i>	larva	?	East China Sea	Pt.33	370	
Scorpaeniformes	Triglidae	<i>Chelidonichthys</i>	<i>kumu</i>	houbou	ハウボウ	N	<i>Contraecum</i>	<i>sp. larva-I</i>	larva	?	Inland Sea	Pt.9	348	
Scorpaeniformes	Triglidae	<i>Chelidonichthys</i>	<i>kumu</i>	houbou	ハウボウ	N	<i>Contraecum</i>	<i>sp. larva-II</i>	larva	Kumamoto	Tomioka	Pt.9	348	
Siluriformes	Amblycipitidae	<i>Liobagrus</i>	<i>reini</i>	akaza	アカザ	N	<i>Rhabdochona</i>	<i>zacconis</i>		Nagano	?	Pt.9	371	
Siluriformes	Ariidae	<i>Arius</i>	<i>sp.</i>	hamagigi- rui	ハマギギの類	D	<i>Monodharmis</i>	<i>arii</i>		Overseas	Celebes	Cs.1	185	
Siluriformes	Ariidae	<i>Arius</i>	<i>sp.</i>	hamagigi- rui	ハマギギの類	D	<i>Prosogonarium</i>	<i>arii</i>		Overseas	Celebes	Cs.1	187	
Siluriformes	Ariidae	<i>Arius</i>	<i>sp.</i>	hamagigi- rui	ハマギギの類	M	<i>Metahaliotrema</i>	<i>arii</i>		Overseas	Celebes	Cs.2	217	
Siluriformes	Ariidae	<i>Arius</i>	<i>sp.</i>	hamagigi- rui	ハマギギの類	N	<i>Contraecum</i>	<i>arii</i>		Overseas	Celebes	Cs.9	128	
Siluriformes	Ariidae	<i>Arius</i>	<i>sp.</i>	hamagigi- rui	ハマギギの類	N	<i>Cucullanus</i>	<i>arii</i>		Overseas	Celebes	Cs.9	126	
Siluriformes	Ariidae	<i>Arius</i>	<i>sp.</i>	hamagigi- rui	ハマギギの類	N	<i>Cucullanus</i>	<i>armatus</i>		Overseas	Celebes	Cs.9	124	
Siluriformes	Ariidae	<i>Arius</i>	<i>sp.</i>	hamagigi- rui	ハマギギの類	N	<i>Porrocaecum</i>	<i>sp.</i>		Overseas	Celebes	Cs.9	130	
Siluriformes	Bagridae	<i>Pelteobagrus</i>	<i>nudiceps</i>	gigi	ギギ	D	<i>Coitocaecum</i>	<i>plagiorchis</i>		Shiga	Lake Biwa	Pt.26	218	
Siluriformes	Bagridae	<i>Pelteobagrus</i>	<i>nudiceps</i>	gigi	ギギ	D	<i>Genarchopsis</i>	<i>gigi</i>		Shiga	Lake Biwa	Pt.26	227	
Siluriformes	Bagridae	<i>Pelteobagrus</i>	<i>nudiceps</i>	gigi	ギギ	M	<i>Ancylodiscoides</i>	<i>gigi</i>		Kyoto	Kyoto	Pt.37	114	

Host order	Host family	Host Genus	Host Species	Host Japanese Name	宿主名	Para site	Genus (subg.)	species	Stage	Prefecture	Locality	Ref.No.	Page	Remarks
Siluriformes	Bagridae	<i>Pelteobagrus</i>	<i>nudiceps</i>	gigi	ギギ	N	<i>Raphidascaris</i>	<i>gigi</i>		?	?	Pt.9	339	
Siluriformes	Bagridae	<i>Pelteobagrus</i>	<i>nudiceps</i>	gigi	ギギ	N	<i>Spinitectus</i>	<i>gigi</i>		?	?	Pt.9	375	
Siluriformes	Bagridae	<i>Pseudobagrus</i>	<i>aurantiacus</i>	gibachi	ギバチ	D	<i>Apatemon</i>	<i>fuligulae</i>	Tetracotyle	Kyoto; Shiga	Lake Ogura; Lake Biwa	Pt.1	9	
Siluriformes	Bagridae	<i>Pseudobagrus</i>	<i>aurantiacus</i>	gibachi	ギバチ	D	<i>Orientocreadium</i>	<i>pseudobagri</i>		Shiga	Lake Biwa	Pt.2	334	
Siluriformes	Plotosidae	<i>Plotosus</i>	<i>anguillaris</i>	gonzui	ゴンズイ	A	<i>Heterosentis</i>	<i>plotosi</i>		Mie	Hamajima	Pt.29	328	
Siluriformes	Plotosidae	<i>Plotosus</i>	<i>anguillaris</i>	gonzui	ゴンズイ	A	<i>Heterosentis</i>	<i>plotosi</i>		Mie	Hamajima	Pt.8	274	
Siluriformes	Plotosidae	<i>Plotosus</i>	<i>anguillaris</i>	gonzui	ゴンズイ	D	<i>Deretrema</i>	<i>plotosi</i>		Mie	Hamajima	Pt.31	84	
Siluriformes	Plotosidae	<i>Plotosus</i>	<i>anguillaris</i>	gonzui	ゴンズイ	D	<i>Lecithaster</i>	<i>salmonis</i>		Mie	Hamajima	Pt.31	97	
Siluriformes	Plotosidae	<i>Plotosus</i>	<i>anguillaris</i>	gonzui	ゴンズイ	D	<i>Opegaster</i>	<i>plotosi</i>		Mie	Hamajima	Pt.31	74	
Siluriformes	Plotosidae	<i>Plotosus</i>	<i>anguillaris</i>	gonzui	ゴンズイ	D	<i>Plagioporus</i>	<i>japonicus</i>		Mie	Hamajima	Pt.31	62	
Siluriformes	Plotosidae	<i>Plotosus</i>	<i>anguillaris</i>	gonzui	ゴンズイ	N	<i>Raphidascaris</i> or <i>Raphidascaroides</i>	<i>sp. A</i>	larva	Mie	Hamajima	Pt.33	357	
Siluriformes	Siluridae	<i>Parasilurus</i>	<i>asotus</i>	namazu	ナマズ	A	<i>Acanthocephalus</i>	<i>gotoi</i>		Kyoto	Lake Ogura	Pt.8	252	
Siluriformes	Siluridae	<i>Parasilurus</i>	<i>asotus</i>	namazu	ナマズ	A	<i>Acanthocephalus</i>	<i>minor</i>		Toyama	?	Pt.8	253	
Siluriformes	Siluridae	<i>Parasilurus</i>	<i>asotus</i>	namazu	ナマズ	A	<i>Acanthocephalus</i>	<i>opsalichthydis</i>		Kyoto or Shiga	Lake Ogura or Lake Biwa	Pt.8	254	
Siluriformes	Siluridae	<i>Parasilurus</i>	<i>asotus</i>	namazu	ナマズ	C	<i>Gangesia</i>	<i>parasiluri</i>		Kyoto; Toyama	Lake Ogura; ?	Pt.4	46	
Siluriformes	Siluridae	<i>Parasilurus</i>	<i>asotus</i>	namazu	ナマズ	C	<i>Proteocephalus</i>	<i>parasiluri</i>		Kyoto	Lake Ogura	Pt.4	40	
Siluriformes	Siluridae	<i>Parasilurus</i>	<i>asotus</i>	namazu	ナマズ	D	<i>Apatemon</i>	<i>fuligulae</i>	Tetracotyle	Kyoto; Shiga	Lake Ogura; Lake Biwa	Pt.1	9	
Siluriformes	Siluridae	<i>Parasilurus</i>	<i>asotus</i>	namazu	ナマズ	D	<i>Diplostomum</i>	<i>orientale</i>	metacercaria	Toyama	?	Pt.38	152	
Siluriformes	Siluridae	<i>Parasilurus</i>	<i>asotus</i>	namazu	ナマズ	D	<i>Exorchis</i>	<i>oviformis</i>		Fukuoka	Okinohata	Pt.21	65	
Siluriformes	Siluridae	<i>Parasilurus</i>	<i>asotus</i>	namazu	ナマズ	D	<i>Exorchis</i>	<i>oviformis</i>		?	Yodo	Pt.39	373	
Siluriformes	Siluridae	<i>Parasilurus</i>	<i>asotus</i>	namazu	ナマズ	D	<i>Phyllodistomum</i>	<i>parasiluri</i>		Kyoto	Lake Ogura	Pt.2	423	
Siluriformes	Siluridae	<i>Parasilurus</i>	<i>asotus</i>	namazu	ナマズ	M	<i>Ancylodiscooides</i>	<i>asoti</i>		Fukuoka; Okayama	Okinohata; near Okayama	Pt.19	6	
Siluriformes	Siluridae	<i>Parasilurus</i>	<i>asotus</i>	namazu	ナマズ	M	<i>Ancylodiscooides</i>	<i>hamatovagina</i>		?	Yodo River	Pt.37	108	
Siluriformes	Siluridae	<i>Parasilurus</i>	<i>asotus</i>	namazu	ナマズ	M	<i>Ancylodiscooides</i>	<i>infundibulovagina</i>		Kyoto	Kyoto	Pt.37	112	
Siluriformes	Siluridae	<i>Parasilurus</i>	<i>asotus</i>	namazu	ナマズ	M	<i>Ancylodiscooides</i>	<i>parasiluri</i>		Nagano	Lake Suwa	Pt.19	5	
Siluriformes	Siluridae	<i>Parasilurus</i>	<i>asotus</i>	namazu	ナマズ	M	<i>Ancylodiscooides</i>	<i>sigmoidovagina</i>		Kyoto	Kyoto	Pt.37	110	
Siluriformes	Siluridae	<i>Parasilurus</i>	<i>asotus</i>	namazu	ナマズ	N	<i>Clavinema</i>	<i>parasiluri</i>		Kyoto	Lake Ogura	Pt.9	360	
Siluriformes	Siluridae	<i>Parasilurus</i>	<i>asotus</i>	namazu	ナマズ	N	<i>Philometra</i>	<i>parasiluri</i>		Nagano	Lake Suwa	Pt.33	391	
Siluriformes	Siluridae	<i>Parasilurus</i>	<i>asotus</i>	namazu	ナマズ	N	<i>Philometra</i>	<i>parasiluri</i>		Kyoto	Lake Ogura	Pt.9	352	
Siluriformes	Siluridae	<i>Parasilurus?</i>	<i>asotus?</i>	namazu?	ナマズ?	N	<i>Procamallanus</i>	<i>parasiluri</i>		?	?	Pt.9	380	Host not written.
Squaliformes	Squalidae	<i>Squalus</i>	<i>sucklii</i>	aburatsunozame	アブラツノザメ	C	<i>Phyllobothrium</i>	<i>laciniatum</i>		?	East China Sea	Pt.49	18	Host syn.: <i>Squalus acanthias</i> & <i>Squalus mitsukurii</i>
Squaliformes	Squalidae	<i>Squalus</i>	<i>sucklii</i>	aburatsunozame	アブラツノザメ	C	<i>Phyllobothrium</i>	<i>squali</i>		Fukushima	Onahama	Pt.49	21	Host syn.: <i>Squalus acanthias</i> & <i>Squalus mitsukurii</i>
Squatiniiformes	Squatinae	<i>Squatina</i>	<i>japonica</i>	kasuzame	カスザメ	C	<i>Phyllobothrium</i>	<i>marginatum</i>		Toyama	Toyama Bay	Pt.4	48	
Squatiniiformes	Squatinae	<i>Squatina</i>	<i>japonica</i>	kasuzame	カスザメ	C	<i>Tylocephalum</i>	<i>squatinae</i>		Toyama	Toyama Bay	Pt.4	74	
Tetraodontiformes	Diodontidae	<i>Chilomycterus</i>	<i>affinis</i>	ishugakifugu	イシガキフグ	D	<i>Maculifer</i>	<i>chilomycteri</i>		Wakayama	Shirahama Aquarium	Pt.54	246	
Tetraodontiformes	Diodontidae	<i>Chilomycterus</i>	<i>affinis</i>	ishugakifugu	イシガキフグ	D	<i>Pseudoheterolebes</i>	<i>chilomycteri</i>		Wakayama	Shirahama Aquarium	Pt.54	257	
Tetraodontiformes	Diodontidae	<i>Chilomycterus</i>	<i>affinis</i>	ishugakifugu	イシガキフグ	D	<i>Pseudoheterolebes</i>	<i>cotylophorus</i>		Wakayama	Shirahama Aquarium	Pt.54	255	

Host order	Host family	Host Genus	Host Species	Host Japanese Name	宿主名	Parasite	Genus (subg.)	species	Stage	Prefecture	Locality	Ref.No.	Page	Remarks
Tetraodontiformes	Diodontidae	<i>Chilomycterus</i>	<i>affinis</i>	ishugakifugu	イシガキフグ	N	<i>Raphidascaroides</i>	<i>chilomycteri</i>		Wakayama	Shirahama	Pt.57	218	
Tetraodontiformes	Diodontidae	<i>Diodon</i>	<i>holacanthus</i>	harisenbon	ハリセンボン	D	<i>Sclerodistomum</i>	<i>diodontis</i>		Okinawa	Naha	Pt.39	389	
Tetraodontiformes	Diodontidae	<i>Diodon</i>	<i>holacanthus</i>	harisenbon	ハリセンボン	D	<i>Sclerodistomum</i>	<i>diodontis</i>		Wakayama	Shirahama Aquarium	Pt.54	258	
Tetraodontiformes	Molidae	<i>Mola</i>	<i>mola</i>	manbou	マンボウ	C	<i>Anchistrocephalus</i>	<i>microcephalus</i>		?	?	Pt.4	34	
Tetraodontiformes	Molidae	<i>Mola</i>	<i>mola</i>	manbou	マンボウ	C	<i>Floriceps</i>	<i>elongatus</i>	cysticeroid	?	Pacific	Pt.4	98	
Tetraodontiformes	Molidae	<i>Mola</i>	<i>mola</i>	manbou	マンボウ	D	<i>Accacladium</i>	<i>serpentulus</i>		?	?	Pt.2	508	
Tetraodontiformes	Molidae	<i>Mola</i>	<i>mola</i>	manbou	マンボウ	D	<i>Odhnerium</i>	<i>calyptrocotyle</i>		?	Pacific	Pt.2	509	
Tetraodontiformes	Molidae	<i>Mola</i>	<i>mola</i>	manbou	マンボウ	D	<i>Rhynchopharynx</i>	<i>paradoxa</i>		?	Pacific	Pt.2	508	
Tetraodontiformes	Monacanthidae	<i>Cantherines</i>	<i>modestus</i>	umazurahagi	ウマヅラハギ	D	<i>Aponurus</i>	<i>vitellograndis</i>		Toyama; ?	Toyama; Inland Sea	Pt.2	491	
Tetraodontiformes	Monacanthidae	<i>Cantherines</i>	<i>unicornu</i>	usubahagi?	ウスバハギ?	D	<i>Lepocreadium</i>	<i>clavatum</i>		?	?	Pt.21	33	syn.: <i>Lepotrema clavatum</i> Ozaki, 1932
Tetraodontiformes	Monacanthidae	<i>Cantherines</i>	<i>unicornu</i>	usubahagi?	ウスバハギ?	D	<i>Lepotrema</i>	<i>clavatum</i>		Aichi or Mie	Ise Bay	Pt.2	324	syn.: <i>Lepocreadium clavatum</i> (Ozaki, 1932)
Tetraodontiformes	Monacanthidae	<i>Cantherines</i>	<i>unicornu</i>	usubahagi?	ウスバハギ?	D	<i>Lintonium</i>	<i>vibex</i>		?	Pacific coast	Pt.2	407	
Tetraodontiformes	Monacanthidae	<i>Cantherines</i>	<i>unicornu</i>	usubahagi?	ウスバハギ?	D	<i>Pseudocreadium</i>	<i>monacanthi</i>		Mie	Pacific coast	Pt.2	323	
Tetraodontiformes	Monacanthidae	<i>Cantherines</i>	<i>unicornu</i>	usubahagi?	ウスバハギ?	D	<i>Pseudocreadium</i>	<i>monacanthi</i>		?	?	Pt.21	34	
Tetraodontiformes	Monacanthidae	<i>Cantherines</i>	<i>unicornu</i>	usubahagi?	ウスバハギ?	N	<i>Contraecum</i>	<i>sp. larva-1</i>	larva	Kochi	Tosa Bay	Pt.33	370	
Tetraodontiformes	Monacanthidae	<i>Monacanthus</i>	<i>cirrifer</i>	kawahagi	カワハギ	D	<i>Cephaloporus</i>	<i>monacanthi</i>		Aomori	Mutsu Bay	Pt.2	526	Host syn.: <i>Stephanolepis cirrifer</i>
Tetraodontiformes	Monacanthidae	<i>Monacanthus</i>	<i>cirrifer</i>	kawahagi	カワハギ	D	<i>Hypocreadium</i>	<i>patellare</i>		?	Inland Sea	Pt.21	34	Host syn.: <i>Stephanolepis cirrifer</i>
Tetraodontiformes	Monacanthidae	<i>Monacanthus</i>	<i>cirrifer</i>	kawahagi	カワハギ	D	<i>Hypohepaticola</i>	<i>callionymi</i>		Hyogo	Tarumi	Pt.39	386	Host syn.: <i>Stephanolepis cirrifer</i> accidental host?
Tetraodontiformes	Monacanthidae	<i>Monacanthus</i>	<i>cirrifer</i>	kawahagi	カワハギ	D	<i>Lepocreadium</i>	<i>clavatum</i>		?	?	Pt.21	33	syn.: <i>Lepotrema clavatum</i> Ozaki, 1932 Host syn.: <i>Stephanolepis cirrifer</i>
Tetraodontiformes	Monacanthidae	<i>Monacanthus</i>	<i>cirrifer</i>	kawahagi	カワハギ	D	<i>Lepotrema</i>	<i>clavatum</i>		?	Inland Sea	Pt.2	324	syn.: <i>Lepocreadium clavatum</i> (Ozaki, 1932) Host syn.: <i>Stephanolepis cirrifer</i>

Host order	Host family	Host Genus	Host Species	Host Japanese Name	宿主名	Parasite	Genus (subg.)	species	Stage	Prefecture	Locality	Ref.No.	Page	Remarks
Tetraodontiformes	Monacanthidae	<i>Monacanthus</i>	<i>cirrifer</i>	kawahagi	カワハギ	D	<i>Lintonium</i>	<i>vibex</i>		Aomori; Toyama	Mutsu; Toyama Bay	Pt.2	407	Host syn.: <i>Stephanolepis cirrifer</i>
Tetraodontiformes	Monacanthidae	<i>Monacanthus</i>	<i>cirrifer</i>	kawahagi	カワハギ	D	<i>Pseudocreadium</i>	<i>monacanthi</i>		?	Inland Sea	Pt.2	323	Host syn.: <i>Stephanolepis cirrifer</i>
Tetraodontiformes	Monacanthidae	<i>Monacanthus</i>	<i>cirrifer</i>	kawahagi	カワハギ	N	<i>Contraecum</i>	<i>sp. larva-I</i>	larva	?	Inland Sea	Pt.9	347	Host syn.: <i>Stephanolepis cirrifer</i>
Tetraodontiformes	Ostraciidae	<i>Ostracion</i>	<i>diaphanum</i>	umisuzume	ウミスズメ	D	<i>Discogaster</i>	<i>minor</i>		Mie	Kuki	Pt.2	420	Host syn.: <i>Lactoria diaphanum</i>
Tetraodontiformes	Ostraciidae	<i>Ostracion</i>	<i>diaphanum</i>	umisuzume	ウミスズメ	D	<i>Discogaster</i>	<i>ostracionis</i>		Mie	Kuki	Pt.2	418	Host syn.: <i>Lactoria diaphanum</i>
Tetraodontiformes	Ostraciidae	<i>Ostracion</i>	<i>tuberculatum</i>	hakofugu	ハコフグ	D	<i>Plagioporus</i>	<i>acanthogobii</i>		Aichi	Miya (Mikawa Province)	Pt.44	249	
Tetraodontiformes	Tetraodontidae	<i>Canthigaster</i>	<i>rivulata</i>	kitamakura	キタマクラ	D	<i>Lepidophyllum</i>	<i>canthigastris</i>		Kanagawa	Sagami Bay	Pt.54	253	
Tetraodontiformes	Tetraodontidae	<i>Canthigaster</i>	<i>rivulata</i>	kitamakura	キタマクラ	N	<i>Contraecum</i>	<i>sp. larva-III</i>	larva	Tokushima	Tokushima	Pt.33	370	
Tetraodontiformes	Tetraodontidae	<i>Spheroides</i>	<i>alboplumbeus</i>	komonfugu	コモンフグ	D	<i>Maculifer</i>	<i>pacificus</i>		Mie	Hamajima	Pt.31	59	Host syn.: <i>Fugu poecilnotus</i>
Tetraodontiformes	Tetraodontidae	<i>Spheroides</i>	<i>niphobles</i>	kusafugu	クサフグ	D	<i>Maculifer</i>	<i>pacificus</i>		?	Inland Sea	Pt.21	21	Host syn.: <i>Fugu niphobles</i>
Tetraodontiformes	Tetraodontidae	<i>Spheroides</i>	<i>niphobles</i>	kusafugu	クサフグ	D	<i>Octotestis</i>	<i>iseensis</i>		Aichi	Tokoname	Pt.44	275	Host syn.: <i>Fugu niphobles</i>
Tetraodontiformes	Tetraodontidae	<i>Spheroides</i>	<i>pardalis</i>	higanfugu	ヒガンフグ	C	<i>Scolex</i>	<i>polymorphus - V</i>		?	Inland Sea	Pt.4	81	Host syn.: <i>Fugu pardalis</i>
Tetraodontiformes	Tetraodontidae	<i>Spheroides</i>	<i>pardalis</i>	higanfugu	ヒガンフグ	D	<i>Bianium</i>	<i>hemistoma</i>		?	?	Pt.48	330	Host syn.: <i>Fugu pardalis</i>
Tetraodontiformes	Tetraodontidae	<i>Spheroides</i>	<i>pardalis</i>	higanfugu	ヒガンフグ	D	<i>Maculifer</i>	<i>japonicus</i>		Fukui	Obama	Pt.21	20	Host syn.: <i>Fugu pardalis</i>
Tetraodontiformes	Tetraodontidae	<i>Spheroides</i>	<i>pardalis</i>	higanfugu	ヒガンフグ	D	<i>Maculifer</i>	<i>pacificus</i>		Mie	Hamajima	Pt.31	59	Host syn.: <i>Fugu pardalis</i>
Tetraodontiformes	Tetraodontidae	<i>Spheroides</i>	<i>pardalis</i>	higanfugu	ヒガンフグ	D	<i>Maculifer</i>	<i>pacificus</i>		Kanagawa	Sagami Bay	Pt.54	247	Host syn.: <i>Fugu pardalis</i>
Tetraodontiformes	Tetraodontidae	<i>Spheroides</i>	<i>pardalis</i>	higanfugu	ヒガンフグ	D	<i>Psettarium</i>	<i>japonicum</i>		Mie	Hamajima	Pt.48	331	Host syn.: <i>Fugu pardalis</i>
Tetraodontiformes	Tetraodontidae	<i>Spheroides</i>	<i>rubripes</i>	torafugu	トラフグ	D	<i>Pharyngora</i>	<i>orientalis</i>		Toyama	Toyama Bay	Pt.2	327	Host syn.: <i>Fugu rubripes</i>
Tetraodontiformes	Tetraodontidae	<i>Spheroides</i>	<i>rubripes</i>	torafugu	トラフグ	D	<i>Psettarium</i>	<i>japonicum</i>		?	East China Sea	Pt.21	138	Host syn.: <i>Fugu rubripes</i>
Tetraodontiformes	Tetraodontidae	<i>Spheroides</i>	<i>rubripes</i>	torafugu	トラフグ	M	<i>Udonella</i>	<i>caligorum</i>		Aichi	Shinmaiko	Pt.53	61	Host syn.: <i>Fugu rubripes</i>
Tetraodontiformes	Tetraodontidae	<i>Spheroides</i>	<i>rubripes</i>	torafugu	トラフグ	N	<i>Anisakis</i>	<i>sp.</i>	larva	?	East China Sea	Pt.33	346	Host syn.: <i>Fugu rubripes</i>
Tetraodontiformes	Tetraodontidae	<i>Spheroides</i>	<i>sp.</i>	fugu-ruirui	フグの類	A	<i>Arhythmacanthus</i>	<i>fusiformis</i>		Wakayama; Mie	?, ?	Pt.8	272	Host syn.: <i>Fugu sp.</i>
Tetraodontiformes	Tetraodontidae	<i>Spheroides</i>	<i>sp.</i>	fugu-ruirui	フグの類	C	<i>Nybelinia</i>	<i>sp. plerocercoid-III</i>	plerocercoid	Mie	Kuki	Pt.4	106	Host syn.: <i>Fugu sp.</i>
Tetraodontiformes	Tetraodontidae	<i>Spheroides</i>	<i>sp.</i>	fugu-ruirui	フグの類	D	<i>Aponurus</i>	<i>rhinoplagusiae</i>		Wakayama	Pacific coast	Pt.2	489	Host syn.: <i>Fugu sp.</i>

Host order	Host family	Host Genus	Host Species	Host Japanese Name	宿主名	Para site	Genus (subg.)	species	Stage	Prefecture	Locality	Ref.No.	Page	Remarks
Tetraodontiformes	Tetraodontidae	<i>Spheroides</i>	<i>sp.</i>	fugu-ruis	フグの類	D	<i>Bianium</i>	<i>hemistoma</i>		Aomori; Toyama; Aichi or Mie; ?	Mutsu Bay; Toyama Bay; Ise Bay; Inland Sea	Pt.2	525	Host syn.: <i>Fugu</i> sp.
Tetraodontiformes	Tetraodontidae	<i>Spheroides</i>	<i>sp.</i>	fugu-ruis	フグの類	D	<i>Maculifer</i>	<i>japonicus</i>		?	Inland Sea	Pt.2	311	Host syn.: <i>Fugu</i> sp.
Tetraodontiformes	Tetraodontidae	<i>Spheroides</i>	<i>sp.</i>	fugu-ruis	フグの類	D	<i>Paralepidophyllum</i>	<i>pyriforme</i>		Mie	Kuki	Pt.2	395	Host syn.: <i>Fugu</i> sp.
Tetraodontiformes	Tetraodontidae	<i>Spheroides</i>	<i>sp.</i>	fugu-ruis	フグの類	D	<i>Tetrochetus</i>	<i>hamadai</i>		Shizuoka	Maisaka	Pt.24	71	Host syn.: <i>Fugu</i> sp.
Tetraodontiformes	Tetraodontidae	<i>Spheroides</i>	<i>sp.</i>	fugu-ruis	フグの類	N	<i>Anisakis</i>	<i>sp.</i>	larva	?	Pacific	Pt.9	338	syn.: <i>Anisakis salaris</i> (Gmelin, 1790) Host syn.: <i>Fugu</i> sp.
Tetraodontiformes	Tetraodontidae	<i>Spheroides</i>	<i>sp.</i>	fugu-ruis	フグの類	N	<i>Contraecaecum</i>	<i>sp. larva-III</i>	larva	?	Inland Sea	Pt.9	348	Host syn.: <i>Fugu</i> sp.
Tetraodontiformes	Tetraodontidae	<i>Spheroides</i>	<i>sp.</i>	fugu-ruis	フグの類	N	<i>Contraecaecum</i>	<i>sp. larva-IV</i>	larva	?	Pacific	Pt.9	348	Host syn.: <i>Fugu</i> sp.
Tetraodontiformes	Tetraodontidae	<i>Spheroides</i>	<i>spadiceus</i>	sabafugu	サバフグ	C	<i>Pelichnibothrium</i>	<i>sp. larva-VII</i>	larva	Toyama	Toyama Bay	Pt.4	82	Host syn.: <i>Logocephalus lunaris spadiceus</i>
Tetraodontiformes	Tetraodontidae	<i>Spheroides</i>	<i>spadiceus</i>	sabafugu	サバフグ	D	<i>Decemtestis</i>	<i>callionymi</i>		Wakayama	Taiji	Pt.44	256	Host syn.: <i>Logocephalus lunaris spadiceus</i>
Tetraodontiformes	Tetraodontidae	<i>Spheroides</i>	<i>spadiceus</i>	sabafugu	サバフグ	D	<i>Maculifer</i>	<i>japonicus</i>		?	Pacific	Pt.2	311	Host syn.: <i>Logocephalus lunaris spadiceus</i>
Tetraodontiformes	Tetraodontidae	<i>Spheroides</i>	<i>spadiceus</i>	sabafugu	サバフグ	D	<i>Maculifer</i>	<i>pacificus</i>		Shizuoka	Maisaka	Pt.21	21	Host syn.: <i>Logocephalus lunaris spadiceus</i>
Tetraodontiformes	Tetraodontidae	<i>Spheroides</i>	<i>spadiceus</i>	sabafugu	サバフグ	D	<i>Tetrochetus</i>	<i>hamadai</i>		Wakayama	Taiji	Pt.48	318	Host syn.: <i>Logocephalus lunaris spadiceus</i>
Tetraodontiformes	Tetraodontidae	<i>Spheroides</i>	<i>vermicularis</i>	shousaifugu	ショウサイフグ	D	<i>Maculifer</i>	<i>pacificus</i>		Mie	Kuki	Pt.21	21	Host syn.: <i>Fugu vermicularis</i>
Tetraodontiformes	Tetraodontidae	<i>Spheroides</i>	<i>xantopterus</i>	shimafugu	シマフグ	M	<i>Heterobothrium</i>	<i>tetrodonis</i>		Kanagawa	Sagami Bay	Pt.53	79	Host syn.: <i>Fugu xantopterus</i>
Tetraodontiformes	Triacanthidae	<i>Triacanthus</i>	<i>brevirostris</i>	gima	ギマ	M	<i>Ancyrocephaloides</i>	<i>triacanthi</i>		Shizuoka	Lake Hamana	Pt.24	17	
Zeiformes	Macrurocyttidae	<i>Parazen</i>	<i>japonicum</i>	sokomatoudai	ソコマトウダイ	N	<i>Anisakis</i>	<i>sp.</i>	larva	Kochi	Tosa Bay	Pt.33	347	Host syn.: <i>Zenion japonicum</i>
Zeiformes	Macrurocyttidae	<i>Parazen</i>	<i>japonicum</i>	sokomatoudai	ソコマトウダイ	N	<i>Contraecaecum</i>	<i>sp. larva-I</i>	larva	Kochi	Tosa Bay	Pt.33	370	Host syn.: <i>Zenion japonicum</i>
Zeiformes	Macrurocyttidae	<i>Parazen</i>	<i>japonicum</i>	sokomatoudai	ソコマトウダイ	N	<i>Raphidascaris</i> or <i>Raphidascaroides</i>	<i>sp. B</i>	larva	Kochi	Tosa Bay	Pt.33	357	Host syn.: <i>Zenion japonicum</i>
Zeiformes	Zeidae	<i>Zenopsis</i>	<i>nebulosa</i>	kagamidai	カガミダイ	C	<i>Eubothrioides</i>	<i>lamellatus</i>		Shizuoka	Suruga Bay	Pt.49	12	
Zeiformes	Zeidae	<i>Zenopsis</i>	<i>nebulosa</i>	kagamidai	カガミダイ	N	<i>Contraecaecum</i>	<i>zenopsis</i>		?	Pacific	Pt.33	366	
Zeiformes	Zeidae	<i>Zenopsis</i>	<i>nebulosus</i>	kagamidai	カガミダイ	D	<i>Cymbephallus</i>	<i>japonicus</i>		Shizuoka	Suruga Bay	Pt.21	48	
Zeiformes	Zeidae	<i>Zeus</i>	<i>faber</i>	matoudai	マトウダイの	C	<i>Scolex</i>	<i>polymorphus -III</i>		Mie	Kuki	Pt.4	81	
Zeiformes	Zeidae	<i>Zeus</i>	<i>faber</i>	matoudai-ruis	マトウダイの	N	<i>Contraecaecum</i>	<i>sp. larva-I</i>	larva	Fukui	Wakasa Bay	Pt.33	370	
Zeiformes	Zeidae	<i>Zeus</i>	<i>faber</i>	matoudai-ruis	マトウダイの	N	<i>Contraecaecum</i>	<i>sp. larva-I</i>	larva	?	Inland Sea	Pt.9	348	
Zeiformes	Zeidae	<i>Zeus</i>	<i>faber</i>	matoudai-ruis	マトウダイの	N	<i>Raphidascaris</i>	<i>chirocentri</i>		?	Sea of Japan	Pt.33	353	
Zeiformes	Zeidae	<i>Zeus</i>	<i>japonicus</i>	matoudai	マトウダイ	N	<i>Contraecaecum</i>	<i>baylisi</i>		?	Inland Sea	Pt.33	364	
Zeiformes	Zeidae	<i>Zeus</i>	<i>sp.</i>	matoudai-ruis	マトウダイの	D	<i>Helicometra</i>	<i>epinepheli</i>		Okinawa	Naha	Pt.39	338	

Host order	Host family	Host Genus	Host Species	Host Japanese Name	宿主名	Para site	Genus (subg.)	species	Stage	Prefecture	Locality	Ref.No.	Page	Remarks
Parasite taxon: A-Acanthocephala, C-Cestoda, D-Digenea, N-Nematoda														
References:														
Pt.1) Yamaguti S. 1933. Studies on the helminth fauna of Japan. Part 1. Trematodes of birds, reptiles and mammals. Jpn. J. Zool. 5: 1-134.														
Pt.2) Yamaguti S. 1934. Studies on the helminth fauna of Japan. Part 2. Trematodes of fishes. Jpn. J. Zool. 5: 249-541.														
Pt.4) Yamaguti S. 1934. Studies on the helminth fauna of Japan. Part 4. Cestodes of fishes. Jpn. J. Zool. 6: 1-112.														
Pt.6) Yamaguti S. 1935. Studies on the helminth fauna of Japan. Part 6. Cestodes of birds, I. Jpn. J. Zool. 6: 183-232.														
Pt.8) Yamaguti S. 1935. Studies on the helminth fauna of Japan. Part 8. Acanthocephala, I. Jpn. J. Zool. 6: 247-278.														
Pt.9) Yamaguti S. 1935. Studies on the helminth fauna of Japan. Part 9. Nematodes of fishes. Jpn. J. Zool. 6: 337-386.														
Pt.15) Yamaguti S. 1936. Studies on the helminth fauna of Japan. Part 15. Trematodes of fishes, II. (Published by author): 1-6.														
Pt.16) Yamaguti S. 1936. Studies on the helminth fauna of Japan. Part 16. Trematodes of fishes, III. (Published by author): 1-6.														
Pt.17) Yamaguti S. 1937. Studies on the helminth fauna of Japan. Part 17. Trematodes from marine fish, <i>Brachiostegus japonicus</i> (Houttuyn). (Published by author): 1-15.														
Pt.19) Yamaguti S. 1937. Studies on the helminth fauna of Japan. Part 19. Fourteen new ectoparasitic trematodes of fishes. (Published by author): 1-28.														
Pt.20) Yamaguti S. 1937. Studies on the helminth fauna of Japan. Part 20. Larval trematodes from marine fishes. Jpn. J. Zool. 7: 491-499.														
Pt.21) Yamaguti S. 1938. Studies on the helminth fauna of Japan. Part 21. Trematodes of fishes, IV. (Published by author): 1-139.														
Pt.24) Yamaguti S. 1938. Studies on the helminth fauna of Japan. Part 24. Trematodes of fishes, V. Jpn. J. Zool. 8: 15-74.														
Pt.25) Yamaguti S. 1939. Studies on the helminth fauna of Japan. Part 25. Trematodes of birds, IV. Jpn. J. Zool. 8: 129-210.														
Pt.26) Yamaguti S. 1939. Studies on the helminth fauna of Japan. Part 26. Trematodes of fishes, VI. Jpn. J. Zool. 8: 211-230.														
Pt.28) Yamaguti S. 1939. Studies on the helminth fauna of Japan. Part 28. <i>Nippotaenia chaenogobii</i> , a newcestode representing a new order, from freshwater fishes. Jpn. J. Med. Sci. (VI) 1: 285-289.														
Pt.29) Yamaguti S. 1939. Studies on the helminth fauna of Japan. Part 29. Acanthocephala, II. Jpn. J. Zool. 8: 318-351.														
Pt.30) Yamaguti S. 1940. Studies on the helminth fauna of Japan. Part 30. Cestodes of birds, II. Jpn. J. Med. Sci. 1: 175-211.														
Pt.31) Yamaguti S. 1940. Studies on the helminth fauna of Japan. Part 31. Trematodes of fishes, VII. Jpn. J. Zool. 9: 35-108.														
Pt.33) Yamaguti S. 1941. Studies on the helminth fauna of Japan. Part 33. Nematodes of fishes, II. Jpn. J. Zool. 9: 343-396.														
Pt.35) Yamaguti S. 1941. Studies on the helminth fauna of Japan. Part 35. Mammalian nematodes, II. Jpn. J. Zool. 9: 409-439.														
Pt.37) Yamaguti S. 1942. Studies on the helminth fauna of Japan. Part 37. Trematodes of fishes, VIII. Jpn. J. Med. Sci. (VI) 2: 105-129.														
Pt.38) Yamaguti S. 1942. Studies on the helminth fauna of Japan. Part 38. Larval trematodes of fishes. Jpn. J. Med. Sci. (VI) 2: 131-160.														
Pt.39) Yamaguti S. 1942. Studies on the helminth fauna of Japan. Part 39. Trematodes of fishes mainly from Naha. Trans. Biogeogr. Soc. Jpn. 3: 329-398.														
Pt.44) Yamaguti S. 1951. Studies on the helminth fauna of Japan. Part 44. Trematodes of fishes, IX. Arb. Med. Fak. Okayama 7: 247-282.														
Pt.48) Yamaguti S. 1951. Studies on the helminth fauna of Japan. Part 48. Trematodes of fishes, X. Arb. Med. Fak. Okayama 7: 315-334.														
Pt.49) Yamaguti S. 1952. Studies on the helminth fauna of Japan. Part 49. Cestodes of fishes, II. Acta Med. Okayama 8: 1-76.														
Pt.52) Yamaguti S. 1958. Studies on the helminth fauna of Japan. Part 52. Trematodes of fishes, XI. Publ. Seto Mar. Biol. Lab. 6: 369-384.														
Pt.53) Yamaguti S. 1958. Studies on the helminth fauna of Japan. Part 53. Trematodes of fishes, XII. Publ. Seto Mar. Biol. Lab. 7: 53-88.														
Pt.54) Yamaguti S. 1959. Studies on the helminth fauna of Japan. Part 54. Trematodes of fishes, XIII. Publ. Seto Mar. Biol. Lab. 7: 241-262.														
Pt.55) Yamaguti S. 1959. Studies on the helminth fauna of Japan. Part 55. Four new genera of Acanthocephala from fishes. Publ. Seto Mar. Biol. Lab. 7: 319-326.														
Pt.56) Yamaguti S. 1960. Studies on the helminth fauna of Japan. Part 56. Cestodes of fishes, III. Publ. Seto Mar. Biol. Lab. 8: 41-50.														
Pt.57) Yamaguti S. 1961. Studies on the helminth fauna of Japan. Part 57. Nematodes of fishes, III. J. Helm. Leiper Suppl.: 217-228.														
Cs.1) Yamaguti S. 1952. Parasitic worms mainly from Celebes. Part 1. New digenetic trematodes of fishes. Acta Med. Okayama 8: 146-197.														
Cs.2) Yamaguti S. 1953. Parasitic worms mainly from Celebes. Part 2. Monogenetic trematodes of fishes. Acta Med. Okayama 8: 203-256.														
Cs.3) Yamaguti S. 1953. Parasitic worms mainly from Celebes. Part 3. Digenetic trematodes of fishes, II. Acta Med. Okayama 8: 257-295.														
Cs.6) Yamaguti S. 1954. Parasitic worms mainly from Celebes. Part 6. Cestodes of fishes. Acta Med. Okayama 8: 353-374.														
Cs.8) Yamaguti S. 1954. Parasitic worms mainly from Celebes. Part 8. Acanthocephala. Acta Med. Okayama 8: 406-413.														
Cs.9) Yamaguti S. 1954. Parasitic worms mainly from Celebes. Part 9. Nematodes of fishes. Acta Med. Okayama 9: 121-133.														
On.1) Yamaguti S. 1954. Helminth fauna of Mt. Ontake. Part 1. Nematoda and Acanthocephala. Acta Med. Okayama 8: 386-392.														
Mis.55) Yamaguti S. 1938. Ueber die Ursache der schwarzen Winterflecke der japanischen Susswasserfische. Zeitschr. Parasitenk. 10: 691-693.														
Mis.63) Yamaguti S. & Miyata I. 1940. <i>Nippotaenia mogurndae</i> n. sp. (Cestoda) from Japanese fresh water fish <i>Mogurnda obscura</i> (Temm. et Schleg.). Jpn. J. Med. Sci. (VI) 1: 213-214.														
Mis.68) Yamaguti S. 1941. Entwicklungsgeschichte von <i>Echinochasmus hortense</i> Yamaguti, 1939. Zeitschr. Parasitenk. 12: 1-6.														
Mis.69) Yamaguti S. 1942. Ueber die Finnen von <i>Tatria decacantha</i> Fuhrm. and <i>Anomotaenia nycticoracis</i> Yamaguti. (Published by author): 1-2.														
Mis.71) Yamaguti S. & Matumura ?. 1942. Two new species of fish trematodes from Hokkaido. Trans. Sapporo Nat. Hist. Soc. 17: 117-122.														